Printing date 10/31/2017 Reviewed on 10/31/2017

### 1 Identification

· Product identifier

· Trade name: Potassium Iodate 0.0025 N Solution, NIST Traceable

· Article number: DC893-175

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson sherman@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300

Canutec: 613-996-6666



### 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · Precautionary statements

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



1 Health = 1

Fire = 0

 $\frac{\text{ACTIVITY} 0}{\text{Reactivity}} = 0$ 

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

HC

Printing date 10/31/2017 Reviewed on 10/31/2017

Trade name: Potassium Iodate 0.0025 N Solution, NIST Traceable

(Contd. of page 1)

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

<b>T</b>	-	
· Dangerous comp	onents:	
CAS: 7681-11-0	Potassium Iodide	2.467%
· Table of Nonhazo	of Nonhazardous Ingredients	
CAS: 1310-58-3	Potassium Hydroxide	0.0257%
CAS: 7758-05-6	Potassium Iodate	0.0088%
CAS: 7732-18-5	Water	97.498%

### 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- $\cdot$  *Environmental precautions:* Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

	1 Totalite Hellot	i Criteria for Chemicais	
	· PAC-1:		
	CAS: 7681-11-0	Potassium Iodide	1.3 mg/m³
Ī	CAS: 1310-58-3	Potassium Hydroxide	$0.18  mg/m^3$
		(C	ontd. on page 3)

Printing date 10/31/2017 Reviewed on 10/31/2017

Trade name: Potassium Iodate 0.0025 N Solution, NIST Traceable

	(Contd. of page 2)
CAS: 7758-05-6 Potassium Iodate	$0.45 \text{ mg/m}^3$
· PAC-2:	
CAS: 7681-11-0 Potassium Iodide	15 mg/m³
CAS: 1310-58-3 Potassium Hydroxide	2 mg/m³
CAS: 7758-05-6 Potassium Iodate	4.9 mg/m <sup>3</sup>
· PAC-3:	
CAS: 7681-11-0 Potassium Iodide	87 mg/m³
CAS: 1310-58-3 Potassium Hydroxide	54 mg/m³
CAS: 7758-05-6 Potassium Iodate	29 mg/m³

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

CAS: 7681-11-0 Potassium Iodide

TLV Long-term value: 0.01\* ppm \*as inhalable fraction and vapor

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the

chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

Printing date 10/31/2017 Reviewed on 10/31/2017

Trade name: Potassium Iodate 0.0025 N Solution, NIST Traceable

(Contd. of page 3)

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Goggles recommended during refilling.
- · Body protection: Protective work clothing

Odor threshold:  pH-value:  Not determined.  Change in condition Melting point/Melting range: Boiling point/Boiling range: 100 °C (212 °F)  Flash point:  Not applicable.  Flammability (solid, gaseous):  Not applicable.  Ignition temperature:  Decomposition temperature:  Not determined.  Auto igniting:  Product is not selfigniting.  Danger of explosion:  Product does not present an explosion hazard.  Explosion limits: Lower: Upper:  Not determined.  Vapor pressure at 20 °C (68 °F):  Relative density Vapor density Vapor density Vapor density Vapor density Vapor density Not determined. Fully miscible.		
Appearance: Form: Color: Clear Odor: Odor threshold: Not determined.  PH-value: Not determined.  Change in condition Melting point/Melting range: Boiling point/Boiling range: 100 °C (212 °F)  Flash point: Not applicable.  Flammability (solid, gaseous): Not applicable.  Ignition temperature:  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): Relative density Not determined. Fully miscible.		ical properties
Form: Color: Odor: Odor threshold: Not determined.  Change in condition Melting point/Melting range: Boiling point/Boiling range: Not applicable.  Flash point: Not applicable.  Flammability (solid, gaseous): Not applicable.  Ignition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Upper: Not determined.  Vapor pressure at 20 °C (68 °F): Relative density Vapor density Not determined. Fully miscible.		
Color: Odor: Odor threshold: Not determined.  PH-value: Not determined.  Change in condition Melting point/Melting range: Boiling point/Boiling range: 100 °C (212 °F)  Flash point: Not applicable.  Flammability (solid, gaseous): Not applicable.  Ignition temperature:  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): Relative density Not determined. Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible.		iquid
Odor: Odor threshold: Not determined.  PH-value: Not determined.  Change in condition Melting point/Melting range: Boiling point/Boiling range: 100 °C (212 °F)  Flash point: Not applicable.  Flammability (solid, gaseous): Not applicable.  Ignition temperature:  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): Relative density Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible.		
Odor threshold:  pH-value:  Not determined.  Change in condition Melting point/Melting range: Boiling point/Boiling range: 100 °C (212 °F)  Flash point:  Not applicable.  Flammability (solid, gaseous):  Not applicable.  Ignition temperature:  Decomposition temperature:  Not determined.  Auto igniting:  Product is not selfigniting.  Danger of explosion:  Product does not present an explosion hazard.  Explosion limits: Lower: Upper:  Not determined.  Vapor pressure at 20 °C (68 °F):  Not determined.  Vapor density Vapor density Vapor density Vapor density Vapor at the individual of the product of the		
Change in condition Melting point/Melting range: Boiling point/Boiling range: 100 °C (212 °F)  Flash point: Not applicable.  Flammability (solid, gaseous): Not applicable.  Ignition temperature:  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Upper: Not determined. Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.01728 g/cm³ (8.4892 lbs/gal) Not determined. Vapor density Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible.	•	
Boiling point/Boiling range: 100 °C (212 °F)  Flash point: Not applicable.  Flammability (solid, gaseous): Not applicable.  Ignition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.01728 g/cm³ (8.4892 lbs/gal)  Relative density Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water: Fully miscible.	value: N	ot determined.
Boiling point/Boiling range: 100 °C (212 °F)  Flash point: Not applicable.  Flammability (solid, gaseous): Not applicable.  Ignition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.01728 g/cm³ (8.4892 lbs/gal)  Relative density Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water: Fully miscible.		
Flash point: Not applicable.  Flammability (solid, gaseous): Not applicable.  Ignition temperature:  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.01728 g/cm³ (8.4892 lbs/gal) Relative density Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible.		
Flammability (solid, gaseous):  Not applicable.  Ignition temperature:  Decomposition temperature:  Not determined.  Auto igniting:  Product is not selfigniting.  Product does not present an explosion hazard.  Explosion limits:  Lower:  Upper:  Not determined.  Vapor pressure at 20 °C (68 °F):  23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F):  1.01728 g/cm³ (8.4892 lbs/gal)  Not determined.  Vapor density  Not determined.  Fully miscible.	iling point/Boiling range: 10	00 °C (212 °F)
Ignition temperature:  Decomposition temperature:  Not determined.  Auto igniting:  Product is not selfigniting.  Product does not present an explosion hazard.  Explosion limits:  Lower:  Upper:  Not determined.  Vapor pressure at 20 °C (68 °F):  23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F):  1.01728 g/cm³ (8.4892 lbs/gal)  Relative density  Not determined.  Vapor density  Not determined.  Not determined.  Solubility in / Miscibility with  Water:  Fully miscible.	h point: N	lot applicable.
Decomposition temperature:  Not determined.  Auto igniting:  Product is not selfigniting.  Product does not present an explosion hazard.  Explosion limits: Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F):  Density at 20 °C (68 °F): 1.01728 g/cm³ (8.4892 lbs/gal)  Relative density Not determined.  Not determined.  Not determined.  Not determined.  Not determined.  Not determined.  Solubility in / Miscibility with Water: Fully miscible.	nmability (solid, gaseous): N	lot applicable.
Auto igniting:  Product is not selfigniting.  Product does not present an explosion hazard.  Explosion limits: Lower: Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.01728 g/cm³ (8.4892 lbs/gal)  Relative density Not determined.  Vapor density Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water: Fully miscible.	ion temperature:	
Danger of explosion:  Explosion limits: Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F):  Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate  Not determined. Fully miscible.	composition temperature: N	lot determined.
Explosion limits: Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F):  Density at 20 °C (68 °F): 1.01728 g/cm³ (8.4892 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible.	igniting:	Product is not selfigniting.
Lower: Not determined. Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.01728 g/cm³ (8.4892 lbs/gal)  Relative density Not determined.  Vapor density Not determined.  Evaporation rate Not determined.  Solubility in / Miscibility with Water: Fully miscible.	ger of explosion:	roduct does not present an explosion hazard.
Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.01728 g/cm³ (8.4892 lbs/gal)  Relative density Not determined.  Vapor density Not determined.  Evaporation rate Not determined.  Solubility in / Miscibility with Water: Fully miscible.		
Vapor pressure at 20 °C (68 °F):  Density at 20 °C (68 °F):  1.01728 g/cm³ (8.4892 lbs/gal)  Not determined.  Vapor density  Not determined.  Evaporation rate  Not determined.  Solubility in / Miscibility with  Water:  Fully miscible.		
Density at 20 °C (68 °F):  Relative density Not determined. Vapor density Not determined. Not determined.  Solubility in / Miscibility with Water:  Not determined.  Fully miscible.	per: N	lot determined.
Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible.	or pressure at 20 °C (68 °F): 2.	3 hPa (17.3 mm Hg)
Vapor density Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water: Fully miscible.	sity at $20  ^{\circ}C$ (68 $^{\circ}F$ ):	.01728 g/cm³ (8.4892 lbs/gal)
Evaporation rate  Not determined.  Solubility in / Miscibility with Water:  Fully miscible.	tive density N	ot determined.
Solubility in / Miscibility with Water: Fully miscible.		
Water: Fully miscible.	poration rate N	lot determined.
Water: Fully miscible.	bility in / Miscibility with	
Partition anofficient (n. notano Ungton), Not determined		fully miscible.
Furtition coefficient (n-octanol/water): Not determined.	ition coefficient (n-octanol/water): N	ot determined.
Viscosity:		
Dynamic: Not determined.	namic: N	ot determined.

(Contd. on page 5)

Printing date 10/31/2017 Reviewed on 10/31/2017

Trade name: Potassium Iodate 0.0025 N Solution, NIST Traceable

(Contd. of page 4)

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

*Oral* LD50 40,528 mg/kg (mouse)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.

(Contd. on page 6)

Printing date 10/31/2017 Reviewed on 10/31/2017

Trade name: Potassium Iodate 0.0025 N Solution, NIST Traceable

(Contd. of page 5)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information		
UN-Number		
DOT, ADN, IMDG, IATA	Not regulated	
UN proper shipping name		
DOT, ADN, IATA	Not regulated	
IMDG	Not Regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	Not regulated	
Packing group		
DOT, IMDG, IATA	Not regulated	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	Not regulated	

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 7)

Printing date 10/31/2017 Reviewed on 10/31/2017

Trade name: Potassium Iodate 0.0025 N Solution, NIST Traceable

(Contd. of page 6)

### · Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

#### · TSCA (Toxic Substances Control Act):

Potassium Iodide

Potassium Hydroxide

Potassium Iodate

Water

- · TSCA new (21st Century Act) (Substances not listed)
- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

### · EPA (Environmental Protection Agency)

None of the ingredients is listed.

### · TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · Precautionary statements

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision

Creation date for SDS 12-11-2014. STN

10-31-2017: review SDS for accuracy. STN

10/31/2017 / -

(Contd. on page 8)

Printing date 10/31/2017 Reviewed on 10/31/2017

Trade name: Potassium Iodate 0.0025 N Solution, NIST Traceable

(Contd. of page 7)

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit