Safety Data Sheet acc. to OSHA HCS

Printing date 12/11/2017

Reviewed on 12/11/2017

1 Identification	
· Product identifier	
• Trade name: <u>Mercaptan Standard</u> 1.000% w/w in	
• Article number: MOT172	
 Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 	AQUA SOLUTIONS
Information department:	
Technical Coordinator Sherman Nelson sherman@aquasolutions.org	
· Emergency telephone number:	
Chemtrec: 800-424-9300 Canutec: 613-996-6666	
2 Hazard(s) identification	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
GHS07	
<i>GHS07</i> <i>Eye Irrit. 2A H319 Causes serious eye irritation.</i>	
<i>Eye Irrit. 2A H319 Causes serious eye irritation.</i> <i>STOT SE 3 H336 May cause drowsiness or dizziness.</i>	
<i>GHS07</i> <i>Eye Irrit. 2A H319 Causes serious eye irritation.</i>	ding to the Globally Harmonized System (GHS
<i>Eye Irrit. 2A H319 Causes serious eye irritation.</i> <i>STOT SE 3 H336 May cause drowsiness or dizziness.</i> • <i>Label elements</i> • <i>GHS label elements</i> The product is classified and labeled accord	ding to the Globally Harmonized System (GHS
<i>Eye Irrit. 2A H319 Causes serious eye irritation.</i> <i>STOT SE 3 H336 May cause drowsiness or dizziness.</i> • <i>Label elements</i> • <i>GHS label elements</i> The product is classified and labeled accord	ding to the Globally Harmonized System (GHS
<i>Eye Irrit. 2A H319 Causes serious eye irritation.</i> <i>STOT SE 3 H336 May cause drowsiness or dizziness.</i> <i>Label elements</i> <i>GHS label elements The product is classified and labeled accord</i> <i>Hazard pictograms</i>	ding to the Globally Harmonized System (GHS
 <i>Eye Irrit. 2A H319 Causes serious eye irritation.</i> <i>STOT SE 3 H336 May cause drowsiness or dizziness.</i> <i>Label elements</i> <i>GHS label elements The product is classified and labeled accord</i> <i>Hazard pictograms</i> <i>GHS02 GHS07</i> <i>Signal word Danger</i> <i>Hazard-determining components of labeling:</i> 	ding to the Globally Harmonized System (GH
Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. • Label elements • • GHS label elements The product is classified and labeled accord. • Hazard pictograms • • GHS02 • • GHS02 • • GHS02 • • Hazard-determining components of labeling: Isopropanol	ding to the Globally Harmonized System (GHS
 <i>Eye Irrit. 2A H319 Causes serious eye irritation.</i> <i>STOT SE 3 H336 May cause drowsiness or dizziness.</i> <i>Label elements</i> <i>GHS label elements The product is classified and labeled accord</i> <i>Hazard pictograms</i> <i>GHS02 GHS07</i> <i>Signal word Danger</i> <i>Hazard-determining components of labeling:</i> <i>Isopropanol</i> <i>Hazard statements</i> <i>Highly flammable liquid and vapor.</i> 	ding to the Globally Harmonized System (GHS
 <i>Eye Irrit.</i> 2A H319 Causes serious eye irritation. <i>STOT SE 3</i> H336 May cause drowsiness or dizziness. <i>Label elements</i> <i>GHS label elements</i> The product is classified and labeled accord <i>Hazard pictograms</i> <i>GHS02</i> GHS07 <i>Signal word Danger</i> <i>Hazard-determining components of labeling:</i> Isopropanol <i>Hazard statements</i> <i>Highly flammable liquid and vapor.</i> Causes serious eye irritation. 	ding to the Globally Harmonized System (GHS
 <i>Eye Irrit.</i> 2A H319 Causes serious eye irritation. <i>STOT SE</i> 3 H336 May cause drowsiness or dizziness. <i>Label elements</i> <i>GHS label elements</i> The product is classified and labeled accord <i>Hazard pictograms</i> <i>GHS02</i> GHS07 <i>Signal word Danger</i> <i>Hazard-determining components of labeling:</i> Isopropanol <i>Hazard statements</i> <i>Highly flammable liquid and vapor.</i> Causes serious eye irritation. May cause drowsiness or dizziness. <i>Precautionary statements</i> 	
 <i>Eye Irrit.</i> 2A H319 Causes serious eye irritation. <i>STOT SE 3</i> H336 May cause drowsiness or dizziness. <i>Label elements</i> <i>GHS label elements</i> The product is classified and labeled accord <i>Hazard pictograms</i> <i>GHS02</i> GHS07 <i>Signal word Danger</i> <i>Hazard-determining components of labeling:</i> Isopropanol <i>Hazard statements</i> <i>Highly flammable liquid and vapor.</i> Causes serious eye irritation. May cause drowsiness or dizziness. 	

Printing date 12/11/2017

Reviewed on 12/11/2017

Trade name: Mercaptan Standard 1.000% w/w in

		(Contd. of page 1)
	oof electrical/ventilating/lighting/equipment.	
Use only non-spe		
	ary measures against static discharge.	
	dust/fume/gas/mist/vapors/spray	
Wash thoroughly	after handling.	
Use only outdoo	rs or in a well-ventilated area.	
Wear protective	gloves/protective clothing/eye protection/face protection.	
	r): Take off immediately all contaminated clothing. Rinse skin with water/s	hower.
IF INHALED: R	emove person to fresh air and keep comfortable for breathing.	
	e cautiously with water for several minutes. Remove contact lenses, if p	resent and easy to do.
Continue rinsing		
Call a poison cei	nter/doctor if you feel unwell.	
If eye irritation p	persists: Get medical advice/attention.	
In case of fire: U	se for extinction: CO2, powder or water spray.	
Store in a well-v	entilated place. Keep container tightly closed.	
Store in a well-v	entilated place. Keep cool.	
Store locked up.		
Dispose of conte	nts/container in accordance with local/regional/national/international regi	ulations.
· Classification sy		
· NFPA ratings (s		
Fi	ealth = 2 re = 3 eactivity = 0	
· HMIS-ratings (s	cale 0 - 4)	
HEALTH 2 H	Iealth = 2	
	irre=3	
REACTIVITY 0 R		
• Other hazards		
	and vPvB assessment	
• PBT: Not applic		
• vPvB: Not applie	cable.	
3 Composition/	information on ingredients	
	c terization: Mixtures cture of the substances listed below with nonhazardous additions.	
· Dangerous com	•	
-	Isopropanol	96.313%
0/10. 07-03-0	ωσρισμαιοι	70.515 N

CAS: 111-31-9 Hexanethiol 96%

4 First-aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)

3.688%

US

Printing date 12/11/2017

Reviewed on 12/11/2017

Trade name: Mercaptan Standard 1.000% w/w in

(Contd. of page 2)

- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- *Environmental precautions: Dilute with plenty of water.*
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 67-63-0	Isopropanol	400 ppm
CAS: 111-31-9	Hexanethiol 96%	0.045 ppm
· PAC-2:		
CAS: 67-63-0	Isopropanol	2000* ppm
CAS: 111-31-9	Hexanethiol 96%	0.5 ppm
· PAC-3:		
	Isopropanol	12000** ppm
CAS: 111-31-9	Hexanethiol 96%	48 ppm

7 Handling and storage

· Handling:

• Precautions for safe handling No special precautions are necessary if used correctly.

- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.

(Contd. on page 4)

US

Printing date 12/11/2017

Reviewed on 12/11/2017

Trade name: Mercaptan Standard 1.000% w/w in

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- *Specific end use(s)* No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:	
CAS: 67-63-0 Isopropanol	
PEL Long-term value: 980 mg/m³, 400 ppm	
REL Short-term value: 1225 mg/m ³ , 500 ppm	
Long-term value: 980 mg/m ³ , 400 ppm	
TLV Short-term value: 984 mg/m ³ , 400 ppm	
Long-term value: 492 mg/m ³ , 200 ppm	
BEI	
CAS: 111-31-9 Hexanethiol 96%	
REL Ceiling limit value: 2.7* mg/m ³ , 0.5* ppm	
*15-min	
Ingredients with biological limit values:	
CAS: 67-63-0 Isopropanol	
BEI 40 mg/L	
LD50 Intraperitoneal: urine	
<i>Time: end of shift at end of workweek</i>	
LD50: Acetone (background, nonspecific)	
• Additional information: The lists that were valid during the creation were used as basis.	
· Exposure controls	
· Personal protective equipment:	
· General protective and hygienic measures:	
Keep away from foodstuffs, beverages and feed.	
Immediately remove all soiled and contaminated clothing.	
Wash hands before breaks and at the end of work.	
Avoid contact with the eyes.	
Avoid contact with the eyes and skin.	
· Breathing equipment: Not required.	
· Protection of hands:	
The glove material has to be impermeable and resistant to the product/ the substance/ the prepare	
Due to missing tests no recommendation to the glove material can be given for the product/ the	preparation/ the
chemical mixture.	1 1.1
Selection of the glove material on consideration of the penetration times, rates of diffusion and the	(Contd. on page 5)
	US

Printing date 12/11/2017

Reviewed on 12/11/2017

Trade name: Mercaptan Standard

1.000% w/w in

(Contd. of page 4)

 \cdot Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c General Information	chemical properties
Appearance:	
Form:	Liquid
Color:	Clear
Odor:	Sulfur, Organic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-89.5 °C (-129.1 °F)
Boiling point/Boiling range:	82 °C (179.6 °F)
Flash point:	13 °C (55.4 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	12 Vol %
Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
Density at 20 °C (68 °F):	0.78695 g/cm³ (6.5671 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.

US

Printing date 12/11/2017

Reviewed on 12/11/2017

Trade name: Mercaptan Standard 1.000% w/w in

	(Cont	d. of page
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	96.3 %	
VOC content:	96.31 %	
	757.9 g/l / 6.33 lb/gl	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 34,007 mg/kg (rat)

Inhalative LC50/4 h 31.1 mg/l (rat)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)

US –

3

Printing date 12/11/2017

Reviewed on 12/11/2017

Trade name: Mercaptan Standard

1.000% w/w in

(Contd. of page 6)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Isopropanol, Hexanethiol 96%)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Isopropanol, Hexanethiol 96%)
Transport hazard class(es) DOT	
FLAMABLE LIQUO	
3	
Class	3 Flammable liquids

Printing date 12/11/2017

Reviewed on 12/11/2017

Trade name: Mercaptan Standard 1.000% w/w in

	(Contd. of page
· Label	3
· IMDG	
<u>*</u>	
3	
· Label	3
·IATA	
· Class · Label	3 Flammable liquids 3
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Flammable liquids
• EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
· Stowage Category	В
• Transport in bulk according to Annex . MARPOL73/78 and the IBC Code	II of Not applicable.
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUIDS, N.O.S. (ISOPROPANOL HEXANETHIOL 96%), 3, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

 \cdot Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 67-63-0 Isopropanol

· TSCA (Toxic Substances Control Act):

Isopropanol

Hexanethiol 96%

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 9)

US

Printing date 12/11/2017

Reviewed on 12/11/2017

Trade name: Mercaptan Standard

1.000% w/w in

(Contd. of page 8)

A4

 \cdot Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

CAS: 67-63-0 Isopropanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Isopropanol · Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 10)

Printing date 12/11/2017

Reviewed on 12/11/2017

Trade name: Mercaptan Standard 1.000% w/w in

(Contd. of page 9)

6 (Other information
	This information is based on our present knowledge. However, this shall not constitute a guarantee for a precific product features and shall not establish a legally valid contractual relationship.
·L	Department issuing SDS: Environment protection department.
• (Contact:
. 1	Date of preparation / last revision
	2-11-2017: review SDS for accuracy. STN
	Revision 0.0, 09-16-2015: Creation date for SDS. STN
-	2/11/2017 / -
	Abbreviations and acronyms:
	DR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internati
	Carriage of Dangerous Goods by Road)
	MDG: International Maritime Code for Dangerous Goods
	DOT: US Department of Transportation
	ATA: International Air Transport Association
	ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	FPA: National Fire Protection Association (USA)
	IMIS: Hazardous Materials Identification System (USA)
	OC: Volatile Organic Compounds (USA, EU)
	C50: Lethal concentration, 50 percent
L	D50: Lethal dose, 50 percent
P	2BT: Persistent, Bioaccumulative and Toxic
	PvB: very Persistent and very Bioaccumulative
	VIOSH: National Institute for Occupational Safety
	DSHA: Occupational Safety & Health
	LV: Threshold Limit Value
	PEL: Permissible Exposure Limit
	REL: Recommended Exposure Limit
	3EI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2
	uam. L1q. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
	TOT SE 3: Specific target organ toxicity (single exposure) – Category 3