Reviewed on 10/27/2017

# Safety Data Sheet acc. to OSHA HCS

Printing date 10/27/2017

**1** Identification · Product identifier · Trade name: Reagent 91 Hydrolyzable Chloride Reactant • Article number: DC562-277 · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 · Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification · Classification of the substance or mixture GHS02 Flame Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS06 Skull and crossbones Acute Tox. 3 H331 Toxic if inhaled. GHS08 Health hazard H360 May damage fertility or the unborn child. Repr. 1 STOT SE 1 H370 Causes damage to organs. GHS07 Acute Tox. 4 H312 Harmful in contact with skin. · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 GHS06 GHS08 (Contd. on page 2) US

Printing date 10/27/2017

Reviewed on 10/27/2017

## Trade name: Reagent 91 Hydrolyzable Chloride Reactant

Signal word Danger	(Contd. of page
Hazard-determining components of labeling:	
Ethylene Glycol Monomethyl Ether	
Methanol (Methyl Alcohol)	
Hazard statements	
Highly flammable liquid and vapor.	
Harmful in contact with skin.	
Toxic if inhaled.	
May damage fertility or the unborn child.	
Causes damage to organs.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/show	ver.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF exposed or concerned: Get medical advice/attention.	
Call a poison center/doctor if you feel unwell.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulat	tions
Classification system:	nons.
NFPA ratings (scale 0 - 4)	
A futures (seure 0 - 4)	
Health = 1	
Fire = $3$	
1  0 Reactivity = 0	

· HMIS-ratings (scale 0 - 4)

HEALTH <sup>2</sup> Health = 2 FIRE 3 Fire = 3**REACTIVITY O** Reactivity = 0

• Other hazards

- Results of PBT and vPvB assessment PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 3)

US

Printing date 10/27/2017

Reviewed on 10/27/2017

Trade name: Reagent 91

Hydrolyzable Chloride Reactant

(Contd. of page 2)

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
E	thylene Glycol Monomethyl Ether	64.649%
CAS: 67-56-1 N	lethanol (Methyl Alcohol)	35.349%
· Table of Nonhazardous Ingredients		
CAS: 845-10-3	Methyl Red Sodium Salt	0.002%
CAS: 7447-41-8	Lithium Chloride	0.0006%

## 4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.

• Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## **6** Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

<sup>•</sup> US

*Printing date 10/27/2017* 

Reviewed on 10/27/2017

#### Trade name: Reagent 91 Hydrolyzable Chloride Reactant

		(Contd. of page 3
Dispose contami	nated material as waste according to item 13.	
Ensure adequate		
· Reference to oth		
	information on safe handling.	
	information on personal protection equipment.	
	or disposal information.	
	n Criteria for Chemicals	
· PAC-1:		
	Ethylene Glycol Monomethyl Ether	0.3 ppm
CAS: 67-56-1	Methanol (Methyl Alcohol)	530 ppm
CAS: 7447-41-8	Lithium Chloride	2.3 mg/m <sup>3</sup>
· PAC-2:		
	Ethylene Glycol Monomethyl Ether	14 ppm
CAS: 67-56-1	Methanol (Methyl Alcohol)	2,100 ppm
CAS: 7447-41-8	Lithium Chloride	25 mg/m <sup>3</sup>
· PAC-3:		
	Ethylene Glycol Monomethyl Ether	2000* ppm
CAS: 67-56-1	Methanol (Methyl Alcohol)	7200* ppm
CAS: 7447-41-8	Lithium Chloride	150 mg/m <sup>3</sup>

# 7 Handling and storage

· Handling:

- *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities • Storage:
- $\cdot$  Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
  Store in cool, dry conditions in well sealed receptacles.
  Specific and use(c) No further relevant information quaile
- $\cdot$  Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

Printing date 10/27/2017

Reviewed on 10/27/2017

# Trade name: Reagent 91 Hydrolyzable Chloride Reactant

	ol parameters
-	onents with limit values that require monitoring at the workplace:
Ethyle	ne Glycol Monomethyl Ether
PEL	Long-term value: 80 mg/m <sup>3</sup> , 25 ppm Skin
REL	Long-term value: 0.3 mg/m³, 0.1 ppm Skin
TLV	Long-term value: 0.3 mg/m³, 0.1 ppm Skin; BEI
WEEL	Skin; B
CAS: 6	57-56-1 Methanol (Methyl Alcohol)
PEL	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI
Ingred	lients with biological limit values:
Ethyle	ne Glycol Monomethyl Ether
L. CAS: 6 BEI 1.	ime: end of shift at end of workweek D50: 2-Methoxyacetic acid 67-56-1 Methanol (Methyl Alcohol) 5 mg/L
$T_{L}$	D50 Intraperitoneal: urine ime: end of shift D50: Methanol (background, nonspecific)
Exposit Person Genera Keep a Immed Wash I Store p Avoid o Breath In case respire	conal information: The lists that were valid during the creation were used as basis. aure controls al protective equipment: al protective and hygienic measures: tway from foodstuffs, beverages and feed. Viately remove all soiled and contaminated clothing. brands before breaks and at the end of work. brotective clothing separately. contact with the eyes and skin. bing equipment: e of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u atory protective device that is independent of circulating air. tion of hands:
MIS-	Protective gloves
The glo	ove material has to be impermeable and resistant to the product/ the substance/ the preparation. (Contd. on page

Printing date 10/27/2017

Reviewed on 10/27/2017

#### Trade name: Reagent 91 Hydrolyzable Chloride Reactant

(Contd. of page 5)

US

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and chemical properties		
General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Orange	
Odor:	Organic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	64 °C (147.2 °F)	
Flash point:	11 °C (51.8 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	310 °C (590 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.	
Explosion limits:		
Lower:	2.4 Vol %	
Upper:	44 Vol %	
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)	
Density at 20 °C (68 °F):	0.8956 g/cm³ (7.47378 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	

Printing date 10/27/2017

Reviewed on 10/27/2017

Trade name: Reagent 91 Hydrolyzable Chloride Reactant

		(Contd. of page
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/		
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	100.0 %	
VOC content:	100.00 %	
	895.6 g/l / 7.47 lb/gl	
Solids content:	0.2 %	
• Other information	No further relevant information available.	

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials: } No further relevant information available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

ATE (Acute Toxicity Estimate)		
Oral	LD50	3,666 mg/kg (rat)
Dermal	LD50	3,666 mg/kg (rat) 1,980 mg/kg (rabbit)
Inhalative	LC50/4 h	5.66 mg/l

## Ethvlene Glvcol Monomethvl Ether

	,		
Ora	l	LD50	2,370 mg/kg (rat)
Der	mal	LD50	1,280 mg/kg (rabbit)
Inhe	alative	LC50/4 h	11 mg/l (ATE)
		Intraperitoneal	2,500 mg/kg (rat)

# CAS: 67-56-1 Methanol (Methyl Alcohol)

Oral	LD50	5,628 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)
Inhalative	LC50/4 h	3 mg/l (ATE)

### · Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

(Contd. on page 8)

<sup>-</sup> US

*Printing date 10/27/2017* 

Reviewed on 10/27/2017

(Contd. of page 7)

Trade name: Reagent 91

Hydrolyzable Chloride Reactant

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

 $\cdot$  NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Methanol, Ethylene glycol monometh
<i>b</i> 01	ether)

Printing date 10/27/2017

Reviewed on 10/27/2017

# Trade name: Reagent 91 Hydrolyzable Chloride Reactant

· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (METHANOL, ETHYLE) GLYCOL MONOMETHYL ETHER)
• Transport hazard class(es)	GEICOL MONOMETHIL ETHEK)
• DOT	
PLAMABLE LOUD	
3	
· Class	3 Flammable liquids
· Label	3
· IMDG, IATA	
· Class	3 Flammable liquids
· Label	3
Packing group	
· DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	336
EMS Number:	<i>F-E,<u>S-E</u></i>
Stowage Category	В
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 60 L
· IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUIDS, N.O.S. (METHANO
	ETHYLENE GLYCOL MONOMETHYL ETHER), 3, II

(Contd. on page 10)

Printing date 10/27/2017

Reviewed on 10/27/2017

Trade name: Reagent 91

Hydrolyzable Chloride Reactant

(Contd. of page 9)

## **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

Ethylene Glycol Monomethyl Ether

CAS: 67-56-1 Methanol (Methyl Alcohol)

• TSCA (Toxic Substances Control Act):

Ethylene Glycol Monomethyl Ether

Methanol (Methyl Alcohol)

Methyl Red Sodium Salt

Lithium Chloride

• TSCA new (21st Century Act) (Substances not listed)

## · Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

Ethylene Glycol Monomethyl Ether

 Chemicals known to cause developmental toxicity: Ethylene Glycol Monomethyl Ether

CAS: 67-56-1 Methanol (Methyl Alcohol)

### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

• Hazard-determining components of labeling: Ethylene Glycol Monomethyl Ether Methanol (Methyl Alcohol)

Printing date 10/27/2017

Reviewed on 10/27/2017

#### Trade name: Reagent 91 Hydrolyzable Chloride Reactant

	(Contd. of page 10)
· Hazard statements	
Highly flammable liquid and vapor.	
Harmful in contact with skin.	
Toxic if inhaled.	
May damage fertility or the unborn child.	
Causes damage to organs.	
· Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF exposed or concerned: Get medical advice/attention.	
Call a poison center/doctor if you feel unwell.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	<i>s</i> .
• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 12)

US

Printing date 10/27/2017

### Reviewed on 10/27/2017

## Trade name: Reagent 91 Hydrolyzable Chloride Reactant

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 3 Repr. 1: Reproductive toxicity – Category 1 STOT SE 1: Specific target organ toxicity (single exposure) – Category 1 (Contd. of page 11)

US -