*Printing date 12/11/2017* 

Reviewed on 12/11/2017

· Product identifier	
• Trade name: <u>Bromine 5% v/v</u> in Cyclohexane	
• Article number: MOT181	
• Details of the supplier of the safety data sheet	
• Manufacturer/Supplier: Aqua Solutions, Inc.	AQUA
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536 USA	
800-256-2586	
• Information department: Technical Coordinator	
Sherman Nelson sherman@aquasolutions.org	
• Emergency telephone number: Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
2 Hazard(s) identification	
• Classification of the substance or mixture	
GHS02 Flame	
<i>Flam. Liq. 2 H225 Highly flammable liquid and vapor.</i>	
GHS08 Health hazard	
<b>V</b>	
Asp. Tox. 1 H304 May be fatal if swallowed and enters	airways.
Asp. Tox. 1 H304 May be fatal if swallowed and enters of GHS05 Corrosion	airways.
GHS05 Corrosion	· · · · · · · · · · · · · · · · · · ·
GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye dan	· · · · · · · · · · · · · · · · · · ·
GHS05 Corrosion	· · · · · · · · · · · · · · · · · · ·
GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye dan	· · · · · · · · · · · · · · · · · · ·
GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye dan Eye Dam. 1 H318 Causes serious eye damage. GHS07	· · · · · · · · · · · · · · · · · · ·
GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye dan Eye Dam. 1 H318 Causes serious eye damage. GHS07 STOT SE 3 H336 May cause drowsiness or dizziness.	· · · · · · · · · · · · · · · · · · ·
GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye dan Eye Dam. 1 H318 Causes serious eye damage. GHS07	nage.
GHS05 Corrosion         Skin Corr. 1A H314 Causes severe skin burns and eye dan         Eye Dam. 1 H318 Causes serious eye damage.         GHS07         STOT SE 3 H336 May cause drowsiness or dizziness.         • Label elements         • GHS label elements The product is classified and labeled a	nage.
GHS05 Corrosion         Skin Corr. 1A H314 Causes severe skin burns and eye dan         Eye Dam. 1 H318 Causes serious eye damage.         GHS07         STOT SE 3 H336 May cause drowsiness or dizziness.         • Label elements         • GHS label elements The product is classified and labeled a	nage.
GHS05 Corrosion         Skin Corr. 1A H314 Causes severe skin burns and eye dan         Eye Dam. 1 H318 Causes serious eye damage.         GHS07         STOT SE 3 H336 May cause drowsiness or dizziness.         • Label elements         • GHS label elements The product is classified and labeled a	nage.

*Printing date 12/11/2017* 

Trade name: Bromine 5% v/v in Cyclohexane Reviewed on 12/11/2017

· Signal word Danger	(Contd. of page 1)
-	
· Hazard-determining components of labeling:	
Cyclohexane	
Bromine	
· Hazard statements	
Highly flammable liquid and vapor.	
Causes severe skin burns and eye damage.	
May cause drowsiness or dizziness.	
May be fatal if swallowed and enters airways.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wate	pr/shower
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, i	f present and easy to do
Continue rinsing.	j preseni una casy io ao.
Call a poison center/doctor if you feel unwell.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international n	egulations.
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 3	
3 <b>0</b> Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
<b>HEALTH</b> 3 $Health = 3$	
FIRE 3 Fire = 3	
<b>REACTIVITY</b> $O$ Reactivity = 0	
Other hazards	
Results of PBT and vPvB assessment	
<b>PBT:</b> Not applicable.	

· **vPvB:** Not applicable.

(Contd. on page 3)

US

Printing date 12/11/2017

Reviewed on 12/11/2017

Trade name: Bromine 5% v/v in Cyclohexane

(Contd. of page 2)

82.609%

17.391%

#### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 110-82-7	Cyclohexane
---------------	-------------

CAS: 7726-95-6 Bromine

#### **4** First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- $\cdot$  Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 4)

*Printing date 12/11/2017* 

Reviewed on 12/11/2017

#### Trade name: Bromine 5% v/v in Cyclohexane

· Protective Action	Criteria for Chemicals	(Contd. of page 3)
· PAC-1:		
CAS: 110-82-7	Cyclohexane	300 ppm
CAS: 7726-95-6	Bromine	0.033 ppm
· PAC-2:		
CAS: 110-82-7	Cyclohexane	1700* ppm
CAS: 7726-95-6	Bromine	0.24 ppm
· PAC-3:		
CAS: 110-82-7	Cyclohexane	10000** ppm
CAS: 7726-95-6	Bromine	8.5 ppm

# 7 Handling and storage

#### · Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- $\cdot$  Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

# CAS: 110-82-7 Cyclohexane

- PEL Long-term value: 1050 mg/m<sup>3</sup>, 300 ppm
- REL Long-term value: 1050 mg/m<sup>3</sup>, 300 ppm
- TLV Long-term value: 344 mg/m<sup>3</sup>, 100 ppm
- CAS: 7726-95-6 Bromine
- PEL Long-term value: 0.7 mg/m<sup>3</sup>, 0.1 ppm
- *REL* Short-term value: 2 mg/m<sup>3</sup>, 0.3 ppm
  - Long-term value: 0.7 mg/m<sup>3</sup>, 0.1 ppm
- TLV Short-term value: 1.3 mg/m<sup>3</sup>, 0.2 ppm Long-term value: 0.66 mg/m<sup>3</sup>, 0.1 ppm

(Contd. on page 5)

US ·

*Printing date 12/11/2017* 

Trade name: Bromine 5% v/v in Cyclohexane Reviewed on 12/11/2017

(Contd. of page 4) • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eve protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and chemical properties General Information		
Appearance:		
Form:	Liquid	
Color:	Orange	
Odor:	Acrid	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	81 °C (177.8 °F)	

## Safety Data Sheet acc. to OSHA HCS

Printing date 12/11/2017

Reviewed on 12/11/2017

ade name: Bromine 5% v/v in Cyclohexane		
	(Contd. of page :	
· Flash point:	-18 °C (-0.4 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	260 °C (500 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.	
· Explosion limits:		
Lower:	1.2 Vol %	
Upper:	8.3 Vol %	
· Vapor pressure at 20 °C (68 °F):	220 hPa (165 mm Hg)	
· Density at 20 °C (68 °F):	0.897 g/cm <sup>3</sup> (7.48547 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.	

Not determined.

Not determined.

741.0 g/l / 6.18 lb/gl

No further relevant information available.

82.6 %

0.0 %

82.61 %

# 10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

· Viscosity: Dynamic:

Kinematic:

· Solvent content: Organic solvents:

**VOC content:** 

Solids content: · Other information

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

*Printing date 12/11/2017* 

Reviewed on 12/11/2017

Trade name: Bromine 5% v/v in Cyclohexane

(Contd. of page 6)

Informa	tion on tori	cological effects
· Injorma · Acute to		cological effects
		t are relevant for classification:
ATE (A	cute Toxicit	y Estimate)
Oral	LD50	14,950 mg/kg (rat)
Inhalati	ve LC50/4 h	n 4,313 mg/l (mouse)
CAS: 11	10-82-7 Cycl	ohexane
Oral	LD50	12,705 mg/kg (rat)
CAS: 77	726-95-6 Bro	omine
Oral	LD50	2,600 mg/kg (rat)
Inhalati	ve LC50/4 V	n 750 mg/l (mouse)
Someting	ation. No se	the danger of severe eye injury.
• Addition The prod Corrosiv Irritant Swallow and ston	<b>tal toxicolog</b> duct shows t ve ving will lead nach.	nsitizing effects known. <b>rical information:</b> he following dangers according to internally approved calculation methods for preparations: I to a strong caustic effect on mouth and throat and to the danger of perforation of esophagu.
<ul> <li>Addition The prod Corrosiv Irritant Swallow and stom</li> <li>Carcino</li> </ul>	<b>tal toxicolog</b> duct shows t ve ving will lead nach. <b>genic catego</b>	nsitizing effects known. <b>rical information:</b> he following dangers according to internally approved calculation methods for preparations: I to a strong caustic effect on mouth and throat and to the danger of perforation of esophagu. <b>pries</b>
Addition The prod Corrosiv Irritant Swallow and ston Carcino IARC (I	nal toxicolog duct shows t ving will lead nach. genic catego Internationa	nsitizing effects known. tical information: he following dangers according to internally approved calculation methods for preparations: I to a strong caustic effect on mouth and throat and to the danger of perforation of esophagu pries I Agency for Research on Cancer)
Addition The prod Corrosiv Irritant Swallow and stom Carcino IARC (I None of	nal toxicolog duct shows t ve ving will lead nach. genic catego Internationa the ingredie	nsitizing effects known. rical information: he following dangers according to internally approved calculation methods for preparations: I to a strong caustic effect on mouth and throat and to the danger of perforation of esophagu. pries I Agency for Research on Cancer) nts is listed.
Addition The prod Corrosiv Irritant Swallow and ston Carcino IARC (I None of NTP (National States)	nal toxicolog duct shows t ving will lead nach. genic catego Internationa the ingredie	nsitizing effects known. rical information: he following dangers according to internally approved calculation methods for preparations: I to a strong caustic effect on mouth and throat and to the danger of perforation of esophagu pries I Agency for Research on Cancer) nts is listed. icology Program)
Addition The prod Corrosiv Irritant Swallow and ston Carcino Carcino IARC (I None of None of	tal toxicolog duct shows t ve ving will lead nach. genic catego Internationa the ingredie ational Toxi the ingredie	nsitizing effects known. rical information: he following dangers according to internally approved calculation methods for preparations: I to a strong caustic effect on mouth and throat and to the danger of perforation of esophagu pries I Agency for Research on Cancer) nts is listed. icology Program) nts is listed.
<ul> <li>Addition The prod Corrosiv Irritant Swallow and ston</li> <li>Carcino (Interpretended) Carcino (Interpretended)</li></ul>	tal toxicolog duct shows t ve ving will lead nach. genic catego Internationa the ingredie ational Toxi the ingredie	nsitizing effects known. fical information: the following dangers according to internally approved calculation methods for preparations: I to a strong caustic effect on mouth and throat and to the danger of perforation of esophagu pries I Agency for Research on Cancer) nts is listed. ficology Program) nts is listed. fional Safety & Health Administration)

# **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- $\cdot$  Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 8)

US

Printing date 12/11/2017

Trade name: Bromine 5% v/v in Cyclohexane

(Contd. of page 7)

Reviewed on 12/11/2017

#### · Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

#### **13 Disposal considerations**


· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.



*Printing date 12/11/2017* 

Reviewed on 12/11/2017

Trade name: Bromine 5% v/v in Cyclohexane

	(Contd. of page
· Packing group · DOT, IMDG, IATA	Ι
Environmental hazards:	Product contains environmentally hazardous substances Cyclohexane
· Marine pollutant:	Symbol (fish and tree)
Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	3861
· EMS Number:	F- $E$ , $S$ - $C$
Segregation groups	Acids
· Stowage Category	E
· Stowage Code	SW2 Clear of living quarters.
Segregation Code	SG5 Segregation as for class 3
	SG8 Stow "away from" class 4.1
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· Transport/Additional information:	
DOT	
• Quantity limitations	On passenger aircraft/rail: 0.5 L
~ '	On cargo aircraft only: 2.5 L
· IMDG	
· Limited quantities (LQ)	0
· Excepted quantities ( $\widetilde{E}Q$ )	Code: E0
	Not permitted as Excepted Quantity
UN ''Model Regulation'':	UN 3286 FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O. (CYCLOHEXANE, BROMINE), 3 (6.1+8), I

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

CAS: 7726-95-6 Bromine

· Section 313 (Specific toxic chemical listings):

All ingredients are listed.

· TSCA (Toxic Substances Control Act):

Cyclohexane

Bromine

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 10)

US

Printing date 12/11/2017

Reviewed on 12/11/2017

Trade name: Bromine 5% v/v in Cyclohexane

(Contd. of page 9)

Ι

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 110-82-7 Cyclohexane

#### · TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: Cyclohexane **Bromine** · Hazard statements Highly flammable liquid and vapor. Causes severe skin burns and eye damage. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Specific treatment (see on this label). Wash contaminated clothing before reuse. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed.

US

Printing date 12/11/2017

Trade name: Bromine 5% v/v in Cyclohexane

(Contd. of page 10)

Reviewed on 12/11/2017

Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

· Date of preparation / last revision 12-11-2017: review SDS for accuracy. STN Creation date for SDS 04-28-2016. STN 12/11/2017 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard - Category 1