Printing date 05/10/2021

Reviewed on 05/10/2021

1 Identification · Product identifier · Trade name: Sulfuric Acid 0.255 Normal NIST Traceable, Solution · Article number: 9062 · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification · Classification of the substance or mixture GHS08 Health hazard Carc. 1A H350 May cause cancer. GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS05 GHS08 · Signal word Danger · Hazard-determining components of labeling: Sulfuric Acid 96 - 98% · Hazard statements Causes severe skin burns and eye damage. May cause cancer. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

US

Printing date 05/10/2021

Reviewed on 05/10/2021

Trade name: Sulfuric Acid 0.255 Normal NIST Traceable, Solution

(Contd. of page 1)
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 3
$\begin{array}{c} Healin = 5\\ Fire = 0 \end{array}$
3 0 Fire = 0 Reactivity = 0
$\mathbf{V} = \mathbf{V}$
· HMIS-ratings (scale 0 - 4)
HEALTH *3 $Health = *3$
FIRE 0 Fire = 0
$\frac{1}{\text{REACTIVITY}} = 0$
REACTIVITY 0 Reactivity = 0
· Other hazards
· Results of PBT and vPvB assessment
· PBT: Not applicable.
· vPvB : Not applicable.
3 Composition/information on ingredients
. Chomical characterization: Mixtures

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

1.311%

98.689%

• Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

US -

Printing date 05/10/2021

Reviewed on 05/10/2021

Trade name: Sulfuric Acid 0.255 Normal NIST Traceable, Solution

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· FAC-1:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	$0.20 \ mg/m^3$
· PAC-2:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	8.7 mg/m ³
· PAC-3:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	160 mg/m ³

7 Handling and storage

· Handling:

- \cdot Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

(Contd. of page 2)

US -

Printing date 05/10/2021

Reviewed on 05/10/2021

Trade name: Sulfuric Acid 0.255 Normal NIST Traceable, Solution

(Contd. of page 3)

• *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

PEL Long-term value: 1 mg/m³

REL Long-term value: 1 mg/m³

TLV Long-term value: 0.2* mg/m³

*as thoracic fraction

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

 $(Contd. \ on \ page \ 5)$

US

Printing date 05/10/2021

Reviewed on 05/10/2021

(Contd. of page 4)

Trade name: Sulfuric Acid 0.255 Normal NIST Traceable, Solution

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor: Odor threshold:	Odorless Not determined.	
	Not determined.	
pH-value:	Noi determinea.	
Change in condition	0.00(22.05)	
Melting point/Melting range:	0 °C (32 °F) 100 °C (212 °F)	
Boiling point/Boiling range:		
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.006 g/cm ³ (8.39507 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	98.7 %	
VOC content:		
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

(Contd. on page 6)

Printing date 05/10/2021

Reviewed on 05/10/2021

Trade name: Sulfuric Acid 0.255 Normal NIST Traceable, Solution

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- *The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive*

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

• NTP (National Toxicology Program) CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

• General notes: Not hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

1

Κ

US

Printing date 05/10/2021

Reviewed on 05/10/2021

Trade name: Sulfuric Acid 0.255 Normal NIST Traceable, Solution

(Contd. of page 6)

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
UN-Number DOT, ADN, IMDG, IATA	Not regulated
UN proper shipping name DOT, ADN, IMDG, IATA	Not regulated
Transport hazard class(es)	
DOT, ADN, IMDG, IATA Class	Not regulated
Packing group DOT, IMDG, IATA	Not regulated
Environmental hazards: Marine pollutant:	Yes
Special precautions for user Hazard identification number (Kemler code): Segregation groups	Not applicable. : 80 Acids
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Remarks:	Not regulated
IMDG Remarks:	Not regulated
IATA Remarks:	Not regulated
UN "Model Regulation":	Not regulated

(Contd. on page 8)

Printing date 05/10/2021

Reviewed on 05/10/2021

Trade name: Sulfuric Acid 0.255 Normal NIST Traceable, Solution

(Contd. of page 7)

ection 355 (extremely hazardous substances): AS: 7664-93-9 Sulfuric Acid 96 - 98% ection 313 (Specific toxic chemical listings): AS: 7664-93-9 Sulfuric Acid 96 - 98% SCA (Toxic Substances Control Act): Vater ulfuric Acid 96 - 98% Vazardous Air Pollutants one of the ingredients is listed. roposition 65 hemicals known to cause cancer: one of the ingredients is listed.	ACTIVI ACTIVI
ection 313 (Specific toxic chemical listings): AS: 7664-93-9 Sulfuric Acid 96 - 98% SCA (Toxic Substances Control Act): Vater	
AS: 7664-93-9 Sulfuric Acid 96 - 98% SCA (Toxic Substances Control Act): Vater Ulfuric Acid 96 - 98% Cazardous Air Pollutants one of the ingredients is listed. roposition 65 hemicals known to cause cancer:	
SCA (Toxic Substances Control Act): Mater	
Vater Ulfuric Acid 96 - 98% Vazardous Air Pollutants one of the ingredients is listed. roposition 65 hemicals known to cause cancer:	
alfuric Acid 96 - 98% azardous Air Pollutants one of the ingredients is listed. roposition 65 hemicals known to cause cancer:	
azardous Air Pollutants one of the ingredients is listed. roposition 65 hemicals known to cause cancer:	ACTIVI
one of the ingredients is listed. roposition 65 hemicals known to cause cancer:	
roposition 65 hemicals known to cause cancer:	
hemicals known to cause cancer:	
one of the ingredients is listed.	
hemicals known to cause reproductive toxicity for females:	
one of the ingredients is listed.	
hemicals known to cause reproductive toxicity for males:	
one of the ingredients is listed.	
hemicals known to cause developmental toxicity:	
one of the ingredients is listed.	
arcinogenic categories	
PA (Environmental Protection Agency)	
one of the ingredients is listed.	
LV (Threshold Limit Value)	
AS: 7664-93-9 Sulfuric Acid 96 - 98%	A_{2}^{2}
IOSH-Ca (National Institute for Occupational Safety and Health)	
one of the ingredients is listed.	

- Hazard statements Causes severe skin burns and eye damage. May cause cancer.
- **Precautionary statements** Obtain special instructions before use.

(Contd. on page 9)

US

Printing date 05/10/2021

Reviewed on 05/10/2021

Trade name: Sulfuric Acid 0.255 Normal NIST Traceable, Solution

(Contd. of page 8) Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eve protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · National regulations: · Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. *Exceptions can be made by the authorities in certain cases.*

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

 Date of preparation / last revision Revision 1.0 05-07-2021: updated hazard information. STN Creation date for SDS 09-11-14. STN 05/10/2021 / 1.0
 Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation - Category 1A Carc. 1A: Carcinogenicity - Category 1A

 \cdot * Data compared to the previous version altered.

US