Printing date 12/12/2017

Reviewed on 12/12/2017

	ifier Titration Solvent for Bromine Number	
Article number	e r: ND215	
Details of the Manufacture Aqua Solution 6913 Highwa DEER PARK, USA 800-256-2586	ns, Inc. y 225 TX 77536	AQUA SOLUTIONS
	ordinator on sherman@aquasolutions.org lephone number: 0-424-9300	
Hazard(s) i	dentification	
GH	of the substance or mixture S02 Flame	
	H225 Highly flammable liquid and vapor. S08 Health hazard	
Carc. 1A	H350 May cause cancer.	
STOT SE 1		
GH	S05 Corrosion	
Skin Corr. 1A Eye Dam. 1	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.	
	1507	
GH		
\mathbf{V}	H312 Harmful in contact with skin.	

Printing date 12/12/2017

Trade name: Titration Solvent for Bromine Number Reviewed on 12/12/2017

(Contd. of page 1)


US



Printing date 12/12/2017

Trade name: Titration Solvent for Bromine Number Reviewed on 12/12/2017

(Contd. of page 2)



• Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB**: Not applicable.

• **vPvB:** Noi applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-19-7	Acetic Acid	76.332%
CAS: 67-56-1	Methanol (Methyl Alcohol)	10.768%
CAS: 67-63-0	Isopropanol	10.68%
CAS: 7647-01-0	Hydrochloric Acid	1.051%
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	0.56%
· Table of Nonhazardous Ingredients		
CAS: 7732-18-5	Water	0.609%

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 4)

US

Printing date 12/12/2017

Reviewed on 12/12/2017

Trade name: Titration Solvent

for Bromine Number

(Contd. of page 3)

5 Fire-fighting measures

- · Extinguishing media
- \cdot Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- *Environmental precautions: Dilute with plenty of water.*
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

DAC 2.

- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 64-19-7	Acetic Acid	5 ppm
CAS: 67-56-1	Methanol (Methyl Alcohol)	530 ppm
CAS: 67-63-0	Isopropanol	400 ppm
CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	0.20 mg/n
· PAC-2:		

CAS: 64-19-7	Acetic Acid	35 ppm
CAS: 67-56-1	Methanol (Methyl Alcohol)	2,100 ppm
CAS: 67-63-0	Isopropanol	2000* ppm
CAS: 7647-01-0	Hydrochloric Acid	22 ppm
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	8.7 mg/m^3

· PAC-5:		
CAS: 64-19-7	Acetic Acid	250 ppm
CAS: 67-56-1	Methanol (Methyl Alcohol)	7200* ppm
CAS: 67-63-0	Isopropanol	12000** ppm
CAS: 7647-01-0	Hydrochloric Acid	100 ppm
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	160 mg/m³

(Contd. on page 5)

Printing date 12/12/2017

Reviewed on 12/12/2017

Trade name: Titration Solvent

for Bromine Number

(Contd. of page 4)

7 Handling and storage

- · Handling:
- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.*
- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- *Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.*
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

CAS: 64-19-7 Acetic A	values that require monitoring at the workplace: cid	
PEL	Long-term value: 25 mg/m ³ , 10 ppm	
REL	Short-term value: 37 mg/m ³ , 15 ppm	
	Long-term value: 25 mg/m ³ , 10 ppm	
TLV	Short-term value: 37 mg/m ³ , 15 ppm	
	Long-term value: 25 mg/m ³ , 10 ppm	
CAS: 67-56-1 Methan	ol (Methyl Alcohol)	
PEL	Long-term value: 260 mg/m ³ , 200 ppm	
REL	Short-term value: 325 mg/m ³ , 250 ppm	
	Long-term value: 260 mg/m ³ , 200 ppm	
	Skin	
TLV	Short-term value: 328 mg/m ³ , 250 ppm	
	Long-term value: 262 mg/m ³ , 200 ppm	
	Skin; BEI	
CAS: 67-63-0 Isoprope	anol	
PEL	Long-term value: 980 mg/m ³ , 400 ppm	
REL	Short-term value: 1225 mg/m ³ , 500 ppm	
	Long-term value: 980 mg/m ³ , 400 ppm	
TLV	Short-term value: 984 mg/m ³ , 400 ppm	
	Long-term value: 492 mg/m ³ , 200 ppm	
	BEI	
CAS: 7647-01-0 Hydro	ochloric Acid	
NIOSH RECOMENDE	D EXP LIMI Ceiling limit value: 7.0 mg/m3 mg/m ³	
PEL	Ceiling limit value: 7 mg/m ³ , 5 ppm	
REL	Ceiling limit value: 7 mg/ m^3 , 5 ppm	

- US

Printing date 12/12/2017

Reviewed on 12/12/2017

Trade name: Titration Solvent for Bromine Number

	(Contd. of page
TLV	Ceiling limit value: 2.98 mg/m ³ , 2 ppm
CAS: 7664-93-9 Sulfuric A	cid 96 - 98%
PEL	Long-term value: 1 mg/m ³
REL	Long-term value: 1 mg/m ³
TLV	Long-term value: $0.2 * mg/m^3$
	*as thoracic fraction
Ingredients with biological	limit values:
CAS: 67-56-1 Methanol (M	lethyl Alcohol)
BEI 15 mg/L LD50 Intraperitoneal: Time: end of shift LD50: Methanol (back	
CAS: 67-63-0 Isopropanol	
BEI 40 mg/L	
LD50 Intraperitoneal:	urine
Time: end of shift at en	
LD50: Acetone (backg	round, nonspecific)
Wash hands before breaks a Store protective clothing sep Avoid contact with the eyes. Avoid contact with the eyes Breathing equipment: In case of brief exposure or	parately.
Protective gloves	S
Due to missing tests no reco chemical mixture. Selection of the glove mater	e impermeable and resistant to the product/ the substance/ the preparation. ommendation to the glove material can be given for the product/ the preparation/ t ial on consideration of the penetration times, rates of diffusion and the degradation
varies from manufacturer to	e gloves does not only depend on the material, but also on further marks of quality as o manufacturer. As the product is a preparation of several substances, the resistance be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7) US

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 12/12/2017

Reviewed on 12/12/2017

Trade name: Titration Solvent for Bromine Number

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Clear
Odor:	Strong Vinegar
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	64 °C (147.2 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.98496 g/cm ³ (8.21949 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	97.8 %

Printing date 12/12/2017

Reviewed on 12/12/2017

Trade name:	Titration	Solvent
	for Brom	ine Number

		(Contd. of page 7)
Water: VOC content:	0.6 % 97.78 % 963.1 g/l / 8.04 lb/gl	
Solids content: • Other information	0.0 % No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	3,112-3,711 mg/kg (rat)
Dermal	LD50	1,389 mg/kg (rabbit)
Inhalative	LC50/4 h	227 mg/l (rat)

CAS: 64-19-7 Acetic Acid

Dermal LD50 1,100 mg/kg (ATE)

CAS: 67-56-1 Methanol (Methyl Alcohol)

Oral	LD50	1,187-2,769 mg/kg (rat)
Dermal	LD50	17,100 mg/kg (rabbit)
Inhalative	LC50/4 h	128.2 mg/l (rat)

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

 \cdot on the eye:

Strong caustic effect.

- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 9)

⁻ US

Printing date 12/12/2017

Reviewed on 12/12/2017

Trade name: Titration Solvent

for Bromine Number

(Contd. of page 8)

3

1

K

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· NTP (National Toxicology Program)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

• General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Must not reach bodies of water or drainage ditch undiluted or unneutralized. • Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB**: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN2920
· UN proper shipping name	
· DOT	<i>Corrosive liquids, flammable, n.o.s. (Acetic acid, glacial, Methanol Isopropanol)</i>
· IMDG, IATA	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (ACETIC ACID GLACIAL, METHANOL, Isopropanol)

Reviewed on 12/12/2017

Trade name: Titration Solvent for Bromine Number

Printing date 12/12/2017

		(Contd. of pa
Transport hazard class(es)		
DOT		
CORROSIVE FLAMMABLE LIQUID		
V V		
Class	3 Flammable liquids	
Label	8, 3	
IMDG		
V V		
Class	3 Flammable liquids	
Label	8/3	
IATA		
▼		
Class	3 Flammable liquids	
Label	8 (3)	
Packing group		
DOT, IMDG, IATA	II	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Warning: Flammable liquids	
Danger code (Kemler):	338	
EMS Number:	F- E , S - C	
Segregation groups	Acids	
Stowage Category		
Stowage Code	SW1 Protected from sources of heat.	
	SW2 Clear of living quarters.	
Transport in bulk according to Annex		
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 1 L	
-	On cargo aircraft only: 5 L	
IMDG		
Limited quantities (LQ)	1L	
Excepted quantities (\widetilde{EQ})	Code: E2	
· ~	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 500 ml	
		(Contd. on pag

Printing date 12/12/2017

Reviewed on 12/12/2017

Trade name: Titration Solvent for Bromine Number

(Contd. of page 10)

· UN "Model Regulation":

UN 2920 CORROSIVE LIQUIDS, FLAMMABLE, N.O.S. (ACETIC ACID, GLACIAL, METHANOL, ISOPROPANOL), 8 (3), II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous	substances):
------------------------------------	--------------

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· Section 313 (Specific toxic chemical listings):

CAS: 67-56-1 Methanol (Methyl Alcohol)

CAS: 67-63-0 Isopropanol

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· TSCA (Toxic Substances Control Act):

Acetic Acid

Methanol (Methyl Alcohol)

Isopropanol

Hydrochloric Acid

Sulfuric Acid 96 - 98%

Water

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol (Methyl Alcohol)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

CAS: 67-63-0 Isopropanol

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 12)

A4

A2

Printing date 12/12/2017

Trade name: Titration Solvent for Bromine Number Reviewed on 12/12/2017

(Contd. of page 11)



(Contd. on page 13)

US

Printing date 12/12/2017

Reviewed on 12/12/2017

Trade name: Titration Solvent for Bromine Number

· Information about limitation of use:

(Contd. of page 12)

6 Other information	
This information is based on our present ki specific product features and shall not establis	nowledge. However, this shall not constitute a guarantee for an sh a legally valid contractual relationship.
• Department issuing SDS: Environment protect • Contact:	ction department.
· Date of preparation / last revision	
12-12-2017: review SDS for accuracy. STN	
Revision 0.0, 07-08-2015; Creation date for S	DS STN
12/12/2017 / -	
• Abbreviations and acronyms:	line dan en un Deute (European Aeron est concerning the Intermedien
ADR: Accora europeen sur le transport des marchand Carriage of Dangerous Goods by Road)	lises dangereuses par Route (European Agreement concerning the Internation
IMDG: International Maritime Code for Dangerous Goo	ds
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industri	
EINECS: European Inventory of Existing Commercial C	
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the Americ	
NFPA: National Fire Protection Association (USA)	an Chemical Society)
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flam. Liq. 2: Flammable liquids – Category 2	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Catego	rv 1
Carc. 1A: Carcinogenicity – Category 1A	· / ·
STOT SE 1: Specific target organ toxicity (single exposu	re) – Category 1