US

Safety Data Sheet acc. to OSHA HCS

Printing date 05/11/2023

Reviewed on 05/11/2023

1 Identification · Product identifier • Trade name: 2,2,4-Trimethylpentane (Isooctane), Low Sulfur Grade · Article number: T8266 · CAS Number: 540-84-1 · EC number: 208-759-1 · Index number: 601-009-00-8 • Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification · Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways. GHS07 Skin Irritation 2 H315 Causes skin irritation. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. · Label elements • GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS07 GHS02 GHS08 · Signal word Danger (Contd. on page 2)

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: 2,2,4-Trimethylpentane (Isooctane), Low Sulfur Grade

II I state to see a sta	(Contd. of pa
• Hazard statements	
Highly flammable liquid and vap	or.
Causes skin irritation.	
May cause drowsiness or dizzine	
May be fatal if swallowed and er	ters airways.
Precautionary statements	
	n flames/hot surfaces No smoking.
Ground/bond container and rece	
Use explosion-proof electrical/ve	entilating/lighting/equipment.
Use only non-sparking tools.	
Take precautionary measures ag	
Avoid breathing dust/fume/gas/n	ist/vapors/spray
Wash thoroughly after handling.	
Use only outdoors or in a well-ve	
	e clothing/eye protection/face protection.
If swallowed: Immediately call a	poison center/doctor.
Specific treatment (see on this la	bel).
Do NOT induce vomiting.	
If on skin (or hair): Take off imn	ediately all contaminated clothing. Rinse skin with water/shower.
	fresh air and keep comfortable for breathing.
Call a poison center/doctor if yo	
Take off contaminated clothing a	
If skin irritation occurs: Get mea	
In case of fire: Use CO2, powder	
Store in a well-ventilated place.	
Store in a well-ventilated place.	
Store locked up.	
	accordance with local/regional/national/international regulations.
• Classification system:	
• NFPA ratings (scale 0 - 4)	
(seure 0 - 4)	
Health = 2	
Fire = 3	
2 0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH 2 Health -2	
\square $\Pi e u u u = 2$	
FIRE 3 $Fire = 3$	
REACTIVITY O Reactivity = 0	
Other hazarda	
· Other hazards	
• Results of PBT and vPvB assess	meni
• PBT: Not applicable.	
• vPvB: Not applicable.	
= =	

· Chemical characterization: Substances

*

- · CAS No. Description
- CAS: 540-84-1 2,2,4-Trimethylpentane (Iso-Octane)
- · Identification number(s)
- · EC number: 208-759-1

(Contd. on page 3)

US

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: 2,2,4-Trimethylpentane (Isooctane), Low Sulfur Grade

(Contd. of page 2)

· Index number: 601-009-00-8

4 First-aid measures

- · Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- $\cdot \textit{For safety reasons unsuitable extinguishing agents: Water with full jet}$
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

- **Reference to other sections**
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- · PAC-1: 230 ppm
- · PAC-2: 830 ppm
- · PAC-3: 5000* ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.

(Contd. on page 4)

US

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: 2,2,4-Trimethylpentane (Isooctane), Low Sulfur Grade

(Contd. of page 3)

- \cdot Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 540-84-1 2,2,4-Trimethylpentane (Iso-Octane)

TLV Long-term value: 300 ppm

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.
 Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

 $(Contd. \ on \ page \ 5)$

US

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/11/2023

*

Reviewed on 05/11/2023

Trade name: 2,2,4-Trimethylpentane (Isooctane), Low Sulfur Grade

· Body protection: Protective work clothing

9 Physical and chemical properties		
• Information on basic physical and chemical properties • General Information • Appearance:		
Form:	Liquid	
Color:	Colorless	
· Odor:	Sweetish	
• Odor threshold:	Not determined.	
· pH-value:	Not determined.	
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	-107.4 °C (-161.3 °F) 98-99 °C (208.4-210.2 °F)	
· Flash point:	-8 °C (17.6 °F)	
· Flammability (solid, gaseous):	Highly flammable.	
· Auto igniting:	410 °C (770 °F)	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Not determined.	
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
· Explosion limits:		
Lower:	1.1 Vol %	
Upper:	6 Vol %	
• Vapor pressure at 20 °C (68 °F):	15 hPa (11.3 mm Hg)	
• Density at 20 °C (68 °F):	0.692 g/cm ³ (5.77474 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate		
· Viscosity:	·	
Dynamic at 20 °C (68 °F):	0.51 mPas	
Kinematic:	Not determined.	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 6)

US

Printing date 05/11/2023

Reviewed on 05/11/2023

(Contd. of page 5)

Trade name: 2,2,4-Trimethylpentane (Isooctane), Low Sulfur Grade

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, IMDG, IATA	UN1262	

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: 2,2,4-Trimethylpentane (Isooctane), Low Sulfur Grade

	(Contd. of page)
 UN proper shipping name DOT IMDG IATA 	Octanes OCTANES, MARINE POLLUTANT OCTANES
· Transport hazard class(es)	
· DOT	
· Class	2 Elammable liquide
· Label	3 Flammable liquids 3
· IMDG	
· Class	3 Flammable liquids
· Label	3
· Class	3 Flammable liquids
· Label	3
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards: · Marine pollutant:	Environmentally hazardous substance, liquid; Marine Pollutant No Symbol (fish and tree)
 Special precautions for user Hazard identification number (Kemler code): 	
· EMS Number: · Stowage Category	F-E,S-E B
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
• DOT • Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· Hazardous substance:	1000 lbs, 454 kg
· IMDG · Limited quantities (LQ)	1L
	(Contd. on page

US -

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: 2,2,4-Trimethylpentane (Isooctane), Low Sulfur Grade

	(Contd. of page 7)
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1262 OCTANES, 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is listed.

· Proposition 65

- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.

· Carcinogenic categories

- · EPA (Environmental Protection Agency) II
- TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger · Hazard statements Highly flammable liquid and vapor. Causes skin irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 9)

Printing date 05/11/2023

Reviewed on 05/11/2023

Trade name: 2,2,4-Trimethylpentane (Isooctane), Low Sulfur Grade

(Contd. of page 8)

IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a poison center/doctor if you feel unwell.
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

- Date of preparation / last revision Revision 1.0 05/11/2023, reviewed SDS for accuracy. STN 05/11/2023
 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit REL: Recommended Exposure Limit
- Flammable Liquids 2: Flammable liquids Category 2
- Skin Irritation 2: Skin corrosion/irritation Category 2
- Specific Target Organ Toxicity Single Exposure 3: Specific target organ toxicity (single exposure) Category 3
- Aspiration Hazard 1: Aspiration hazard Category 1
- \cdot * Data compared to the previous version altered.