# Safety Data Sheet acc. to OSHA HCS

Printing date 01/08/2018

Reviewed on 01/08/2018

Product identifier	
Trade name: Sulfuric Acid	
89.50 +- 0.20% w/w	
Article number: STA021	
Details of the supplier of the safety data sheet	
Manufacturer/Supplier:	
Aqua Solutions, Inc.	
6913 Highway 225 DEER PARK, TX 77536	SOLUTIONS
USA	
800-256-2586	
Information department:	
Technical Coordinator	
Sherman Nelson sherman@aquasolutions.org	
Emergency telephone number:	
Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Canuec. 015-990-0000	
Hazard(s) identification	
Classification of the substance or mixture	
GHS08 Health hazard	
Carc. 1A H350 May cause cancer.	
A	
GHS05 Corrosion	
The GHSUS Corrosion	
Chin Community 14 Community and and down and	
Skin Corr. 1A H314 Causes severe skin burns and eye damage.	
Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.	
<i>Eye Dam. 1 H318 Causes serious eye damage.</i> <i>Label elements</i>	
Eye Dam. 1H318Causes serious eye damage.Label elementsGHS label elementsThe product is classified and labeled according	ng to the Globally Harmonized System (G
Eye Dam. 1H318Causes serious eye damage.Label elementsGHS label elementsThe product is classified and labeled according	ng to the Globally Harmonized System (G
Eye Dam. 1H318Causes serious eye damage.Label elementsGHS label elementsThe product is classified and labeled according	ng to the Globally Harmonized System (G
Eye Dam. 1 H318 Causes serious eye damage.	ng to the Globally Harmonized System (G
Eye Dam. 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled accordin Hazard pictograms	ng to the Globally Harmonized System (G
Eye Dam. 1H318Causes serious eye damage.Label elementsGHS label elementsThe product is classified and labeled according	ng to the Globally Harmonized System (G
Eye Dam. 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled accordin Hazard pictograms GHS05 GHS08	ng to the Globally Harmonized System (G
Eye Dam. 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled accordin Hazard pictograms GHS05 GHS08 Signal word Danger	ng to the Globally Harmonized System (G
Eye Dam. 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled accordin Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of labeling:	ng to the Globally Harmonized System (G
Eye Dam. 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled accordin Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of labeling: Sulfuric Acid 96 - 98%	ng to the Globally Harmonized System (G
Eye Dam. 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled accordin Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of labeling: Sulfuric Acid 96 - 98%	ng to the Globally Harmonized System (G
Eye Dam. 1       H318 Causes serious eye damage.         Label elements         GHS label elements The product is classified and labeled accordin         Hazard pictograms         Image: Comparison of the product of the pr	ng to the Globally Harmonized System (G
Eye Dam. 1       H318 Causes serious eye damage.         Label elements         GHS label elements The product is classified and labeled accordin         Hazard pictograms         Image: GHS05         GHS05         GHS08         Signal word Danger         Hazard-determining components of labeling:         Sulfuric Acid 96 - 98%         Hazard statements         Causes severe skin burns and eye damage.         May cause cancer.         Precautionary statements	ng to the Globally Harmonized System (G
Eye Dam. 1H318 Causes serious eye damage.Label elementsGHS label elements The product is classified and labeled accordin Hazard pictogramsImage: Image and the picture of the pict	
Eye Dam. 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled accordin Hazard pictograms	

Printing date 01/08/2018

Reviewed on 01/08/2018

Trade name: Sulfuric Acid 89.50 +- 0.20% w/w

Wash thoroughly after he	andling.	(Contd. of page 1)
	rotective clothing/eye protection/face protection.	
	th. Do NOT induce vomiting.	
	off immediately all contaminated clothing. Rinse skin with wa	tar/showar
		iensnower.
	erson to fresh air and keep comfortable for breathing.	·C
	usly with water for several minutes. Remove contact lenses,	if present and easy to do.
Continue rinsing.		
	: Get medical advice/attention.	
Immediately call a poiso		
Specific treatment (see of	n this label).	
Wash contaminated cloth	ung before reuse.	
Store locked up.		
	ainer in accordance with local/regional/national/international	regulations.
· Classification system:	0	0
· NFPA ratings (scale 0 -	<i>A</i> )	
111 1 11 Tutings (seure 0 -	7)	
Health = 3	}	
Fire = 0		
3 2 Reactivity	= 2	
	- 2	
· HMIS-ratings (scale 0 -	4)	
HEALTH *3 Health =	*3	
FIRE 0 Fire = 0	5	
REACTIVITY 2 Reactivity	V = 2	
· Other hazards		
· Results of PBT and vPv	R assassment	
	Jussessmen	
• <b>PBT:</b> Not applicable.		
• <b>vPvB:</b> Not applicable.		
3 Composition/inform	ation on ingradiants	
5 Composition/inform	allon on ingreatents	
· Chemical characterization	on · Mirtures	
	the substances listed below with nonhazardous additions.	
• Description: Mixture of a		
<b>v</b> .		
CAS: 7664-93-9 Sulfurio	: Acid 96 - 98%	92.268%
• Table of Nonhazardous	Ingredients	
CAS: 7732-18-5 Water		7.732%
		I

## 4 First-aid measures

· Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 01/08/2018

Trade name: Sulfuric Acid 89.50 +- 0.20% w/w

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### **6** Accidental release measures

<ul> <li>Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.</li> <li>Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.</li> <li>Methods and material for containment and cleaning up:</li> </ul>	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	0.20 mg/m <sup>3</sup>
· PAC-2:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	8.7 mg/m <sup>3</sup>
• PAC-3:	

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

#### 7 Handling and storage

· Handling:

- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- $\cdot$  Specific end use(s) No further relevant information available.

(Contd. on page 4)

US

 $160 \, mg/m^3$ 

(Contd. of page 2)

Reviewed on 01/08/2018

Printing date 01/08/2018

Trade name: Sulfuric Acid 89.50 +- 0.20% w/w Reviewed on 01/08/2018

(Contd. of page 3)

## 8 Exposure controls/personal protection · Additional information about design of technical systems: No further data; see item 7. · Control parameters · Components with limit values that require monitoring at the workplace: CAS: 7664-93-9 Sulfuric Acid 96 - 98% PEL Long-term value: 1 mg/m<sup>3</sup> REL Long-term value: 1 mg/m<sup>3</sup> TLV Long-term value: 0.2\* mg/m<sup>3</sup> \*as thoracic fraction • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Tightly sealed goggles · Body protection: Protective work clothing

(Contd. on page 5)

Printing date 01/08/2018

Trade name: Sulfuric Acid 89.50 +- 0.20% w/w Reviewed on 01/08/2018

(Contd. of page 4)

9 Physical and chemical proper	rties
· Information on basic physical and	chemical properties
· General Information	
· Appearance:	
Form:	Viscous liquid
Color:	Clear
· Odor:	Odorless
· Odor threshold:	Not determined.
• <i>pH-value at 20</i> ° <i>C</i> (68 ° <i>F</i> ):	<2
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
• Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
• Density at 20 °C (68 °F):	1.77505 g/cm³ (14.81279 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
$\cdot$ Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
$\cdot$ Partition coefficient (n-octanol/wat	t <b>er):</b> Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	7.7 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gl
Solids content:	0.0 %
• Other information	No further relevant information available.

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

(Contd. on page 6)

US

(Contd. of page 5)

#### Safety Data Sheet acc. to OSHA HCS

Printing date 01/08/2018

Trade name: Sulfuric Acid 89.50 +- 0.20% w/w Reviewed on 01/08/2018

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	1
· NTP (National Toxicology Program)	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	K
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

#### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.

(Contd. on page 7)

US

Printing date 01/08/2018

Trade name: Sulfuric Acid 89.50 +- 0.20% w/w

(Contd. of page 6)

Reviewed on 01/08/2018

· vPvB: Not applicable.

• Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1830
· UN proper shipping name · DOT	Sulfuric acid
· IMDG, IATA	SULPHURIC ACID
· Transport hazard class(es)	
·DOT	
8	
· Class	8 Corrosive substances
· Label	8
· IMDG, IATA	
· Class	8 Corrosive substances
· Label	8
· Packing group · DOT, IMDG, IATA	Ш
· Environmental hazards:	
• Marine pollutant:	No
$\cdot$ Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80 E 4 G D
· EMS Number:	F-A,S-B
<ul> <li>Segregation groups</li> <li>Stowage Category</li> </ul>	Acids E
	$\boldsymbol{L}$

US

Printing date 01/08/2018

Reviewed on 01/08/2018

*Trade name: Sulfuric Acid* 89.50 +- 0.20% w/w

	(Contd. of page 7
• Transport in bulk according to Annex . MARPOL73/78 and the IBC Code	II of Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 1 L
~ ·	On cargo aircraft only: 30 L
· IMDG	
· Limited quantities (LQ)	1L
$\cdot$ Excepted quantities (EQ)	Code: E2
· · ~	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1830 SULFURIC ACID, 8, II

## **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	
· Section 313 (Specific toxic chemical listings):	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	
· TSCA (Toxic Substances Control Act):	
Sulfuric Acid 96 - 98%	
Water	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	A2
·NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)

Printing date 01/08/2018

Trade name: Sulfuric Acid 89.50 +- 0.20% w/w

Reviewed on 01/08/2018

	(Contd. of page 8)
· Hazard pictograms	
GHS05 GHS08	
· Signal word Danger	
Hazard-determining components of labeling:	
Sulfuric Acid 96 - 98%	
· Hazard statements	
Causes severe skin burns and eye damage. May equip equip	
May cause cancer.	
• <b>Precautionary statements</b> Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/s	hower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if p	resent and easy to do.
Continue rinsing.	r.
IF exposed or concerned: Get medical advice/attention.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regional	ulations.
· National regulations:	
· Additional classification according to Decree on Hazardous Materials:	
Carcinogenic hazardous material group III (dangerous).	
Information about limitation of use:	
Workers are not allowed to be exposed to the hazardous carcinogenic materials contain	ed in this preparation.
Exceptions can be made by the authorities in certain cases.	1 1
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
16 Other information	
This information is based on our present knowledge. However, this shall not constitut	e a guarantee for anv
specific product features and shall not establish a legally valid contractual relationship.	
· Department issuing SDS: Environment protection department.	
· Contact:	
· Date of preparation / last revision	
01-08-2018: review SDS for accuracy. STN	
Creation date for SDS 03-24-2015. STN	
01/08/2018 / -	
• Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement co	oncerning the International
Carriage of Dangerous Goods by Road)	meerning me miernauonal
IMDG: International Maritime Code for Dangerous Goods	
	(Contd. on page 10)

(Contd. on page 10)

Printing date 01/08/2018

## Trade name: Sulfuric Acid 89.50 +- 0.20% w/w

	(Contd. of page 9)
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Carc. 1A: Carcinogenicity – Category 1A	
	US

Reviewed on 01/08/2018