PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

Aqua Solutions, Inc

6913 Hwy 225, Deer Park, TX 77536

(Hereinafter called the Organization) and hereby declares that Organization is accredited in accordance with the recognized International Standard:

ISO/IEC 17025:2017

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

Chemical Testing

(As detailed in the supplement)

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen
President

Perry Johnson Laboratory Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

Initial Accreditation Date:	*Issue Date:*	*Expiration Date:*
September 26, 2022	September 26, 2022	December 31, 2024

Accreditation No.:	*Certificate No.:*
118497	L22-636

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pjlabs.com

Certificate of Accreditation: Supplement

Aqua Solutions, Inc

6913 Hwy 225, Deer Park, TX 77536

Contact Name: Mr Sherman Nelson Phone: 281-479-2569

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical[F]	Buffers	pH Analysis	4500 H+B Electrometric Method / Aqua Solutions Procedure QCSP20	2.000 pH to 12.450 pH
	Acid and Base Titrant	Potency	ASTM E200-16-Modified Aqua Solutions Procedure QCSP5 (acids), QCSP7 Bases	0.010 0 to 1.000 0 Normal
			ASTM E200-16-Modified Aqua Solutions Procedure QCSP5 (acids), QCSP7 Bases	0.010 0 to 1.000 0 Normal
	Silver Nitrate Titrant		4500-Cl D Potentiometric Method / Aqua Solutions Procedure QCSP53	0.010 0 to 0.141 0 Normal

1. The presence of a superscript F means that the laboratory performs testing of the indicated parameter at its fixed location. Example: Outside Micrometer[F] would mean that the laboratory performs this testing at its fixed location.