Printing date 06/18/2024

Reviewed on 06/18/2024

### **1** Identification

- · Product identifier
- Trade name: <u>Potassium Dichromate 0.2</u> <u>Normal NIST Traceable Solution</u>
- · Article number: 7090
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- *Emergency telephone number:* Chemtrec: 800-424-9300 Canutec: 613-996-6666

### 2 Hazard(s) identification



GHS06 Skull and crossbones

Acute Toxicity - Inhalation 3 H331 Toxic if inhaled.



Sensitization - Respiratory 1H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.Germ Cell Mutagenicity 1BH340 May cause genetic defects.Carcinogenicity 1AH350 May cause cancer.

*Toxic to Reproduction 1B* H360 May damage fertility or the unborn child.

GHS07

Sensitization - Skin 1

H317 May cause an allergic skin reaction.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

(Contd. on page 2)

US

Printing date 06/18/2024

Reviewed on 06/18/2024

# Trade name: Potassium Dichromate 0.2 Normal NIST Traceable Solution

	(Contd. of page
Hazard-determining components of labeling:	
Potassium Dichromate	
Hazard statements	
Toxic if inhaled.	
May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
May cause an allergic skin reaction.	
May cause genetic defects.	
May cause cancer.	
May damage fertility or the unborn child.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Use only outdoors or in a well-ventilated area.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
[In case of inadequate ventilation] wear respiratory protection.	
If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF INHALED. Remove person to fresh air and keep comfortable for breaking. IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
If skin irritation or rash occurs: Get medical advice/attention.	
If experiencing respiratory symptoms: Call a poison center/doctor.	
Wash contaminated clothing before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	IS .
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 1	
Fire = $0$	
$\mathbf{I}  \mathbf{O}  Reactivity = 0$	
HMIS-ratings (scale 0 - 4)	
<b>HEALTH</b> *1 Health = $*1$	
FIRE 0 Fire = 0	
$\frac{1}{\text{REACTIVITY}[0]} Reactivity = 0$	
REACTIVITY 0 Reactivity = 0	
Other hazards	
Results of PBT and vPvB assessment	
<b>PBT:</b> Not applicable.	
vPvB: Not applicable.	

• Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7778-50-9 Potassium Dichromate

(Contd. on page 3)

0.975%

US

Printing date 06/18/2024

Reviewed on 06/18/2024

Trade name: Potassium Dichromate 0.2 Normal NIST Traceable Solution

(Contd. of page 2)

99.025%

#### · Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

#### 4 First-aid measures

· Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.
- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:
- Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required. · Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: CAS: 7778-50-9 Potassium Dichromate  $0.42 \ mg/m^3$ (Contd. on page 4) us

Printing date 06/18/2024

Reviewed on 06/18/2024

Trade name:	Potassium Dichromate 0.2
	Normal NIST Traceable Solution

· PAC-2:

CAS: 7778-50-9 Potassium Dichromate

· PAC-3:

CAS: 7778-50-9 Potassium Dichromate

# 7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s) No further relevant information available.*

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7778-50-9 Potassium Dichromate

- PEL Long-term value: 0.005\* mg/m<sup>3</sup> Ceiling limit value: 0.1\*\* mg/m<sup>3</sup> \*as Cr(VI) \*\*as CrO3; see 29 CFR 1910.1026
- REL Long-term value: 0.0002 mg/m<sup>3</sup> as Cr; See Pocket Guide Apps. A and C
- TLV Short-term value: 0.0005 mg/m<sup>3</sup> Long-term value: 0.0002 mg/m<sup>3</sup> as Cr(VI); A1;inhalable, Skin;BEI, DSEN, RSEN

#### · Ingredients with biological limit values:

#### CAS: 7778-50-9 Potassium Dichromate

BEI 25 µg/L

LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Total chromium (fume)

10 μg/L LD50 Intraperitoneal: urine Time: increase during shift LD50: Total chromium (fume)

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

0.28 ppm

(Contd. of page 3)

1.8 ppm

US

Printing date 06/18/2024

Reviewed on 06/18/2024

Trade name: Potassium Dichromate 0.2 Normal NIST Traceable Solution

(Contd. of page 4)

- · Exposure controls
- · Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and a General Information	chemical properties	
Appearance: Form:	Liquid	
Color:	Orange	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	

Printing date 06/18/2024

Reviewed on 06/18/2024

Trade name:	Potassium Dichromate 0.2
	Normal NIST Traceable Solution

	(Contd. of page
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.00501 g/cm <sup>3</sup> (8.38681 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	99.0 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	1.0 %
Other information	No further relevant information available.

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 10,260 mg/kg

Inhalative LC50/4h 5.13 mg/l

(Contd. on page 7)

US

Printing date 06/18/2024

Reviewed on 06/18/2024

#### Trade name: Potassium Dichromate 0.2 Normal NIST Traceable Solution

(Contd. of page 6)

1

K

•	Primary	irritant	effect:
---	---------	----------	---------

- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization:

Sensitization possible through inhalation. Sensitization possible through skin contact.

#### · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Harmful Irritant

The product can cause inheritable damage.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7778-50-9 Potassium Dichromate

#### · NTP (National Toxicology Program)

CAS: 7778-50-9 Potassium Dichromate

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12** Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

- Danger to drinking water if even extremely small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation:* Disposal must be made according to official regulations.

(Contd. on page 8)

US -

Reviewed on 06/18/2024

Trade name: Potassium Dichromate 0.2 Normal NIST Traceable Solution

Printing date 06/18/2024

• Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
UN-Number DOT, IMDG, IATA	UN3287
UN proper shipping name DOT IMDG, IATA	Toxic liquid, inorganic, n.o.s. (Potassium Dichromate) TOXIC LIQUID, INORGANIC, N.O.S. (Potassium Dichromate)
Transport hazard class(es)	
DOT	
TOXIC	
Class	6.1 Toxic substances
Label	6.1
IMDG, IATA	
5 × 10 × 10 × 10 × 10 × 10 × 10 × 10 × 1	
Class	6.1 Toxic substances
Label	6.1
Packing group DOT, IMDG, IATA	111
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Toxic substances
Hazard identification number (Kemler code):	
EMS Number: Stowage Category	F-A,S-A A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
~~~~~	On cargo aircraft only: 220 L
IMDG	
Limited quantities (LQ)	5L
1 ~ ~/	(Contd. on page

(Contd. of page 7)

ACTIVE ACTIVE

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/18/2024

Reviewed on 06/18/2024

Trade name:	e: Potassium Dichromate 0.2		
	Normal NIST	Traceable	Solution

	(Contd. of page 8)
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3287 TOXIC LIQUID, INORGANIC, N.O.S. (POTASSIUM DICHROMATE), 6.1, III

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

 Section 313 (Specific toxic chemical listings): CAS: 7778-50-9 Potassium Dichromate

• TSCA (Toxic Substances Control Act):

Water

Potassium Dichromate

· Hazardous Air Pollutants

CAS: 7778-50-9 Potassium Dichromate

· Proposition 65

 $\cdot$  Chemicals known to cause cancer:

CAS: 7778-50-9 Potassium Dichromate

· Chemicals known to cause reproductive toxicity for females:

CAS: 7778-50-9 Potassium Dichromate

· Chemicals known to cause reproductive toxicity for males:

CAS: 7778-50-9 Potassium Dichromate

· Chemicals known to cause developmental toxicity:

CAS: 7778-50-9 Potassium Dichromate

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 7778-50-9 Potassium Dichromate

· TLV (Threshold Limit Value)

CAS: 7778-50-9 Potassium Dichromate

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 7778-50-9 Potassium Dichromate

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



(Contd. on page 10)

A(inh), D(oral), K/L(inh), CBD(oral)

A1

Printing date 06/18/2024

Reviewed on 06/18/2024

## Trade name: Potassium Dichromate 0.2 Normal NIST Traceable Solution

Signal word Danger	(Contd. of page 9)
Hazard-determining components of labeling:	
Potassium Dichromate	
Hazard statements	
Toxic if inhaled.	
May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
May cause an allergic skin reaction.	
May cause genetic defects.	
May cause cancer.	
May damage fertility or the unborn child.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Use only outdoors or in a well-ventilated area.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
[In case of inadequate ventilation] wear respiratory protection.	
If on skin: Wash with plenty of water.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
If skin irritation or rash occurs: Get medical advice/attention.	
If experiencing respiratory symptoms: Call a poison center/doctor.	
Wash contaminated clothing before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international reg	gulations.
National regulations:	
Additional classification according to Decree on Hazardous Materials:	
Carcinogenic hazardous material group III (dangerous).	

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of Preparation / Last Revision:
- Date of preparation / last revision Revision 0.1, 06/18/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS, 07-09-2015. STN 06/18/2024 / 1.0
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 11)

US

Printing date 06/18/2024

Reviewed on 06/18/2024

#### Trade name: Potassium Dichromate 0.2 Normal NIST Traceable Solution

	(Contd. of page 10)
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Acute Toxicity - Inhalation 3: Acute toxicity – Category 3	
Sensitization - Respiratory 1: Respiratory sensitisation – Category 1	
Sensitization - Skin 1: Skin sensitisation – Category 1	
Germ Cell Mutagenicity 1B: Germ cell mutagenicity – Category 1B	
Carcinogenicity 1A: Carcinogenicity – Category 1A	
Toxic to Reproduction 1B: Reproductive toxicity – Category 1B	
* * Data compared to the previous version altered.	
A A	115