Printing date 08/19/2024

Reviewed on 08/19/2024

1 Identification


- · Product identifier
- Trade name: <u>Sodium Hydroxide 0.5 Normal</u> in Methanol NIST Traceable
- · Article number: 8647
- Details of the supplier of the safety data sheet

Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

• Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org

• *Emergency telephone number:* Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification



Printing date 08/19/2024

Reviewed on 08/19/2024

Trade name: Sodium Hydroxide 0.5 Normal in Methanol NIST Traceable



Printing date 08/19/2024

Reviewed on 08/19/2024

Trade name: Sodium Hydroxide 0.5 Normal in Methanol NIST Traceable

(Contd. of page 2)

67.31%

2.33%

30.36%

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1 Methanol

CAS: 1310-73-2 Sodium Hydroxide

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.
- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- *Protective equipment: Mouth respiratory protective device.*

(Contd. on page 4)

Printing date 08/19/2024

Reviewed on 08/19/2024

Trade name: Sodium Hydroxide 0.5 Normal in Methanol NIST Traceable

(Contd. of page 3)

Personal precau	utions, protective equipment and emergency procedures		
	ry protective device.		
Wear protective	equipment. Keep unprotected persons away.		
	precautions: Do not allow to enter sewers/ surface or ground water.		
	aterial for containment and cleaning up:	1 ()	
Use neutralizing	uid-binding material (sand, diatomite, acid binders, universal binders, sav	vausi).	
	inated material as waste according to section 13.		
Ensure adequate			
Reference to oth			
See Section 7 for information on safe handling.			
	See Section 8 for information on personal protection equipment.		
	or disposal information.		
	n Criteria for Chemicals		
D (C 1.			
<i>PAC-1</i> :			
CAS: 67-56-1	Methanol	530 ppm	
CAS: 67-56-1	Methanol Sodium Hydroxide		
CAS: 67-56-1			
CAS: 67-56-1 CAS: 1310-73-2		0.5 mg/m	
CAS: 67-56-1 CAS: 1310-73-2 PAC-2: CAS: 67-56-1	Sodium Hydroxide	0.5 mg/m	
CAS: 67-56-1 CAS: 1310-73-2 PAC-2: CAS: 67-56-1	Sodium Hydroxide Methanol	0.5 mg/m 2,100 ppr	
CAS: 67-56-1 CAS: 1310-73-2 PAC-2: CAS: 67-56-1 CAS: 1310-73-2	Sodium Hydroxide Methanol	530 ppm 0.5 mg/m 2,100 ppn 5 mg/m ³ 7200* ppn	

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

(Contd. on page 5)

Printing date 08/19/2024

*

Reviewed on 08/19/2024

Trade name: Sodium Hydroxide 0.5 Normal in Methanol NIST Traceable

(Contd. of page 4)

Addi	tional information about design of technical systems: No further data; see section 7.
	trol parameters
	ponents with limit values that require monitoring at the workplace:
	: 67-56-1 Methanol
	Long-term value: 260 mg/m ³ , 200 ppm
	Short-term value: 325 mg/m ³ , 250 ppm
KLL	Long-term value: 260 mg/m ³ , 200 ppm
	Skin
TLV	Short-term value: 250 ppm
	Long-term value: 200 ppm
	Skin; BEIc
CAS	: 1310-73-2 Sodium Hydroxide
PEL	Long-term value: 2 mg/m ³
REL	Ceiling limit value: 2 mg/m ³
	Ceiling limit value: 2 mg/m ³
	edients with biological limit values:
0	: 67-56-1 Methanol
	15 mg/L
DEI	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Methanol (background, nonspecific)
Addi	itional information: The lists that were valid during the creation were used as basis.
	-
	osure controls onal protective equipment:
	eral protective equipment. eral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	e protective clothing separately.
	d contact with the eyes.
	d contact with the eyes and skin.
	u thing equipment: use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u
	ise of one feature of low pollution use respiratory filter device. In case of intensive of longer exposure a iratory protective device that is independent of circulating air.
	ection of hands:
	Protective gloves
The s	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the
chen	nical mixture.
Selec	ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	erial of gloves
	selection of the suitable gloves does not only depend on the material, but also on further marks of quality and
	es from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance
ine g	love material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6) US

Printing date 08/19/2024

Reviewed on 08/19/2024

Trade name: Sodium Hydroxide 0.5 Normal in Methanol NIST Traceable

(Contd. of page 5)

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



*

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Clear
Odor:	Methanol
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	64 °C (147.2 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.85841 g/cm³ (7.16343 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	pr): Not determined.
Viscosity:	
Dynamic:	Not determined.

Printing date 08/19/2024

Reviewed on 08/19/2024

Trade name: Sodium Hydroxide 0.5 Normal in Methanol NIST Traceable

		(Contd. of page 6)
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	67.3 %	
Water:	30.4 %	
VOC content:	67.31 %	
	577.8 g/l / 4.82 lb/gal	
Solids content:	2.3 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)			
	LD50	148 mg/kg	
Dermal	LD50	148 mg/kg 446 mg/kg	
Inhalative	LC50/4h	4.46 mg/l	

• Primary irritant effect:

- on the skin: Caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

(Contd. on page 8)

US ·

Printing date 08/19/2024

Reviewed on 08/19/2024

Trade name: Sodium Hydroxide 0.5 Normal in Methanol NIST Traceable

(Contd. of page 7)

·NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· DOT, IMDG, IATA	UN2924
· UN proper shipping name	
DOT	Flammable liquids, corrosive, n.o.s. (Methanol, Sodi
	Hydroxide)
· IMDG, IATA	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Methan
	Sodium Hydroxide)

Printing date 08/19/2024

Reviewed on 08/19/2024

Trade name: Sodium Hydroxide 0.5 Normal in Methanol NIST Traceable

—	(Contd. of	pa
Transport hazard class(es)		
DOT		
TAMMALE LOUD 3		
Class Label	3 Flammable liquids 3, 8	
IMDG		
Class	3 Flammable liquids	
Label	3/8	
IATA		
Class Label	3 Flammable liquids 3 (8)	
Packing group DOT, IMDG, IATA	II	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Warning: Flammable liquids	
Hazard identification number (Kemler code): EMS Number:		
<i>EMS</i> Number: Segregation groups	F-E,S-C (SGG18) Alkalis	
Stowage Category	B	
Stowage Code	SW2 Clear of living quarters.	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L	
IMDG		
Limited quantities (LQ)	1L	
Excepted quantities (EQ)	Code: E2	
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	
	(Contd. on p	ag

Printing date 08/19/2024

Reviewed on 08/19/2024

Trade name: Sodium Hydroxide 0.5 Normal in Methanol NIST Traceable

(Contd. of page 9)

· UN "Model Regulation":

UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (METHANOL, SODIUM HYDROXIDE), 3 (8), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

Section 355 (extremely hazardous substances):		
None of the ingredients is listed.		
· Section 313 (Specific toxic chemical listings):		
CAS: 67-56-1 Methanol		
· TSCA (Toxic Substances Control Act):		
Methanol	ACTIVE	
Water	ACTIVE	
Sodium Hydroxide	ACTIVE	
· Hazardous Air Pollutants		
CAS: 67-56-1 Methanol		
· Proposition 65		
· Chemicals known to cause cancer:		
None of the ingredients is listed.		
· Chemicals known to cause reproductive toxicity for females:		

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

(Contd. on page 11)

⁻ US

Printing date 08/19/2024

Reviewed on 08/19/2024

Trade name: Sodium Hydroxide 0.5 Normal in Methanol NIST Traceable

(Con	td. of page 10)
Hazard-determining components of labeling:	
Methanol	
Sodium Hydroxide	
Hazard statements	
Highly flammable liquid and vapor.	
Toxic if swallowed, in contact with skin or if inhaled.	
Causes severe skin burns and eye damage.	
Causes damage to the central nervous system and the visual organs.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and	easy to do.
Continue rinsing.	-
IF exposed: Call a POISON CENTER or doctor/physician.	
Call a poison center/doctor if you feel unwell.	
Take off immediately all contaminated clothing and wash it before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of Preparation / Last Revision:
- · Date of preparation / last revision

Revision 1.2, 08-19-2024: Reviewed SDS for accuracy. STN/GW Creation date for SDS 08-05-2014. STN 08/19/2024 / -• Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

(Contd. on page 12)

US

Printing date 08/19/2024

Reviewed on 08/19/2024

Trade name: Sodium Hydroxide 0.5 Normal in Methanol NIST Traceable

(Contd. of page 11) CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 3: Acute toxicity - Category 3 Skin Corrosion 1B: Skin corrosion/irritation – Category 1B Eye Damage 1: Serious eye damage/eye irritation – Category 1 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1 * Data compared to the previous version altered.