Printing date 08/16/2024

Reviewed on 08/16/2024

1 Identification · Product identifier · Trade name: Barium Nitrate, Reagent ACS Grade Crystal · Article number: B0680 · CAS Number: 10022-31-8 · EC number: 233-020-5 · Index number: 056-002-00-7 • Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA800-256-2586 · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification · Classification of the substance or mixture GHS03 Flame over circle

Oxidizing Solids 2 H272 May intensify fire; oxidizer.

GHS06 Skull and crossbones

Acute Toxicity - Oral 3 H301 Toxic if swallowed.

GHS07

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

Eye Irritation 2A

H319 Causes serious eye irritation.

· Label elements

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

(Contd. on page 2)

US

Printing date 08/16/2024

Reviewed on 08/16/2024

Trade name: Barium Nitrate, Reagent ACS Grade Crystal

	(Contd. of page 1)
· Hazard statements	
May intensify fire; oxidizer.	
Toxic if swallowed.	
Harmful if inhaled.	
Causes serious eye irritation.	
· Precautionary statements	
Keep away from heat.	
Keep/Store away from clothing/combustible materials.	
Take any precaution to avoid mixing with combustibles.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Rinse mouth.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, i	f present and easy to do.
Continue rinsing.	
Call a poison center/doctor if you feel unwell.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international r	regulations
· Classification system:	eguiunons.
· NFPA ratings (scale 0 - 4)	
A Third A things (scale 0 - 4)	
Health = 3	
3 0 Fire = 3	
Reactivity = 0	
The substance possesses oxidizing properties.	
• HMIS-ratings (scale 0 - 4)	

HEALTH 3	Health = 3
FIRE 0	Fire = 0
REACTIVITY 3	<i>Reactivity</i> = 3

• Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 10022-31-8 Barium Nitrate
- · Identification number(s)
- EC number: 233-020-5

(Contd. on page 3)

US

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/16/2024

Reviewed on 08/16/2024

Trade name: Barium Nitrate, Reagent ACS Grade Crystal

· Index number: 056-002-00-7

4 First-aid measures

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

· Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- · PAC-1: 2.9 mg/m³
- · PAC-2: 350 mg/m³
- · PAC-3: 2,100 mg/m³

7 Handling and storage

- · Handling:
- *Precautions for safe handling Thorough dedusting.*

(Contd. on page 4)

US

Printing date 08/16/2024

Reviewed on 08/16/2024

Trade name: Barium Nitrate, Reagent ACS Grade Crystal

(Contd. of page 3)

Ensure good ventilation/exhaustion at the workplace.

• Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

• **Requirements to be met by storerooms and receptacles:** No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

• Components with limit values that require monitoring at the workplace:

CAS: 10022-31-8 Barium Nitrate

PEL Long-term value: 0.5 mg/m³ as Ba *REL* Long-term value: 0.5 mg/m³

- as Ba TLV Long-term value: 0.5 mg/m^3
 - as Ba, A4

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 08/16/2024

Reviewed on 08/16/2024

(Contd. of page 4)

Trade name: Barium Nitrate, Reagent ACS Grade Crystal

· Body protection: Protective work clothing

9 Physical and chemical prope	rties
• Information on basic physical and • General Information • Appearance:	chemical properties
Form:	Crystalline
Color:	White
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	592 °C (1,097.6 °F)
Boiling point/Boiling range:	592 °C (1,097.6 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Product is not flammable.
• Decomposition temperature:	Not determined.
· Ignition temperature:	Not determined.
• Danger of explosion:	Product does not present an explosion hazard.
• Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
• Density at 20 °C (68 °F):	3.24 g/cm ³ (27.0378 lbs/gal)
· Bulk density:	$1,750 \text{ kg/m}^3$
· Relative density	Not determined.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water at 20 °C (68 °F):	90.6 g/l
· Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
• Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.

(Contd. on page 6)

US

Printing date 08/16/2024

Reviewed on 08/16/2024

Trade name: Barium Nitrate, Reagent ACS Grade Crystal

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral LD50 100 mg/kg (ATE)

Inhalative LC50/4h 1.5 mg/l (ATE)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation:* Disposal must be made according to official regulations.

(Contd. on page 7)

(Contd. of page 5)

Printing date 08/16/2024

Reviewed on 08/16/2024

Trade name: Barium Nitrate, Reagent ACS Grade Crystal

(Contd. of page 6)

UN-Number		
DOT, IMDG, IATA	UN1446	
UN proper shipping name		
DOT IMDG, IATA	Barium nitrate BARIUM NITRATE	
	BARIUM NIIKAIE	
Transport hazard class(es)		
DOT		
	5 1 Quidining substances	
Class Label	5.1 Oxidizing substances 5.1, 6.1	
IMDG		
51 6		
Class	5.1 Oxidizing substances	
Label IATA	5.1/6.1	
	5 1 Ouiliaine an h-tanana	
Class Label	5.1 Oxidizing substances 5.1 (6.1)	
Packing group		
DOT, IMDG, IATA	II	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Warning: Oxidizing substances	
Hazard identification number (Kemler code		
EMS Number: Stowage Category	F-A,S-Q A	
Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 5 kg On cargo aircraft only: 25 kg	

Printing date 08/16/2024

Reviewed on 08/16/2024

Trade name: Barium Nitrate, Reagent ACS Grade Crystal

(Contd. of page 7)

· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g	
· UN "Model Regulation":	UN 1446 BARIUM NITRATE, 5.1 (6.1), II	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is listed.
- TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) D, CBD(inh), NL(oral)
- TLV (Threshold Limit Value) A4
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



• Signal word Danger

Hazard statements May intensify fire; oxidizer. Toxic if swallowed. Harmful if inhaled.

Causes serious eye irritation. **Precautionary statements**

Keep away from heat.

Keep/Store away from clothing/combustible materials.

Take any precaution to avoid mixing with combustibles.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Lo not eut, arink of smoke when using this product

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label). Rinse mouth.

(Contd. on page 9)

Printing date 08/16/2024

Reviewed on 08/16/2024

Trade name: Barium Nitrate, Reagent ACS Grade Crystal

(Contd. of page 8)

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

• Date of preparation / last revision Revision 1.2, 08-16-2024: Reviewed SDS for accuracy. STN/GW Creation date for SDS 11-18-2015. STN 08/16/2024 / -

Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Oxidizing Solids 2: Oxidizing solids – Category 2 Acute Toxicity - Oral 3: Acute toxicity - Category 3 Acute Toxicity - Inhalation 4: Acute toxicity - Category 4 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A • * Data compared to the previous version altered.

- US -