Printing date 07/03/2024

\*

Reviewed on 07/03/2024

<b>b 1 11 1</b>		
Product identifier		
Trade name: p-Cresol	<u>l 99%</u>	
Article number: C798	35	
CAS Number:		
106-44-5		
EC number: 203-398-6		
Index number:		
604-004-00-9		SOLUTIONS
Details of the supplier	of the safety data sheet	
Manufacturer/Supplie		
Aqua Solutions, Inc.		
6913 Highway 225		
DEER PARK, TX 7753	36	
USA 800-256-2586		
Information departme Technical Coordinator		
	r nann@aquasolutions.org	
Emergency telephone		
<i>Chemtrec:</i> 800-424-93		
Canutec: 613-996-666	56	
Classification of the sub-		
Classification of the s	ubstance or mixture	
Classification of the s	ubstance or mixture Il and crossbones	
Classification of the store of	ubstance or mixture Il and crossbones	
Classification of the store of	ubstance or mixture ll and crossbones 3 H301 Toxic if swallowed.	
Classification of the store of	ubstance or mixture ll and crossbones 3 H301 Toxic if swallowed. al 3 H311 Toxic in contact with skin.	
Classification of the sub- GHS06 Skut Acute Toxicity - Oral 2 Acute Toxicity - Derma	ubstance or mixture ll and crossbones 3 H301 Toxic if swallowed. al 3 H311 Toxic in contact with skin.	
Classification of the sub- GHS06 Skut Acute Toxicity - Oral 2 Acute Toxicity - Derma	ubstance or mixture ll and crossbones 3 H301 Toxic if swallowed. al 3 H311 Toxic in contact with skin.	
Classification of the su GHS06 Sku Acute Toxicity - Oral 2 Acute Toxicity - Dermu	ubstance or mixture ll and crossbones 3 H301 Toxic if swallowed. al 3 H311 Toxic in contact with skin. rosion	ye damage.
Classification of the st GHS06 Skut Acute Toxicity - Oral 3 Acute Toxicity - Derma GHS05 Cor Skin Corrosion 1B Label elements GHS label elements T	ubstance or mixture Il and crossbones 3 H301 Toxic if swallowed. al 3 H311 Toxic in contact with skin. rosion H314 Causes severe skin burns and e	ye damage. ording to the Globally Harmonized System (GE
Classification of the su GHS06 Sku Acute Toxicity - Oral 3 Acute Toxicity - Derma GHS05 Cor Skin Corrosion 1B Label elements	ubstance or mixture Il and crossbones 3 H301 Toxic if swallowed. al 3 H311 Toxic in contact with skin. rosion H314 Causes severe skin burns and e	
Classification of the st GHS06 Skut Acute Toxicity - Oral 3 Acute Toxicity - Derma GHS05 Cor Skin Corrosion 1B Label elements GHS label elements T	ubstance or mixture Il and crossbones 3 H301 Toxic if swallowed. al 3 H311 Toxic in contact with skin. rosion H314 Causes severe skin burns and e	
Classification of the st GHS06 Skut Acute Toxicity - Oral 3 Acute Toxicity - Derma GHS05 Cor Skin Corrosion 1B Label elements GHS label elements T	ubstance or mixture Il and crossbones 3 H301 Toxic if swallowed. al 3 H311 Toxic in contact with skin. rosion H314 Causes severe skin burns and e	
Classification of the st GHS06 Skut Acute Toxicity - Oral 3 Acute Toxicity - Derma GHS05 Cor Skin Corrosion 1B Label elements GHS label elements T	ubstance or mixture Il and crossbones 3 H301 Toxic if swallowed. al 3 H311 Toxic in contact with skin. rosion H314 Causes severe skin burns and e	
Classification of the st GHS06 Skut Acute Toxicity - Oral 3 Acute Toxicity - Derma GHS05 Cor Skin Corrosion 1B Label elements GHS label elements T	ubstance or mixture Il and crossbones 3 H301 Toxic if swallowed. al 3 H311 Toxic in contact with skin. rosion H314 Causes severe skin burns and e	
Classification of the su GHS06 Sku Acute Toxicity - Oral 3 Acute Toxicity - Derma GHS05 Cor Skin Corrosion 1B Label elements GHS label elements T Hazard pictograms GHS05 GHS06	ubstance or mixture Il and crossbones 3 H301 Toxic if swallowed. al 3 H311 Toxic in contact with skin. rosion H314 Causes severe skin burns and e	
Classification of the su GHS06 Sku Acute Toxicity - Oral 3 Acute Toxicity - Derma GHS05 Cor Skin Corrosion 1B Label elements GHS label elements Thazard pictograms GHS05 GHS06 Signal word Danger	ubstance or mixture Il and crossbones 3 H301 Toxic if swallowed. al 3 H311 Toxic in contact with skin. rosion H314 Causes severe skin burns and e	
Classification of the su GHS06 Sku Acute Toxicity - Oral 3 Acute Toxicity - Derma GHS05 Cor Skin Corrosion 1B Label elements GHS label elements T Hazard pictograms GHS05 GHS06	ubstance or mixture Il and crossbones 3 H301 Toxic if swallowed. al 3 H311 Toxic in contact with skin. trosion H314 Causes severe skin burns and e The substance is classified and labeled acco	
Classification of the st GHS06 Skut Acute Toxicity - Oral 3 Acute Toxicity - Derma Contention of the st Acute Toxicity - Oral 3 Acute Toxicity - Derma GHS05 Cor Skin Corrosion 1B Label elements GHS label elements GHS label elements Thazard pictograms GHS05 GHS06 Signal word Danger Hazard statements Toxic if swallowed or Causes severe skin but	ubstance or mixture ll and crossbones 3 H301 Toxic if swallowed. al 3 H311 Toxic in contact with skin. rosion H314 Causes severe skin burns and e he substance is classified and labeled acco in contact with skin. rns and eye damage.	
Classification of the su GHS06 Sku Acute Toxicity - Oral 3 Acute Toxicity - Derma GHS05 Cor Skin Corrosion 1B Label elements GHS label elements T Hazard pictograms GHS05 GHS06 Signal word Danger Hazard statements Toxic if swallowed or a	ubstance or mixture ll and crossbones 3 H301 Toxic if swallowed. al 3 H311 Toxic in contact with skin. rosion H314 Causes severe skin burns and e H314 Causes severe skin burns and e he substance is classified and labeled acco in contact with skin. rns and eye damage. ents	

Printing date 07/03/2024

Reviewed on 07/03/2024

#### Trade name: p-Cresol 99%

(Contd. of page 1) Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 2Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 3FIRE 2 Fire = 2**REACTIVITY O** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

#### **3** Composition/information on ingredients

- · Chemical characterization: Substances
- CAS No. Description CAS: 106-44-5 P-Cresol
- Identification number(s)
- EC number: 203-398-6
- Index number: 604-004-00-9

#### 4 First-aid measures

#### · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

(Contd. on page 3)

US

Printing date 07/03/2024

Reviewed on 07/03/2024

(Contd. of page 2)

Trade name: p-Cresol 99%

· Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.* 

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up: Use neutralizing agent.*

Dispose contaminated material as waste according to section 13.

- Ensure adequate ventilation.
- Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- **PAC-1**: Substance is not listed.
- PAC-2: Substance is not listed.
- · PAC-3: Substance is not listed.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling Thorough dedusting.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s) No further relevant information available.*

\*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)

Printing date 07/03/2024

Reviewed on 07/03/2024

Trade name: p-Cresol 99%

(Contd. of page 3)

•	Control	parameters
---	---------	------------

· Components with limit values that require monitoring at the workplace:

#### CAS: 106-44-5 P-Cresol

PEL Long-term value: 22 mg/m<sup>3</sup>, 5 ppm Skin

REL Long-term value: 10 mg/m<sup>3</sup>, 2.3 ppm

*TLV* Long-term value: 20\* mg/m<sup>3</sup> Skin;\*as inhalable fraction and vapor, A4

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.
- Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

· Information on basic phy	vsical and chemical properties	
· General Information	• •	
· Appearance:		
Form:	Crystalline	
Color:	Colorless	
· Odor:	Phenol-like	

Printing date 07/03/2024

Reviewed on 07/03/2024

Trade name: p-Cresol 99%

		(Contd. of page 4)
· Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	36.5 °C (97.7 °F) 202 °C (395.6 °F)	
· Flash point:	85 °C (185 °F)	
· Flammability (solid, gaseous):	Product is not flammable.	
· Auto igniting:	555 °C (1,031 °F)	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	1 Vol % Not determined.	
· Vapor pressure at 20 °C (68 °F):	0.06 hPa (0 mm Hg)	
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	1.03 g/cm <sup>3</sup> (8.59535 lbs/gal) Not determined. Not applicable. Not applicable.	
• Solubility in / Miscibility with Water at 20 °C (68 °F):	20 g/l	
· Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.	
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.	
• Other information	No further relevant information available.	

# 10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral LD50 100 mg/kg (ATE)

(Contd. on page 6)

<sup>·</sup> US ·

Printing date 07/03/2024

Reviewed on 07/03/2024

(Contd. of page 5)

#### Trade name: p-Cresol 99%

#### Dermal LD50 300 mg/kg (ATE)

- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information: Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

#### **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Assessment by list): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	UN3455	
UN proper shipping name		
DOT	Cresols, solid	
IMDG, IATA	CRESOLS, SOLID	

R

Trade name: p-Cresol 99%

Printing date 07/03/2024

	(Contd. of pa
Transport hazard class(es)	
DOT	
6	
Class	6.1 Toxic substances
Label	6.1, 8
IMDG	
6	
Class	6.1 Toxic substances
Label	6.1/8
IATA	
6	
Class	6.1 Toxic substances
Label	6.1 (8)
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Toxic substances
Hazard identification number (Kemler code). EMS Number:	<i>F-A,S-B</i>
Stowage Category	B
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 15 kg
	On cargo aircraft only: 50 kg
Hazardous substance:	100 lbs, 45.4 kg
IMDG	500
Limited quantities (LQ)	500 g Code: E4
Excepted quantities (EQ)	<i>Maximum net quantity per inner packaging: 1 g</i>
	Maximum net quantity per outer packaging: 1 g Maximum net quantity per outer packaging: 500 g
UN "Model Regulation":	UN 3455 CRESOLS, SOLID, 6.1 (8), II

(Contd. on page 8)

Printing date 07/03/2024

Reviewed on 07/03/2024

Trade name: p-Cresol 99%

(Contd. of page 7)

#### **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• Sara

- · Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is listed.

· Proposition 65

- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) C
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

· Hazard statements

*Toxic if swallowed or in contact with skin. Causes severe skin burns and eye damage.* 

· Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

Take off immediately all contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)

Printing date 07/03/2024

Reviewed on 07/03/2024

## Trade name: p-Cresol 99%

	(Contd. of page 8)
• Department issuing SDS: Environment protection department.	
Contact:	
Date of Preparation / Last Revision:	
· Date of preparation / last revision	
Revision 1.2 07/03/2024: Reviewed SDS for accuracy. MH/STN	
Creation date for SDS 10-15-2015. STN	
07/03/2024 / 1.1	
• Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Toxicity - Oral 3: Acute toxicity – Category 3	
Skin Corrosion 1B: Skin corrosion/irritation – Category 1B	
• * Data compared to the previous version altered.	