Printing date 07/19/2024

*

Reviewed on 07/19/2024

Product identifier	
Trade name: 2,3-Dimethylbutane 989	
Article number: D4782	
CAS Number:	
79-29-8	
EC number:	
201-193-6 Index number:	
601-007-00-7	SOLUTIONS
Details of the supplier of the safety da	ata sheet
Manufacturer/Supplier:	
Aqua Solutions, Inc.	
6913 Highway 225	
DEER PARK, TX 77536	
USA	
800-256-2586	
Information department:	
Technical Coordinator	
Sherman Nelson shermann@aquasolu Technical Coordinator	tions.org
Sherman Nelson shermann@aquasolu	tions or a
Emergency telephone number:	uons.org
<i>Chemtrec:</i> 800-424-9300	
Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mix	cture
GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS08 Health hazard	
	H304 May be fatal if swallowed and enters airways
GHS08 Health hazard Aspiration Hazard 1	H304 May be fatal if swallowed and enters airways.
Aspiration Hazard 1	H304 May be fatal if swallowed and enters airways.
	H304 May be fatal if swallowed and enters airways.
Aspiration Hazard 1	H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation.
Aspiration Hazard 1 GHS07 Skin Irritation 2	H315 Causes skin irritation.
Aspiration Hazard 1 GHS07 Skin Irritation 2	

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: 2,3-Dimethylbutane 98%

Hazard pictograms	(Contd. of page 1)
∇ \vee \vee	
GHS02 GHS07 GHS08	
Signal word Danger	
Hazard statements	
Highly flammable liquid and vapor.	
Causes skin irritation.	
May cause drowsiness or dizziness.	
May be fatal if swallowed and enters airways.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Avoid release to the environment.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
Call a poison center/doctor if you feel unwell.	
If skin irritation occurs: Get medical advice/attention.	
Take off contaminated clothing.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Collect spillage.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	S.
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 1	
$\frac{3}{Fire = 3}$	
$\frac{1}{1} = 0$ Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
$\begin{array}{c} \text{HEALTH} 1 \\ Health = 1 \end{array}$	
FIRE 3 $Fire = 3$	
REACTIVITY O Reactivity = 0	

• Results of PBT and vPvB assessment • PBT: Not applicable.

(Contd. on page 3) US

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: 2,3-Dimethylbutane 98%

· **vPvB:** Not applicable.

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 79-29-8 2,3-Dimethylbutane 98%
- · Identification number(s)
- EC number: 201-193-6
- · Index number: 601-007-00-7

4 First-aid measures

- · Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- PAC-1: Substance is not listed.
- PAC-2: Substance is not listed.

(Contd. on page 4)

⁻ US

Printing date 07/19/2024

Reviewed on 07/19/2024

(Contd. of page 3)

Trade name: 2,3-Dimethylbutane 98%

· PAC-3: Substance is not listed.

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 79-29-8 2,3-Dimethylbutane 98%

REL Long-term value: 350 mg/m³, 100 ppm Ceiling limit value: 1800* mg/m³, 510* ppm *15-min TLV Long-term value: 200 ppm

Lv Long-term value: 200 A3

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 5)

150 5)

Printing date 07/19/2024

Reviewed on 07/19/2024

(Contd. of page 4)

Trade name: 2,3-Dimethylbutane 98%

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

• General Information • Appearance:	
Form:	Liquid
Color:	Clear
· Odor:	Characteristic
• Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-129 °C (-200.2 °F)
Boiling point/Boiling range:	58 °C (136.4 °F)
Flash point:	-29 °C (-20.2 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	415 °C (779 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	1.2 Vol %
Upper:	7 Vol %
· Vapor pressure at 37 °C (98.6 °F):	510.8 hPa (383.1 mm Hg)
Density at 20 °C (68 °F):	0.662 g/cm ³ (5.52439 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
• Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not determined.
Partition coefficient (n-octanol/water	r): Not determined.

Printing date 07/19/2024

Reviewed on 07/19/2024

(Contd. of page 5)

Trade name: 2,3-Dimethylbutane 98%

· Viscosity:
Dynamic:
Kinematic:

Not determined. Not determined.

· Other information

No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: 2,3-Dimethylbutane 98%

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

*

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, IMDG, IATA	UN2457
· UN proper shipping name · DOT · IMDG, IATA	2,3-Dimethylbutane 2,3-DIMETHYLBUTANE
· Transport hazard class(es)	
· Class	3 Flammable liquids
· Label	3
· Class · Label	3 Flammable liquids 3
· IATA	
· Class	3 Flammable liquids
Label	3
· Packing group · DOT, IMDG, IATA	11
Environmental hazards: Marine pollutant:	Environmentally hazardous substance, liquid No Symbol (fish and tree)
· Special precautions for user · Hazard identification number (Kemler code) · EMS Number:	Warning: Flammable liquids : 33 F-E,S-D

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: 2,3-Dimethylbutane 98%

	(Contd. of page 7
· Stowage Category	E
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 2457 2,3-DIMETHYLBUTANE, 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

- Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.

· Carcinogenic categories

- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



Signal word Danger
Hazard statements
Highly flammable liquid and vapor.
Causes skin irritation.
May cause drowsiness or dizziness.
May be fatal if swallowed and enters airways. **Precautionary statements**Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

(Contd. on page 9)

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: 2,3-Dimethylbutane 98%

	(Contd. of page 8)
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Avoid release to the environment.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
Call a poison center/doctor if you feel unwell.	
If skin irritation occurs: Get medical advice/attention.	
Take off contaminated clothing.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Collect spillage.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	5.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

Contact: Date of Preparation / Last Revision:
Date of preparation / last revision Revision 1.2 07/18/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 10-15-2015. STN 07/19/2024 / 1.1
Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Skin Irritation 2: Skin corrosion/irritation - Category 2 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 Aspiration Hazard 1: Aspiration hazard – Category 1 \cdot * Data compared to the previous version altered.

US