Printing date 07/23/2024 Reviewed on 07/23/2024

### 1 Identification

· Product identifier

· Trade name: Reagent 90, 0.016N Silver Nitrate in Acetone

· Article number: DC876

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



\*

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2

H225 Highly flammable liquid and vapor.



Eye Irritation 2A

H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Acetone

· Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

(Contd. on page 2)

Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Reagent 90, 0.016N Silver Nitrate in Acetone

(Contd. of page 1)

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



 $\frac{2}{1}$  Health = 2

Fire = 3

REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

1	· Dangerous components:				
ſ	CAS: 67-64-1	Acetone	86.819%		
	CAS: 7697-37-2	Nitric Acid	0.554%		
	· Table of Nonhazardous Ingredients				
	CAS: 7732-18-5		12.289%		
	CAS: 7761-88-8	Silver Nitrate	0.338%		

### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.

(Contd. on page 3)

Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Reagent 90, 0.016N Silver Nitrate in Acetone

(Contd. of page 2)

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:				
CAS: 67-64-1	Acetone	200 ppm		
CAS: 7697-37-2	Nitric Acid	0.16 ppm		
CAS: 7761-88-8	Silver Nitrate	$0.047  mg/m^3$		
· PAC-2:				
CAS: 67-64-1	Acetone	3200* ppm		
CAS: 7697-37-2	Nitric Acid	24 ppm		
CAS: 7761-88-8	Silver Nitrate	$0.9 \text{ mg/m}^3$		
· PAC-3:				
CAS: 67-64-1	Acetone	5700* ppm		
CAS: 7697-37-2	Nitric Acid	92 ppm		
		(Contd. on page 4)		

- IIS

Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Reagent 90, 0.016N Silver Nitrate in Acetone

(Contd. of page 3) CAS: 7761-88-8 Silver Nitrate  $5.4 \text{ mg/m}^3$ 

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with	limit values that	romniro	monitoring	at the	worknlace.
Components with	i iiiiiii raiacs iiiai	require	monuomis	ui iii	workplace.

#### CAS: 67-64-1 Acetone

PEL Long-term value: 2400 mg/m³, 1000 ppm REL Long-term value: 590 mg/m<sup>3</sup>, 250 ppm

TLV Short-term value: 500 ppm Long-term value: 250 ppm

A4, BEI

### CAS: 7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m<sup>3</sup>, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: (4) NIC-0.025 ppm

Long-term value: (2) ppm

NIC-A4

### · Ingredients with biological limit values:

#### CAS: 67-64-1 Acetone

BEI 25 mg/L

LD50 Intraperitoneal: urine

Time: end of shift

LD50: Acetone (nonspecific)

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Reagent 90, 0.016N Silver Nitrate in Acetone

(Contd. of page 4)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· **Body protection:** Protective work clothing

## 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Clear

Odor: Acetone

Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range:Undetermined.Boiling point/Boiling range:55 °C (131 °F)

• Flash point:  $-17 \,^{\circ}C \, (1.4 \,^{\circ}F)$ 

(Contd. on page 6)

Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Reagent 90, 0.016N Silver Nitrate in Acetone

	(Contd. of page
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	465 °C (869 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	2.6 Vol %
Upper:	13 Vol %
Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$ ):	233 hPa (174.8 mm Hg)
Density at 20 °C (68 °F):	0.83172 g/cm³ (6.9407 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/water	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	86.8 %
Water:	12.3 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.3 %
Other information	No further relevant information available.

## 10 Stability and reactivity

- $\cdot \textit{Reactivity No further relevant information available}.$
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Reagent 90, 0.016N Silver Nitrate in Acetone

(Contd. of page 6)

\*

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 541 mg/l

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Reagent 90, 0.016N Silver Nitrate in Acetone

(Contd. of page 7)

· Uncleaned packagings:

 $\cdot DOT$ 

· Quantity limitations

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN1993
· UN proper shipping name	
· DOT	Flammable liquids, n.o.s. (Acetone)
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Acetone)
· Transport hazard class(es)	
· DOT	
RAMMABLE LOUD	
· Class	3 Flammable liquids
· Label	3
· Class	3 Flammable liquids
· Class · Label	3 Flammable liquids 3
· Label · Packing group	
· Label	
· Label · Packing group · DOT, IMDG, IATA · Environmental hazards:	3
· Label · Packing group · DOT, IMDG, IATA	3
· Label · Packing group · DOT, IMDG, IATA · Environmental hazards:	3 II
· Label · Packing group · DOT, IMDG, IATA · Environmental hazards: · Marine pollutant: · Special precautions for user · Hazard identification number (Kemler code):	3  II  No  Warning: Flammable liquids 336
· Label · Packing group · DOT, IMDG, IATA · Environmental hazards: · Marine pollutant: · Special precautions for user · Hazard identification number (Kemler code): · EMS Number:	3  II  No  Warning: Flammable liquids 336 F-E,S-D
· Label · Packing group · DOT, IMDG, IATA · Environmental hazards: · Marine pollutant: · Special precautions for user · Hazard identification number (Kemler code):	II  No  Warning: Flammable liquids 336 F-E,S-D (SGG1a) Strong acids, (SGG7) heavy metals and their so
· Label · Packing group · DOT, IMDG, IATA · Environmental hazards: · Marine pollutant: · Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups	II  No  Warning: Flammable liquids 336 F-E,S-D (SGG1a) Strong acids, (SGG7) heavy metals and their so (including their organometallic compounds)
· Label · Packing group · DOT, IMDG, IATA · Environmental hazards: · Marine pollutant: · Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category	II  No  Warning: Flammable liquids 336 F-E,S-D (SGG1a) Strong acids, (SGG7) heavy metals and their so (including their organometallic compounds) B
· Label · Packing group · DOT, IMDG, IATA · Environmental hazards: · Marine pollutant: · Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups	II  No  Warning: Flammable liquids 336 F-E,S-D (SGG1a) Strong acids, (SGG7) heavy metals and their so (including their organometallic compounds)

On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L

(Contd. on page 9)

Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Reagent 90, 0.016N Silver Nitrate in Acetone

(Contd. of page 8)

· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUID, N.O.S. (ACETONE), 3, II

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

. Section	355 (extreme	ly hazardous	substances).
· Secuon .	JJJ (EXII EIIIEI	v nazaravas	substancest.

CAS: 7697-37-2 Nitric Acid

· Section 313 (Specific toxic chemical listings):

CAS: 7697-37-2 Nitric Acid

CAS: 7761-88-8 Silver Nitrate

· TSCA (Toxic Substances Control Act):

Acetone	ACTIVE
Water	ACTIVE
Nitric Acid	ACTIVE
Silver Nitrate	ACTIVE

#### · Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

*CAS:* 67-64-1 *Acetone* 

I

· TLV (Threshold Limit Value)

CAS: 67-64-1 Acetone

*A4* 

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 10)

Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Reagent 90, 0.016N Silver Nitrate in Acetone

(Contd. of page 9)

### · Hazard pictograms





GHS02

### · Signal word Danger

#### · Hazard-determining components of labeling:

Acetone

#### · Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

#### · Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

*Use explosion-proof electrical/ventilating/lighting/equipment.* 

*Use only non-sparking tools.* 

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2 07/23/2024: Reviewed SDS for accuracy. MH/STN

Creation date for SDS 11-25-2014. STN

07/23/2024 / 1.0

#### · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

 ${\it IATA: International Air Transport Association}$ 

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 11)

Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Reagent 90, 0.016N Silver Nitrate in Acetone

(Contd. of page 10)

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

\* Data compared to the previous version altered.

US