Printing date 10/31/2017

Reviewed on 10/31/2017

Product identifier	
• Trade name: <u>Reagent 23</u> <u>TMAH 0.035N MeOH/IPA</u>	
Article number: DC877-247	
• Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
• Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org • Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification	
· Classification of the substance or mixture	
GHS02 Flame	
$\checkmark$	nd vapor
Flam. Liq. 2 H225 Highly flammable liquid a	nd vapor.
Flam. Liq. 2 H225 Highly flammable liquid a	nd vapor.
Flam. Liq. 2 H225 Highly flammable liquid a	nd vapor.
Flam. Liq. 2 H225 Highly flammable liquid a GHS06 Skull and crossbones Acute Tox. 3 H331 Toxic if inhaled.	
Flam. Liq. 2 H225 Highly flammable liquid a GHS06 Skull and crossbones Acute Tox. 3 H331 Toxic if inhaled. GHS08 Health hazard	
Flam. Liq. 2 H225 Highly flammable liquid a GHS06 Skull and crossbones Acute Tox. 3 H331 Toxic if inhaled. GHS08 Health hazard STOT SE 1 H370 Causes damage to organs. GHS07 Eye Irrit. 2A H319 Causes serious eye irritati	о <i>п</i> .
Flam. Liq. 2 H225 Highly flammable liquid a GHS06 Skull and crossbones Acute Tox. 3 H331 Toxic if inhaled. GHS08 Health hazard STOT SE 1 H370 Causes damage to organs. GHS07 Eye Irrit. 2A H319 Causes serious eye irritati STOT SE 3 H336 May cause drowsiness or a	о <i>п</i> .
Flam. Liq. 2 H225 Highly flammable liquid a GHS06 Skull and crossbones Acute Tox. 3 H331 Toxic if inhaled. GHS08 Health hazard STOT SE 1 H370 Causes damage to organs. GHS07 Eye Irrit. 2A H319 Causes serious eye irritati STOT SE 3 H336 May cause drowsiness or a Label elements	о <i>п</i> .
Flam. Liq. 2 H225 Highly flammable liquid a GHS06 Skull and crossbones Acute Tox. 3 H331 Toxic if inhaled. GHS08 Health hazard STOT SE 1 H370 Causes damage to organs. GHS07 Eye Irrit. 2A H319 Causes serious eye irritati STOT SE 3 H336 May cause drowsiness or a Label elements GHS label elements The product is classified of	on. dizziness.

US

Printing date 10/31/2017

Reviewed on 10/31/2017

# Trade name: Reagent 23 TMAH 0.035N MeOH/IPA

• Signal word Danger
· Hazard-determining components of labeling:
Methanol (Methyl Alcohol)
Isopropanol
· Hazard statements
Highly flammable liquid and vapor.
Toxic if inhaled.
Causes serious eye irritation.
Causes damage to organs.
May cause drowsiness or dizziness.
· Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Specific treatment (see on this label).
If eye irritation persists: Get medical advice/attention.
In case of fire: Use for extinction: CO2, powder or water spray.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system: · NFPA ratings (scale 0 - 4)
· NFFA raings (scale 0 - 4)
Health = 2
Fire = $3$
2 Reactivity = 0
· HMIS-ratings (scale 0 - 4)
HEALTH $2$ Health = *2
FIRE 3 Fire = 3
<b>REACTIVITY</b> $\bigcirc$ Reactivity = 0
· Other hazards Posults of PPT and yPyP assessment

• Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.

(Contd. on page 3)

US

*Printing date 10/31/2017* 

Reviewed on 10/31/2017

Trade name: Reagent 23 TMAH 0.035N MeOH/IPA

(Contd. of page 2)

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-56-1 Methanol (Methyl Alcohol)	50.165%	
CAS: 67-63-0 Isopropanol	49.794%	
· Table of Nonhazardous Ingredients		
CAS: 75-59-2 tetramethylammonium hydroxide	0.0412%	

#### 4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **5** *Fire-fighting measures*

· Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.* 

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

(Contd. on page 4)

Printing date 10/31/2017

Reviewed on 10/31/2017

#### Trade name: Reagent 23 TMAH 0.035N MeOH/IPA

	(Contd. of page 3)
• <b>Reference to other sections</b> See Section 7 for information on safe handling	a
See Section 8 for information on safe nanating	
See Section 13 for disposal information.	1 1
• Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 67-56-1 Methanol (Methyl Alcohol)	530 ppm
CAS: 67-63-0 Isopropanol	400 ppm
CAS: 75-59-2 tetramethylammonium hydroxi	ide 0.0093 mg/m <sup>3</sup>
· PAC-2:	
CAS: 67-56-1 Methanol (Methyl Alcohol)	2,100 ppm
CAS: 67-63-0 Isopropanol	2000* ppm
CAS: 75-59-2 tetramethylammonium hydroxi	$\frac{1}{100} \frac{1}{100} \frac{1}$
· PAC-3:	
CAS: 67-56-1 Methanol (Methyl Alcohol)	7200* ppm
CAS: 67-63-0 Isopropanol	12000** ppm
CAS: 75-59-2 tetramethylammonium hydroxi	<i>de</i> 0.62 mg/m <sup>3</sup>

### 7 Handling and storage

#### · Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.

• *Specific end use(s) No further relevant information available.* 

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- CAS: 67-56-1 Methanol (Methyl Alcohol)
- PEL Long-term value: 260 mg/m<sup>3</sup>, 200 ppm

(Contd. on page 5)

US

Printing date 10/31/2017

Reviewed on 10/31/2017

# Trade name: Reagent 23 TMAH 0.035N MeOH/IPA

	DEL	(Contd. of page 4)
	KEL	Short-term value: 325 mg/m <sup>3</sup> , 250 ppm
		Long-term value: 260 mg/m³, 200 ppm Skin
	TIV	
	ILV	Short-term value: 328 mg/m <sup>3</sup> , 250 ppm Long-term value: 262 mg/m <sup>3</sup> , 200 ppm
		Skin; BEI
	CAS	67-63-0 Isopropanol
		Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
4	REL	Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm
		Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
	TLV	Short-term value: 984 mg/m <sup>3</sup> , 400 ppm
		Long-term value: 492 mg/m <sup>3</sup> , 200 ppm BEI
	-	edients with biological limit values:
	CAS:	67-56-1 Methanol (Methyl Alcohol)
		15 mg/L
		LD50 Intraperitoneal: urine
		Time: end of shift
		LD50: Methanol (background, nonspecific)
		67-63-0 Isopropanol
		40 mg/L
		LD50 Intraperitoneal: urine
		Time: end of shift at end of workweek
		LD50: Acetone (background, nonspecific)
• 1	Addii	tional information: The lists that were valid during the creation were used as basis.
• 1	Expo	sure controls
		onal protective equipment:
		ral protective and hygienic measures:
		away from foodstuffs, beverages and feed.
		diately remove all soiled and contaminated clothing. I hands before breaks and at the end of work.
		protective clothing separately.
		l contact with the eyes.
		l contact with the eyes and skin.
		thing equipment:
		se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use
	~	ratory protective device that is independent of circulating air.
		ction of hands:
		love material has to be impermeable and resistant to the product/ the substance/ the preparation.
		to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the ical mixture.
		tion of the glove material on consideration of the penetration times, rates of diffusion and the degradation
		rial of gloves
		election of the suitable gloves does not only depend on the material, but also on further marks of quality and
		s from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of
		love material can not be calculated in advance and has therefore to be checked prior to the application.
• 1	Pene	tration time of glove material
		exact break through time has to be found out by the manufacturer of the protective gloves and has to be
	obser	(Contd. on page 6)

(Contd. on page 6) US

(Contd. of page 5)

# Safety Data Sheet acc. to OSHA HCS

Printing date 10/31/2017

Reviewed on 10/31/2017

#### Trade name: Reagent 23 TMAH 0.035N MeOH/IPA

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Light yellow
Odor:	Alcohol
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	64 °C (147.2 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.78825 g/cm <sup>3</sup> (6.57795 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.

US –

Printing date 10/31/2017

Reviewed on 10/31/2017

#### Trade name: Reagent 23 TMAH 0.035N MeOH/IPA

	(Contd. of pa	age 6
• Solvent content: Organic solvents: VOC content:	100.0 % 99.96 % 787.9 g/l / 6.58 lb/gl	
Solids content: • Other information	0.0 % No further relevant information available.	

### **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4 h 5.44 mg/l

#### CAS: 67-56-1 Methanol (Methyl Alcohol)

 Oral
 LD50
 5,628 mg/kg (rat)

 Dermal
 LD50
 15,800 mg/kg (rabbit)

Inhalative LC50/4 h 3 mg/l (ATE)

#### · Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 8)

3

*Printing date 10/31/2017* 

Reviewed on 10/31/2017

Trade name: Reagent 23 TMAH 0.035N MeOH/IPA

(Contd. of page 7)

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Methanol, Isopropanol)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (METHANOL, Isopropanol)
Transport hazard class(es) DOT	
Class	3 Flammable liquids

US

# Safety Data Sheet acc. to OSHA HCS

*Printing date 10/31/2017* 

Reviewed on 10/31/2017

#### Trade name: Reagent 23 TMAH 0.035N MeOH/IPA

	(Contd. of page
· Label	3
· IMDG, IATA	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	336
· EMS Number:	F-E, <u>S-E</u> B
· Stowage Category	2
• Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	1L
$\cdot$ Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUIDS, N.O.S. (METHANOL
-	ISOPROPANOL), 3, II

# **15 Regulatory information**

- $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara
- Section 355 (extremely hazardous substances): None of the ingredients is listed.
  Section 313 (Specific toxic chemical listings): CAS: 67-56-1 Methanol (Methyl Alcohol) CAS: 67-63-0 Isopropanol
  TSCA (Toxic Substances Control Act): Methanol (Methyl Alcohol) Isopropanol
  Isopropanol
  (Contd. on page 10)

Printing date 10/31/2017

Reviewed on 10/31/2017

Trade name: Reagent 23 TMAH 0.035N MeOH/IPA

(Contd. of page 9)

A4

#### · Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol (Methyl Alcohol)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

CAS: 67-63-0 Isopropanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: Methanol (Methyl Alcohol) Isopropanol · Hazard statements Highly flammable liquid and vapor. Toxic if inhaled. Causes serious eye irritation. Causes damage to organs. May cause drowsiness or dizziness. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. (Contd. on page 11)

Printing date 10/31/2017

Reviewed on 10/31/2017

(Contd. of page 10)

#### Trade name: Reagent 23 TMAH 0.035N MeOH/IPA

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

• Date of preparation / last revision 10-31-2017: review SDS for accuracy. STN Creation date for SDS 11-19-2014. STN 10/31/2017 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA:** Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity - Category 3 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 1: Specific target organ toxicity (single exposure) - Category 1