Printing date 05/10/2024

Reviewed on 05/10/2024

#### **1** Identification

- · Product identifier
- Trade name:  $\frac{TOC \text{ Standard 250.0 ppm}}{(Iml = 0.25mg 'C') \text{ Prep to EPA 415}}$
- Article number: FOR058
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
   Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

# **2** *Hazard*(*s*) *identification*

· Classification of the substance or mixture



Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

*Eye Damage 1* H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

- · Hazard statements
- Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

- Wear protective gloves/protective clothing/eye protection/face protection.
- If swallowed: Rinse mouth. Do NOT induce vomiting.
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.


- Specific treatment (see on this label).
- Wash contaminated clothing before reuse.
- Store locked up.

(Contd. on page 2)

Printing date 05/10/2024

Reviewed on 05/10/2024

#### Trade name: TOC Standard 250.0 ppm (1ml = 0.25mg 'C') Prep to EPA 415



- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components: Not Applicable

# Table of Nonhazardous IngredientsCAS: 7732-18-5Water99.717%CAS: 7647-01-0Hydrochloric Acid0.23%CAS: 877-24-7Potassium Hydrogen Phthalate0.053%

# 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- $\cdot$  Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

US

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: TOC Standard 250.0 ppm (1ml = 0.25mg 'C') Prep to EPA 415

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

|                       | <b>utions, protective equipment and emergency procedures</b><br>ry protective device.                                 |                       |
|-----------------------|---|-----------------------|
| •                     | equipment. Keep unprotected persons away.   |                       |
| *                     | precautions: Dilute with plenty of water.   |                       |
| $\cdot$ Methods and m | aterial for containment and cleaning up:<br>uid-binding material (sand, diatomite, acid binders, universal binders, s | sawdust).             |
| Use neutralizing      | g agent.  |                       |
| Dispose contam        | inated material as waste according to section 13.   |                       |
| Ensure adequate       |   |                       |
| · Reference to oth    |   |                       |
| See Section 7 for     | r information on safe handling.   |                       |
| See Section 8 for     | r information on personal protection equipment.   |                       |
| See Section 13 f      | or disposal information.  |                       |
| · Protective Actio    | n Criteria for Chemicals  |                       |
| · PAC-1:              |   |                       |
| CAS: 7647-01-0        | Hydrochloric Acid   | 1.8 ppm               |
| CAS: 877-24-7         | Potassium Hydrogen Phthalate  | 9.6 mg/m <sup>3</sup> |
| · PAC-2:              |   |                       |
| CAS: 7647-01-0        | Hydrochloric Acid   | 22 ppm                |
| CAS: 877-24-7         | Potassium Hydrogen Phthalate  | 110 mg/m <sup>3</sup> |
| · PAC-3:              |   |                       |
|                       | Hydrochloric Acid   | 100 ppm               |
| CAS: 7647-01-0        | nyarochioric Acta   | 100 ppm               |

# 7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)

(Contd. of page 2)

ÚS

Printing date 05/10/2024

Reviewed on 05/10/2024

#### Trade name: TOC Standard 250.0 ppm (1ml = 0.25mg 'C') Prep to EPA 415

(Contd. of page 3)

#### · Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection:



Tightly sealed goggles

· Body protection: Protective work clothing

| Information on basic physic<br>General Information | cal and chemical properties |  |
|--|-----------------------------|--|
| Appearance:  |                             |  |
| Form:  | Liquid                      |  |
| Color:   | Clear                       |  |
| Odor:  | Odorless                    |  |
| Odor threshold:                                    | Not determined.             |  |

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: TOC Standard 250.0 ppm  $(1ml = 0.25mg \ 'C')$  Prep to EPA 415

|                                       |   | (Contd. of page |
|---------------------------------------|---|-----------------|
| <i>pH-value at 20 °C (68 °F):</i>     | <2  |                 |
| Change in condition                   |   |                 |
| Melting point/Melting range:          | $0 \circ C (32 \circ F)$                      |                 |
| Boiling point/Boiling range:          | 100 °C (212 °F)                               |                 |
| Flash point:                          | Not applicable.                               |                 |
| Flammability (solid, gaseous):        | Not applicable.                               |                 |
| Decomposition temperature:            | Not determined.                               |                 |
| Ignition temperature:                 | Product is not selfigniting.                  |                 |
| Danger of explosion:                  | Product does not present an explosion hazard. |                 |
| Explosion limits:                     |   |                 |
| Lower:                                | Not determined.                               |                 |
| Upper:                                | Not determined.                               |                 |
| Vapor pressure at 20 °C (68 °F):      | 23 hPa (17.3 mm Hg)                           |                 |
| Density at 20 °C (68 °F):             | 1.00051 g/cm <sup>3</sup> (8.34926 lbs/gal)   |                 |
| Relative density                      | Not determined.                               |                 |
| Vapor density                         | Not determined.                               |                 |
| Evaporation rate                      | Not determined.                               |                 |
| Solubility in / Miscibility with      |   |                 |
| Water:                                | Fully miscible.                               |                 |
| Partition coefficient (n-octanol/wate | er): Not determined.                          |                 |
| Viscosity:                            |   |                 |
| Dynamic:                              | Not determined.                               |                 |
| Kinematic:                            | Not determined.                               |                 |
| Solvent content:                      |   |                 |
| Water:                                | 99.7 %  |                 |
| VOC content:                          | 0.00 %  |                 |
|                                       | 0.0 g/l / 0.00 lb/gal                         |                 |
| Solids content:                       | 0.1 %   |                 |
| Other information                     | No further relevant information available.    |                 |

#### **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

US

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: TOC Standard 250.0 ppm (1ml = 0.25mg 'C') Prep to EPA 415

(Contd. of page 5)

#### **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- $\cdot$  on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive* 

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Not hazardous for water.
- Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: TOC Standard 250.0 ppm (1ml = 0.25mg 'C') Prep to EPA 415

(Contd. of page 6)

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

#### **14 Transport information**

| · UN-Number<br>· DOT, ADN, IMDG, IATA                                     | Not regulated         |
|---|-----------------------|
| · UN proper shipping name<br>· DOT, ADN, IMDG, IATA                       | Not regulated         |
| · Transport hazard class(es)  |                       |
| · DOT, ADN, IMDG, IATA<br>· Class   | Not regulated         |
| · Packing group<br>· DOT, IMDG, IATA                                      | Not regulated         |
| · Environmental hazards:  | Not applicable.       |
| · Special precautions for user  | Not applicable.       |
| • Transport in bulk according to Annex II<br>MARPOL73/78 and the IBC Code | of<br>Not applicable. |
| · UN "Model Regulation":  | Not regulated         |

# 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

| · Section 355 (extremely hazardous substances):   |                 |
|---|-----------------|
| None of the ingredients is listed.                |                 |
| · Section 313 (Specific toxic chemical listings): |                 |
| None of the ingredients is listed.                |                 |
| · TSCA (Toxic Substances Control Act):            |                 |
| Water   | ACTIVE          |
| Hydrochloric Acid                                 | ACTIVE          |
| Potassium Hydrogen Phthalate                      | ACTIVE          |
| · Hazardous Air Pollutants                        |                 |
| CAS: 7647-01-0 Hydrochloric Acid                  |                 |
|   | (Contd. on page |

Printing date 05/10/2024

Reviewed on 05/10/2024

#### Trade name: TOC Standard 250.0 ppm (1ml = 0.25mg 'C') Prep to EPA 415

(Contd. of page 7)

· Proposition 65

#### $\cdot$ Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

 $\cdot$  Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger · Hazard statements Causes severe skin burns and eye damage. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

Printing date 05/10/2024

Reviewed on 05/10/2024

# Trade name: TOC Standard 250.0 ppm (1ml = 0.25mg 'C') Prep to EPA 415

|   | (Contd. of page 8) |
|---|--------------------|
| · Contact:  |                    |
| Date of Preparation / Last Revision:  |                    |
| · Date of preparation / last revision                                       |                    |
| Revision 1.2, 05/08/2024: Rewiewed SDS for accuracy. MH/STN                 |                    |
| Revision 0.0. 08-04-2016: creation date for SDS. STN                        |                    |
| 05/10/2024  |                    |
| · Abbreviations and acronyms:   |                    |
| IMDG: International Maritime Code for Dangerous Goods                       |                    |
| DOT: US Department of Transportation  |                    |
| IATA: International Air Transport Association                               |                    |
| EINECS: European Inventory of Existing Commercial Chemical Substances       |                    |
| ELINCS: European List of Notified Chemical Substances                       |                    |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) |                    |
| NFPA: National Fire Protection Association (USA)                            |                    |
| HMIS: Hazardous Materials Identification System (USA)                       |                    |
| VOC: Volatile Organic Compounds (USA, EU)                                   |                    |
| PBT: Persistent, Bioaccumulative and Toxic                                  |                    |
| vPvB: very Persistent and very Bioaccumulative                              |                    |
| NIOSH: National Institute for Occupational Safety                           |                    |
| OSHA: Occupational Safety & Health  |                    |
| TLV: Threshold Limit Value  |                    |
| PEL: Permissible Exposure Limit   |                    |
| REL: Recommended Exposure Limit   |                    |
| Skin Corrosion 1A: Skin corrosion/irritation – Category 1A                  |                    |
| Eye Damage 1: Serious eye damage/eye irritation – Category 1                |                    |
| • * Data compared to the previous version altered.                          |                    |
|   | US                 |
|   | 65                 |