Printing date 08/16/2024

1 Identification

Reviewed on 08/16/2024

· Product identifier · Trade name: Blank For HCl Standards • Article number: HON020 • Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA800-256-2586 · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification · Classification of the substance or mixture GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure. GHS05 Corrosion H314 Causes severe skin burns and eye damage. Skin Corrosion 1A Eye Damage 1 H318 Causes serious eye damage. · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS05 GHS08 · Signal word Danger · Hazard-determining components of labeling: Hydrochloric Acid · Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. (Contd. on page 2) US

Printing date 08/16/2024

Reviewed on 08/16/2024

(Contra of mage 1)

Trade name: Blank

For HCl Standards

		(Contd. of page 1
Precautionary sta		
Do not breathe da		
Wash thoroughly		
	loves/protective clothing/eye protection/face protection.	
	se mouth. Do NOT induce vomiting.	
): Take off immediately all contaminated clothing. Rinse skin with water/shower	
	move person to fresh air and keep comfortable for breathing.	
	cautiously with water for several minutes. Remove contact lenses, if present	and easy to do
Continue rinsing.		
	a poison center/doctor.	
	t (see on this label).	
	ce/attention if you feel unwell.	
	ed clothing before reuse.	
Store locked up.		
	nts/container in accordance with local/regional/national/international regulation	s.
Classification sys		
NFPA ratings (so	cale 0 - 4)	
	e = 0 $activity = 0$ $cala 0 - 4$	
	<i>cale 0 - 4)</i>	
HEALTH *3 H	ealth = *3	
FIRE 0 Fi	ire = 0	
REACTIVITY 0 R	eactivity = 0	
Other hazards		
	nd vPvB assessment	
PBT: Not applica vPvB: Not applic		
VPVD: Not applie	uble.	
Composition/i	nformation on ingredients	
-		
	terization: Mixtures	
-	ture of the substances listed below with nonhazardous additions.	
Dangerous comp		
CAS: 7647-01-0	Hydrochloric Acid	2.492%
Table of Nonhaz	ardous Ingredients	•
CAS: 7732-18-5	5	97.508%
		27.00070

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• *After inhalation:* In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Printing date 08/16/2024

Reviewed on 08/16/2024

Trade name: Blank

For HCl Standards

(Contd. of page 2)

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
Environmental precautions: Dilute with plenty of water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 7647-01-0 Hydrochloric Acid	1.8 ppm
· PAC-2:	
CAS: 7647-01-0 Hydrochloric Acid	22 ppm
• PAC-3:	
CAS: 7647-01-0 Hydrochloric Acid	100 ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep respiratory protective device available.

(Contd. on page 4)

Printing date 08/16/2024

Reviewed on 08/16/2024

Trade name: Blank

For HCl Standards

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:	
CAS: 7647-01-0 Hydrochloric Acid	
	Ceiling limit value: 7.0 mg/m3 mg/m ³
PEL	Ceiling limit value: 7 mg/m³, 5 ppm
REL	Ceiling limit value: 7 mg/m³, 5 ppm Ceiling limit value: 7 mg/m³, 5 ppm
TLV	Ceiling limit value: 2 ppm
	<i>A4</i>

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US

Printing date 08/16/2024

Reviewed on 08/16/2024

(Contd. of page 4)

Trade name: Blank For HCl Standards

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

General InformationAppearance:Form:LiquidColor:ColorlessOdor:OdorlessOdor threshold:Not determined.pH-value at 20 °C (68 °F):<2Change in conditionMetting point/Melting range:0 °C (32 °F)Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Pareore of explosion:Product is not selfigniting.Danger of explosion:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:	Information on basic physical and c	chemical properties	
Appearance:LiquidForm:LiquidColor:ColorlessOdor threshold:Not determined.pH-value at 20 °C (68 °F):<2Change in conditionMelting point/Boiling range:Melting point/Boiling range:0 °C (32 °F)Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Precomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.0033 g/cm² (8.37254 lbs/gal)Relative densityNot determined.Vapor pressure at 20 °C (68 °F):Not determined.Vapor densityNot determined.Pressorie:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity:Not determined.Dynamic:Not determined.Solvent content:Water eresWater:97.5 %		nemicui properues	
Form:Liquid Color:Colorless Colorless Odorthreshold:Liquid Colorless Odorthess Odorthreshold:pH-value at 20 °C (68 °F):<2Change in condition Melting point/Melting range:0 °C (32 °F) Boiling noint/Melting range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Flammability (solid, gaseous):Not applicable.Jagnet of explosion:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:Not determined. Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.0033 g/cm³ (8.37254 lbs/gal) Not determined.Vapor density Vapor densityNot determined. Not determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined. Not determined.Solvent content: Water:97.5 %			
Odor:OdorlessOdor threshold:Not determined.pH-value at 20 °C (68 °F):<2Change in condition Melting point/Belting range:0 °C (32 °F) Boiling point/Belting range:Boiling point/Belting range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.0033 g/cm³ (8.37254 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Viscosity: Dynamic: Kinematic:Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:Not determined.Solvent content: Water:Solvent content: Water:Solvent content: Water:Solvent content:Solvent content: Water:Solvent content: Water:S	11	Liquid	
Odor threshold:Not determined.pH-value at 20 °C (68 °F):<2Change in condition Melting point/Melting range:0 °C (32 °F) Boiling point/Boiling range:Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower: Upper:Not determined.Vapor pressure at 20 °C (68 °F):1.0033 g/cm³ (8.37254 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:Not determined.Solvent content: Water:97.5 %	Color:	Colorless	
pH-value at 20 °C (68 °F): <2 Change in condition Metting point/Metting range: 0 °C (32 °F) Boiling point/Boiling range: 100 °C (212 °F) Flash point: Not applicable. Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.0033 g/cm³ (8.37254 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Not determined. Viscosity: Not determined. Dynamic: Not determined. Solvent content: Not determined. Water: Not determined. Solvent	Odor:	Odorless	
Change in condition Melting point/Melting range: 0 °C (32 °F) 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.0033 g/cm³ (8.37254 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Not determined. Viscosity: Not determined. Dynamic: Not determined. Viscosity: Not determined. Dynamic: Not determined. Solvent content: Not determined. Water: 97.5 %	Odor threshold:	Not determined.	
Metring point/Metring range:0 °C (32 °F) 100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Peammability (solid, gaseous):Not determined.Decomposition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.0033 g/cm³ (8.37254 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Solvent content: Water:Not determined.Solvent content: Water:Not determined.Solvent content: Water:Not determined.	pH-value at 20 °C (68 °F):	<2	
Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Vot determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.0033 g/cm³ (8.37254 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: 	Change in condition		
Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Vot determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.0033 g/cm³ (8.37254 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:97.5 %	Melting point/Melting range:		
Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:ValueLower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.0033 g/cm³ (8.37254 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:Not determined.Solvent content: Water:Not determined.Solvent content: Water:Not determined.Solvent content: Water:Not determined.	Boiling point/Boiling range:	100 °C (212 °F)	
Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Vapor present an explosion hazard.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.0033 g/cm³ (8.37254 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:Not determined.Solvent content: Water:Not determined.Solvent content: Water:Not determined.Solvent content: Water:Not determined.	Flash point:	Not applicable.	
Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Vapore:Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.0033 g/cm³ (8.37254 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:Not determined.Solvent content: Water:97.5 %	Flammability (solid, gaseous):	Not applicable.	
Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower: Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.0033 g/cm³ (8.37254 lbs/gal)Relative density Vapor densityNot determined.Vapor density Water:Not determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:97.5 %	Decomposition temperature:	Not determined.	
Explosion limits: Lower: Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.0033 g/cm³ (8.37254 lbs/gal)Relative density Vapor densityNot determined.Vapor density Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:97.5 %	Ignition temperature:	Product is not selfigniting.	
Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.0033 g/cm³ (8.37254 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity:Not determined.Dynamic:Not determined.Solvent content: Water:Yot determined.Solvent content: Water:Not determined.Solvent content: Water:Y7.5 %	Danger of explosion:	Product does not present an explosion hazard.	
Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.0033 g/cm³ (8.37254 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:97.5 %	Explosion limits:		
Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.0033 g/cm³ (8.37254 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:97.5 %		Not determined.	
Density at 20 °C (68 °F):1.0033 g/cm³ (8.37254 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:97.5 %	Upper:	Not determined.	
Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:97.5 %	Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:97.5 %		1.0033 g/cm ³ (8.37254 lbs/gal)	
Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:97.5 %			
Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Solvent content: Water: 97.5 %			
Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Dynamic:Not determined.Kinematic:Not determined.Solvent content:Water:97.5 %	Evaporation rate	Not determined.	
Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: 97.5 %	Solubility in / Miscibility with		
Viscosity: Dynamic: Kinematic: Solvent content: Water: 97.5 %	Water:	Fully miscible.	
Dynamic:Not determined.Kinematic:Not determined.Solvent content:97.5 %	Partition coefficient (n-octanol/wate	er): Not determined.	
Kinematic:Not determined.Solvent content: Water:97.5 %			
Solvent content: Water: 97.5 %	•		
<i>Water:</i> 97.5 %	Kinematic:	Not determined.	
	Solvent content:		
<i>VOC content:</i> 0.00 %	Water:		
0.0 g/l / 0.00 lb/gal	VOC content:		

Printing date 08/16/2024

Reviewed on 08/16/2024

(Contd. of page 5)

Trade name: Blank

For HCl Standards

Solids content:

0.0 %

• Other information

No further relevant information available.

10 Stability and reactivity

- · *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

·NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

• Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 7)

US

Printing date 08/16/2024

Reviewed on 08/16/2024

Trade name: Blank

For HCl Standards

(Contd. of page 6)

• Additional ecological information:

· General notes:

Not hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
UN-Number DOT, ADN, IMDG, IATA	Not regulated
UN proper shipping name DOT, ADN, IMDG, IATA	Not regulated
Transport hazard class(es)	
DOT, ADN, IMDG, IATA Class	Not regulated
Packing group DOT, IMDG, IATA	Not regulated
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
UN "Model Regulation":	Not regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 8)

Printing date 08/16/2024

Reviewed on 08/16/2024

Trade name: Blank

For HCl Standards

Sara		
	tremely hazardous substances):	
None of the ingr	edients is listed.	
Section 313 (Sp	ecific toxic chemical listings):	
None of the ingr	edients is listed.	
TSCA (Toxic Si	ubstances Control Act):	
Water		ACTIV
Hydrochloric Ad	zid	ACTIV
Hazardous Air		
	Hydrochloric Acid	
Proposition 65		
	wn to cause cancer:	
None of the ingr	redients is listed.	
	vn to cause reproductive toxicity for females:	
None of the ingr	redients is listed.	
	vn to cause reproductive toxicity for males:	
None of the ingr	edients is listed.	
Chemicals know	vn to cause developmental toxicity:	
None of the ingr	edients is listed.	
Carcinogenic ca	ategories	
EPA (Environm	nental Protection Agency)	
None of the ingr	edients is listed.	
TLV (Threshold	l Limit Value)	
None of the ingr	edients is listed.	
NIOSH-Ca (Na	tional Institute for Occupational Safety and Health)	
None of the ingr	redients is listed.	
GHS label elem Hazard pictogro	ents The product is classified and labeled according to the Globally H ams	armonized System (GHS)

· Signal word Danger

GHS05 GHS08

Hazard-determining components of labeling: Hydrochloric Acid
Hazard statements Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure.
Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 9)

Printing date 08/16/2024

Reviewed on 08/16/2024

Trade name: Blank

For HCl Standards

(Contd. of page 8)

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 08-16-2024: Reviewed SDS for accuracy. STN/GW 08/16/2024 / 1.1 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2 • * Data compared to the previous version altered.

US -