
Printing date 05/14/2024

Reviewed on 05/14/2024

1 Identification

- · Product identifier
- · Trade name: <u>HCl QA Check</u>
- · Article number: HON021
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA
 800-256-2586
- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- *Emergency telephone number: Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666



Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: HCl QA Check

(Contd. of page 1) Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH ^{*3} Health = *3 FIRE 0 Fire = 0REACTIVITY 0 Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous compe	onents:	
CAS: 7647-01-0	Hydrochloric Acid	2.662%
• Table of Nonhaza	rdous Ingredients	
CAS: 7732-18-5	Water	97.312%
CAS: 7697-37-2	Nitric Acid	0.024%
CAS: 16919-19-0	Ammonium hexafluorosilicate	0.001%
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	0.001%
CAS: 7783-20-2	Ammonium Sulfate	0.0004%
CAS: 10099-74-8	Lead Nitrate	0.0002%
CAS: 7439-89-6	Iron Metal	0.0001%
CAS: 7440-36-0	Antimony Metal	0.0001%

(Contd. on page 3)

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: HCl QA Check

(Contd. of page 2)

4 First-aid measures

· Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- *Protective equipment:* Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 7647-01-0 Hydro	ochloric Acid	1.8 ppm
CAS: 7697-37-2 Nitric	Acid	0.16 ppm
CAS: 16919-19-0 Ammo	onium hexafluorosilicate	12 mg/m ³
CAS: 13477-34-4 Calcii	um Nitrate Tetrahydrate	12 mg/m ³
CAS: 7783-20-2 Ammo	onium Sulfate	13 mg/m ³
CAS: 10099-74-8 Lead	Nitrate	$0.24 mg/m^3$
L		(Contd. on page 4)

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: HCl QA Check

CAS: 7439-89-6	Iron Metal	(Contd. of page 3.2 mg/m ³
CAS: 7439-95-4	Magnesium	18 mg/m ³
CAS: 7440-36-0	Antimony Metal	1.5 mg/m ³
CAS: 7440-38-2	arsenic	1.5 mg/m ³
CAS: 87-69-4	L-Tartaric Acid	1.6 mg/m ³
· PAC-2:		
CAS: 7647-01-0	Hydrochloric Acid	22 ppm
CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 16919-19-0	Ammonium hexafluorosilicate	130 mg/m
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	130 mg/m
CAS: 7783-20-2	Ammonium Sulfate	140 mg/m
CAS: 10099-74-8	Lead Nitrate	180 mg/m
CAS: 7439-89-6	Iron Metal	35 mg/m ³
CAS: 7439-95-4	Magnesium	200 mg/m
CAS: 7440-36-0	Antimony Metal	13 mg/m ³
CAS: 7440-38-2	arsenic	17 mg/m ³
CAS: 87-69-4	L-Tartaric Acid	17 mg/m ³
· PAC-3:		
CAS: 7647-01-0	Hydrochloric Acid	100 ppm
CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 16919-19-0	Ammonium hexafluorosilicate	780 mg/m ³
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	770 mg/m ³
CAS: 7783-20-2	Ammonium Sulfate	840 mg/m ³
CAS: 10099-74-8	Lead Nitrate	1,100 mg/m
CAS: 7439-89-6	Iron Metal	150 mg/m ³
CAS: 7439-95-4	Magnesium	1,200 mg/m
CAS: 7440-36-0	Antimony Metal	80 mg/m ³
CAS: 7440-38-2	arsenic	100 mg/m ³
CAS: 87-69-4	L-Tartaric Acid	100 mg/m ³

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- $\cdot \textit{Further information about storage conditions: Keep receptacle tightly sealed.}$
- Specific end use(s) No further relevant information available.

(Contd. on page 5)

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: HCl QA Check

(Contd. of page 4)

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

\cdot Components with limit values that require monitoring at the workplace:		
CAS: 7647-01-0 Hydrochloric Acid	!	
NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m ³	
PEL	<i>Ceiling limit value: 7 mg/m³, 5 ppm</i>	
REL	Ceiling limit value: 7 mg/m³, 5 ppm	
TLV	Ceiling limit value: 7 mg/m ³ , 5 ppm Ceiling limit value: 7 mg/m ³ , 5 ppm Ceiling limit value: 2 ppm	
	A4	

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 6)

Printing date 05/14/2024

Trade name: HCl QA Check

Reviewed on 05/14/2024

(Contd. of page 5)

Information on basic physical and c	hemical properties
General Information	nemeu properties
Appearance:	
Form:	Liquid
Color:	Colorless
Odor:	Odorless
Odor threshold:	Not determined.
<i>pH-value at 20 °C (68 °F):</i>	<2
Change in condition	
Melting point/Melting range:	0 °C (32 °F)
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.00411 g/cm ³ (8.3793 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	pr): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	97.3 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 7)

US

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: HCl QA Check

- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
CAS: 10099-74-8	Lead Nitrate	2A
CAS: 7440-38-2	arsenic	1
· NTP (National Toxicology Program)		
CAS: 10099-74-8	Lead Nitrate	R
CAS: 7440-38-2	arsenic	K
· OSHA-Ca (Occupational Safety & Health Administration)		
CAS: 7440-38-2 d	ırsenic	

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

• vPvB: Not applicable.

(Contd. on page 8)

[•] US

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: HCl QA Check

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
UN-Number DOT, ADN, IMDG, IATA	Not regulated
UN proper shipping name DOT, ADN, IMDG, IATA	Not regulated
Transport hazard class(es)	
DOT, ADN, IMDG, IATA Class	Not regulated
Packing group DOT, IMDG, IATA	Not regulated
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
UN "Model Regulation":	Not regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

·	Sara
---	------

 Section 355 (extreme 	emely hazardous substances):
CAS: 7697-37-2	Nitric Acid
· Section 313 (Spec	ific toxic chemical listings):
CAS: 7697-37-2	Nitric Acid
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate
	Ammonium Sulfate
CAS: 10099-74-8	Lead Nitrate
CAS: 7440-36-0	Antimony Metal
CAS: 7440-38-2	arsenic
	(Contd. on page 9)

(Contd. of page 7)

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: HCl QA Check

		(Contd. of page 8)
· TSCA (Toxic Sub	ostances Control Act):	
Water		ACTIVE
Hydrochloric Aci	1	ACTIVE
Nitric Acid		ACTIVE
Ammonium hexafi	luorosilicate	ACTIVE
Ammonium Sulfat	e	ACTIVE
Lead Nitrate		ACTIVE
Iron Metal		ACTIVE
Magnesium		ACTIVE
Antimony Metal		ACTIVE
arsenic		ACTIVE
L-Tartaric Acid		ACTIVE
· Hazardous Air Po	ollutants	
CAS: 7647-01-0	Hydrochloric Acid	
CAS: 10099-74-8	Lead Nitrate	
· Proposition 65		
· Chemicals known	to cause cancer:	
CAS: 10099-74-8	Lead Nitrate	
CAS: 7440-38-2	arsenic	
· Chemicals known	to cause reproductive toxicity for females:	
None of the ingrea	dients is listed.	
· Chemicals known	to cause reproductive toxicity for males:	
None of the ingrea	dients is listed.	
· Chemicals knowr	n to cause developmental toxicity:	
None of the ingrea	dients is listed.	
· Carcinogenic cat	egories	
· EPA (Environme	ntal Protection Agency)	
CAS: 10099-74-8	Lead Nitrate	B2
CAS: 7440-38-2	arsenic	A

 • TLV (Threshold Limit Value)

 CAS: 10099-74-8
 Lead Nitrate

 CAS: 7440-38-2
 arsenic

 • NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 7440-38-2 arsenic

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

(Contd. on page 10)

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: HCl QA Check

(Contd. of page 9)
Hazard-determining components of labeling:
Hydrochloric Acid
Hazard statements
Causes severe skin burns and eye damage.
May cause damage to organs through prolonged or repeated exposure.
Precautionary statements
Do not breathe dusts or mists.
Wash thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Get medical advice/attention if you feel unwell.
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 05/14/2024: Reviewed SDS for accuracy. MH/STN 05/14/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2 • * Data compared to the previous version altered.

us –