Printing date 05/15/2024

Reviewed on 05/15/2024

ONS

1 Identification

- · Product identifier
- · Trade name: <u>Tetra/Cyclo/Benetex® OB Solution</u>
- Article number: LEI013
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA
 800-256-2586
- Information department: Technical Coordinator
 Sherman Nelson shermann@aquasolutions.org
 Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification

\checkmark	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS06 Skull and crossbones	
Acute Toxicity - Dermal 3	H311 Toxic in contact with skin.
GHS08 Health hazard Carcinogenicity 2 GHS07	H351 Suspected of causing cancer.
Acute Toxicity - Oral 4	H302 Harmful if swallowed.
Acute Toxicity - Inhalation 4	H332 Harmful if inhaled.
Skin Irritation 2	H315 Causes skin irritation.
Eye Irritation 2A	H319 Causes serious eye irritation.
Specific Target Organ Toxicity - Single Exposure	e 3 H335 May cause respiratory irritation.

Printing date 05/15/2024

Reviewed on 05/15/2024

Trade name: Tetra/Cyclo/Benetex® OB Solution (Contd. of page 1) · Hazard pictograms GHS06 GHS07 GHS02 GHS · Signal word Danger · Hazard-determining components of labeling: Cyclohexanone 99.8% Tetrahydrofuran · Hazard statements Highly flammable liquid and vapor. Harmful if swallowed or if inhaled. Toxic in contact with skin. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 3Reactivity = 0

(Contd. on page 3)

US

Printing date 05/15/2024

Reviewed on 05/15/2024

Trade name: Tetra/Cyclo/Benetex® OB Solution

(Contd. of page 2)

· HMIS-ratings (scale 0 - 4)



• Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:
- CAS: 108-94-1 Cyclohexanone 99.8%
- CAS: 109-99-9 Tetrahydrofuran
- · Table of Nonhazardous Ingredients

CAS: 7128-64-5 Benetex® OB Optical Brightener, Fluorescent Whitening Agent

0.108%

68.372%

31.521%

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4)

US

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/15/2024

Reviewed on 05/15/2024

Trade name: Tetra/Cyclo/Benetex® OB Solution

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 108-94-1	Cyclohexanone 99.8%	60 ppm
CAS: 109-99-9	Tetrahydrofuran	100 ppm
· PAC-2:		
CAS: 108-94-1	Cyclohexanone 99.8%	830 ppm
CAS: 109-99-9	Tetrahydrofuran	500 ppm
· PAC-3:		
	Cyclohexanone 99.8%	5000* ppm
CAS: 109-99-9	Tetrahydrofuran	5000* ppm

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
 Store in cool, dry conditions in well sealed receptacles.
 Specific end use(s) No further relevant information available.

(Contd. on page 5)

Printing date 05/15/2024

Reviewed on 05/15/2024

Trade name: Tetra/Cyclo/Benetex® OB Solution

(Contd. of page 4)

Addit	ional information about design of technical systems: No further data; see section 7.
	rol parameters
	ponents with limit values that require monitoring at the workplace:
-	108-94-1 Cyclohexanone 99.8%
	Long-term value: 200 mg/m ³ , 50 ppm
	Long-term value: 100 mg/m ³ , 25 ppm
	Skin
TLV	Short-term value: 50 ppm
	Long-term value: 20 ppm
	Skin, BEI, A3
CAS:	109-99-9 Tetrahydrofuran
PEL	Long-term value: 590 mg/m³, 200 ppm
	Short-term value: 735 mg/m³, 250 ppm
	Long-term value: 590 mg/m ³ , 200 ppm
	Short-term value: 100 ppm
	Long-term value: 50 ppm Skin, A3, BEI
0	dients with biological limit values:
	108-94-1 Cyclohexanone 99.8%
	80 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift at end of workweek
1	LD50: 1.2-Cyclohexanediol (with hydrolysis, nonspecific, nonquantitative)
2	8 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift
1	LD50: Cyclohexanol (with hydrolysis, nonspecific, nonquantitative)
CAS:	109-99-9 Tetrahydrofuran
	2 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Tetrahydrofuran
Addıt	ional information: The lists that were valid during the creation were used as basis.
-	sure controls
	nal protective equipment:
	ral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	diately remove all soiled and contaminated clothing.
	hands before breaks and at the end of work.
	protective clothing separately. I contact with the eyes and skin.
	thing equipment:
	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposur

Printing date 05/15/2024

Reviewed on 05/15/2024

Trade name: Tetra/Cyclo/Benetex® OB Solution

(Contd. of page 5)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and General Information Appearance:	chemical properties
Form:	Liquid
Color:	Clear
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 65 °C (149 °F)
Flash point:	-21 °C (-5.8 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	230 °C (446 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	1.3 Vol %
Upper:	12 Vol %

Printing date 05/15/2024

Reviewed on 05/15/2024

Trade name: Tetra/Cyclo/Benetex® OB Solution

	(Contd. of	page (
· Vapor pressure at 20 °C (68 °F):	200 hPa (150 mm Hg)	
· Density at 20 °C (68 °F):	0.93117 g/cm ³ (7.77061 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	99.9 %	
VOC content:	99.89 %	
	930.2 g/l / 7.76 lb/gal	
Solids content:	0.1 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

ATE (Acute Toxicity Estimate)OralLD50731 mg/kg

		0 0
Dermal	LD50	439 mg/kg
Inhalative	LC50/4h	16.1 mg/l

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Harmful

(Contd. on page 8)

US

(Contd. of page 7)

3

2B

Safety Data Sheet acc. to OSHA HCS

Printing date 05/15/2024

Reviewed on 05/15/2024

Trade name: Tetra/Cyclo/Benetex® OB Solution

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

CAS: 108-94-1 Cyclohexanone 99.8%

CAS: 109-99-9 Tetrahydrofuran

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Tetrahydrofuran, Cyclohexanone)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Tetrahydrofuran
	Cyclohexanone)

Printing date 05/15/2024

Reviewed on 05/15/2024

Trade name: Tetra/Cyclo/Benetex® OB Solution

	(Contd. of page
· Transport hazard class(es)	
·DOT	
· Class · Label	3 Flammable liquids 3
	5
· IMDG, IATA	
3	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Kemler code)	: 33
· EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
· Stowage Category	В
• Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S
	(TETRAHYDROFURAN, CYCLOHEXANONE), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 10)

US

Printing date 05/15/2024

Reviewed on 05/15/2024

Trade name: Tetra/Cyclo/Benetex® OB Solution

	(Contd. of pag
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
Cyclohexanone 99.8%	ACTI
Tetrahydrofuran	ACTI
Benetex® OB Optical Brightener, Fluorescent Whitening Agent	ACTI
Hazardous Air Pollutants	· · · · ·
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
CAS: 109-99-9 Tetrahydrofuran	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
CAS: 109-99-9 Tetrahydrofuran	

CAS: 109-99-9	Tetrahydrofuran	SC
· TLV (Threshold	l Limit Value)	
CAS: 108-94-1	Cyclohexanone 99.8%	A3
CAS: 109-99-9	Tetrahydrofuran	A3
· NIOSH-Ca (National Institute for Occupational Safety and Health)		

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

- Hazard-determining components of labeling: Cyclohexanone 99.8% Tetrahydrofuran
 Hazard statements Highly flammable liquid and vapor. Harmful if swallowed or if inhaled.
- Toxic in contact with skin. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation.
- **Precautionary statements** Obtain special instructions before use.

(Contd. on page 11)

Printing date 05/15/2024

Reviewed on 05/15/2024

Trade name: Tetra/Cyclo/Benetex® OB Solution

	(Contd. of page 10)
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
Rinse mouth.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower	<u>.</u>
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present	and easy to do.
Continue rinsing.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Take off immediately all contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	<i>15</i> .
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department. · Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 05/15/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 08-08-2016: Creation date for SDS. STN 05/15/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

(Contd. on page 12)

US

Printing date 05/15/2024

Reviewed on 05/15/2024

Trade name: Tetra/Cyclo/Benetex® OB Solution

(Contd. of page 11)

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Dermal 3: Acute toxicity – Category 3 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Carcinogenicity 2: Carcinogenicity – Category 2 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 • * Data compared to the previous version altered.

US