Printing date 05/16/2024

Product identifier		
Trade name: <u>Bromine Number Standard</u> 50 gm Br <sub>4</sub> /100 gm (ASTM D565)		
Article number: LY131 Restrictions This chemical/product is not and cannot be dis processed (as defined in TSCA section 3(13)) for co		
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586		SOLUTIONS
Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666		
Hazard(s) identification		
Classification of the substance or mixture		
GHS02 Flame		
Flammable Liquids 3	H226	Flammable liquid and vapor.
GHS08 Health hazard		
Carcinogenicity 2	H351	Suspected of causing cancer.
Aspiration Hazard 1	H304	May be fatal if swallowed and enters airways.
GHS07		
Skin Irritation 2	H315	Causes skin irritation.
Eye Irritation 2A	H319	Causes serious eye irritation.
	Н335-Н336	
Specific Target Organ Toxicity - Single Exposure 3		drowsiness or dizziness.

Printing date 05/16/2024

Reviewed on 05/16/2024

### Trade name: Bromine Number Standard 50 gm Br<sub>2</sub>/100 gm (ASTM D565)



(Contd. on page 3)

US

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name:	Bromine Number Standard
	$50~gm~Br_{a}/100~gm~(ASTM~D565)$

(Contd. of page 2)

55.217%

44.783%

```
· HMIS-ratings (scale 0 - 4)
```



Fire = 2**REACTIVITY** O Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### **3** Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

CAS: 872-05-9 1-Decene

#### **4** First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

## **6** Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Printing date 05/16/2024

Reviewed on 05/16/2024

#### Trade name: Bromine Number Standard 50 gm Br / 100 gm (ASTM D565)

	(Contd. of page 3)
Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
PAC-1:	
CAS: 75-09-2 Dichloromethane (Methylene Chloride)	200 ppm
PAC-2:	
CAS: 75-09-2 Dichloromethane (Methylene Chloride)	560 ppm
PAC-3:	
CAS: 75-09-2 Dichloromethane (Methylene Chloride)	6,900 ppm

# 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Comp	· Components with limit values that require monitoring at the workplace:		
CAS:	75-09-2 Dichloromethane (Methylene Chloride)		
PEL	Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052		
REL	See Pocket Guide App. A		
TLV	Long-term value: 50 ppm BEI, A3		
	(Contd. on page 5)		

Printing date 05/16/2024

Reviewed on 05/16/2024

#### Trade name: Bromine Number Standard 50 gm Br<sub>4</sub>/100 gm (ASTM D565)

(Contd. of page 4)

WEEL Long-term value: 100 ppm

· Ingredients with biological limit values:

#### CAS: 75-09-2 Dichloromethane (Methylene Chloride)

BEI 0.3 mg/L

LD50 Intraperitoneal: urine Time: end of shift LD50: Dichloromethane (semi-quantitative)

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 6)

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Bromine Number Standard 50 gm Br<sub>2</sub>/100 gm (ASTM D565)

(Contd. of page 5)

• Information on basic physical and c	hemical properties
· General Information	
· Appearance: Form:	Liquid
Color:	Liquid Clear
· Odor:	Characteristic
• Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
<b>Boiling point/Boiling range:</b>	181 °C (357.8 °F)
· Flash point:	44 °C (111.2 °F)
· Flammability (solid, gaseous):	Flammable.
· Auto igniting:	235 °C (455 °F)
• Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits:	
Lower:	13 Vol %
Upper:	22 Vol %
· Vapor pressure at 20 °C (68 °F):	453 hPa (339.8 mm Hg)
· Density at 20 °C (68 °F):	1.06623 g/cm³ (8.89769 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	Eully missible
Water:	Fully miscible.
• Partition coefficient (n-octanol/wate	rj, woi aeterminea.
· Viscosity:	Not determined
Dynamic: Kinematic:	Not determined. Not determined.
	1101 ucici mineu.
· Solvent content:	55 2 01
Organic solvents:	55.2 % 0.00 %
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
• Other information	No further relevant information available.

(Contd. on page 7)

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Bromine Number Standard 50 gm Br<sub>4</sub>/100 gm (ASTM D565)

(Contd. of page 6)

2A

R

### **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

· NTP (National Toxicology Program)

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

· OSHA-Ca (Occupational Safety & Health Administration)

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

#### **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Bromine Number Standard 50 gm Br<sub>4</sub>/100 gm (ASTM D565)

(Contd. of page 7)

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1992
UN proper shipping name DOT IMDG, IATA	Flammable liquids, toxic, n.o.s. (1-Decene, Dichloromethane) FLAMMABLE LIQUID, TOXIC, N.O.S. (1-Decen Dichloromethane)
Transport hazard class(es)	
DOT	
Class	3 Flammable liquids
Label	3, 6.1
Class Label	3 Flammable liquids 3/6.1
IATA	
Class	3 Flammable liquids
Label	3 (6.1)
Packing group DOT, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No Symbol (fish and tree)
Special precautions for user	Warning: Flammable liquids

Printing date 05/16/2024

Reviewed on 05/16/2024

## Trade name: Bromine Number Standard 50 gm Br / 100 gm (ASTM D565)

	(Contd. of page
· Hazard identification number (Kemler code)	: 361
· EMS Number:	F-E,S-D
· Stowage Category	A
· Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
· IMDG	
· Limited quantities (LQ)	5L
$\cdot$ Excepted quantities ( $\widetilde{EQ}$ )	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (1-DECENI
č	DICHLOROMETHANE), 3 (6.1), III

## **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

• TSCA (Toxic Substances Control Act):

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

 Dichloromethane (Methylene Chloride)
 ACTIVE

 1-Decene
 ACTIVE

 • Hazardous Air Pollutants
 CAS: 75-09-2

 CAS: 75-09-2
 Dichloromethane (Methylene Chloride)

 • Proposition 65
 Vertice

· Chemicals known to cause cancer:

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 10)

US

Printing date 05/16/2024

Reviewed on 05/16/2024

### Trade name: Bromine Number Standard 50 gm Br<sub>2</sub>/100 gm (ASTM D565)

(Contd. of page 9)

L

AЗ

· Curc	inogenic (	luiegories	
	( <b>F</b> '	( 1 D )	

· EPA (Environmental Protection Agency)

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

· TLV (Threshold Limit Value)

Caroinogonia agtagorias

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard-determining components of labeling: Dichloromethane (Methylene Chloride) 1-Decene · Hazard statements Flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

Printing date 05/16/2024

Reviewed on 05/16/2024

#### Trade name: Bromine Number Standard 50 gm Br<sub>4</sub>/100 gm (ASTM D565)

(Contd. of page 10)

In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

• Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group III (dangerous).

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of Preparation / Last Revision:
- Date of preparation / last revision Revision 1.2, 05/16/2024: Reviewed SDS for accuracy. MH/STN 05/16/2024
- · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Carcinogenicity 2: Carcinogenicity – Category 2 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 Aspiration Hazard 1: Aspiration hazard - Category 1  $\cdot$  \* Data compared to the previous version altered.