Printing date 05/16/2024

Reviewed on 05/16/2024

### **1** Identification

- · Product identifier
- Trade name: <u>Mixed Standard</u> <u>100.0 ppm Each: Ca, Mg, K</u>
- · Article number: LY419
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

### 2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



#### · Signal word Warning

• Hazard statements Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

- Wash thoroughly after handling.
- Wear protective gloves / eye protection / face protection.
- If on skin: Wash with plenty of water.

Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)


US

Printing date 05/16/2024

Reviewed on 05/16/2024

### Trade name: Mixed Standard 100.0 ppm Each: Ca, Mg, K

(Contd. of page 1)



#### · Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 7697-37-2	Nitric Acid	1.475%		
· Table of Nonhazardous Ingredients				
CAS: 7732-18-5	Water	98.432%		
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	0.058%		
CAS: 7757-79-1	Potassium Nitrate	0.025%		
CAS: 7439-95-4	Magnesium	0.01%		

## 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 05/16/2024

Reviewed on 05/16/2024

(Contd. of page 2)

Trade name: Mixed Standard

100.0 ppm Each: Ca, Mg, K

· Advice for firefighters

· Protective equipment: No special measures required.

### **6** Accidental release measures

<ul> <li>Personal precautions, protective equipment and emergency procedures Not required.</li> <li>Environmental precautions: <ul> <li>Dilute with plenty of water.</li> <li>Do not allow to enter sewers/ surface or ground water.</li> </ul> </li> <li>Methods and material for containment and cleaning up: <ul> <li>Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).</li> </ul> </li> <li>Reference to other sections <ul> <li>See Section 7 for information on safe handling.</li> <li>See Section 8 for information on personal protection equipment.</li> <li>See Section 13 for disposal information.</li> </ul> </li> </ul>				
· PAC-1:				
CAS: 7697-37-2	Nitric Acid	0.16 ppm		
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	12 mg/m <sup>3</sup>		
CAS: 7757-79-1	CAS: 7757-79-1 Potassium Nitrate			
CAS: 7439-95-4	CAS: 7439-95-4 Magnesium			
· PAC-2:				
CAS: 7697-37-2	Nitric Acid	24 ppm		
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	130 mg/m <sup>3</sup>		
CAS: 7757-79-1	Potassium Nitrate	100 mg/m <sup>3</sup>		
CAS: 7439-95-4	Magnesium	200 mg/m <sup>3</sup>		
· PAC-3:				
CAS: 7697-37-2	Nitric Acid	92 ppm		
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	770 mg/m³		
CAS: 7757-79-1	Potassium Nitrate d	500 mg/m³		
CAS: 7439-95-4	Magnesium .	1,200 mg/m³		

## 7 Handling and storage

· Handling:

· Precautions for safe handling No special precautions are necessary if used correctly.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

(Contd. on page 4)

US

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Mixed Standard

100.0 ppm Each: Ca, Mg, K

(Contd. of page 3)

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

#### · Control parameters

· Components with limit values that require monitoring at the workplace:

### CAS: 7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m<sup>3</sup>, 2 ppm

- REL Short-term value: 10 mg/m<sup>3</sup>, 4 ppm Long-term value: 5 mg/m<sup>3</sup>, 2 ppm
- TLV Short-term value: (4) NIC-0.025\* ppm Long-term value: (2) ppm \*inh. fraction + vapor, NIC-A4

• Additional information: The lists that were valid during the creation were used as basis.

### · Exposure controls

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 5)

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Mixed Standard

100.0 ppm Each: Ca, Mg, K

(Contd. of page 4)

9 Physical and chemical propert	Physical and chemical properties			
· Information on basic physical and chemical properties				
· General Information				
· Appearance:				
Form:	Liquid			
Color:	Clear			
· Odor:	Odorless			
• Odor threshold:	Not determined.			
· pH-value:	Not determined.			
· Change in condition				
Melting point/Melting range:	0 °C (32 °F)			
Boiling point/Boiling range:	100 °C (212 °F)			
· Flash point:	Not applicable.			
· Flammability (solid, gaseous):	Not applicable.			
Decomposition temperature: Not determined.				
· Ignition temperature:	Product is not selfigniting.			
• Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)			
· Density at 20 °C (68 °F):	1.00548 g/cm <sup>3</sup> (8.39073 lbs/gal)			
· Relative density	Not determined.			
· Vapor density	Not determined.			
· Evaporation rate	Not determined.			
*	Noi uelermineu.			
<ul> <li>Solubility in / Miscibility with</li> </ul>				
Water:	Fully miscible.			
· Partition coefficient (n-octanol/water	• Partition coefficient (n-octanol/water): Not determined.			
· Viscosity:				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
· Solvent content:				
Water:	98.4 %			
	98.4 % 0.00 %			
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal			
Solids content:	0.1 %			
• Other information	No further relevant information available.			

# 10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.

(Contd. on page 6) US

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Mixed Standard

100.0 ppm Each: Ca, Mg, K

(Contd. of page 5)

· Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 203 mg/l

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

 $\cdot$  Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · *Bioaccumulative potential* No further relevant information available.

· Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Mixed Standard

100.0 ppm Each: Ca, Mg, K

(Contd. of page 6)

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

### 14 Transport information

· UN-Number · DOT, ADN, IMDG, IATA	Not regulated	
· UN proper shipping name · DOT, ADN, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	Not regulated	
· Packing group · DOT, IMDG, IATA	Not regulated	
· Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	Not regulated	

## 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

· Section 355 (extremely hazardous substances):	
CAS: 7697-37-2 Nitric Acid	
· Section 313 (Specific toxic chemical listings):	
CAS: 7697-37-2 Nitric Acid	
CAS: 13477-34-4 Calcium Nitrate Tetrahydrate	
CAS: 7757-79-1 Potassium Nitrate	
· TSCA (Toxic Substances Control Act):	
Water	
Nitric Acid	ACTIVE
Potassium Nitrate	ACTIVE
Magnesium	ACTIVE
	(Contd. on page 8)

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Mixed Standard

100.0 ppm Each: Ca, Mg, K

(Contd. of page 7)

· Hazardous Air Pollutants

None of the ingredients is listed.

### · Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Warning

- Hazard statements
- *Causes skin irritation. Causes serious eye irritation.*
- · Precautionary statements
- Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

Printing date 05/16/2024

Reviewed on 05/16/2024

## Trade name: Mixed Standard 100.0 ppm Each: Ca, Mg, K

	(Contd. of page 8)
· Contact:	
Date of Preparation / Last Revision:	
· Date of preparation / last revision	
Revision 1.2, 05/16/2024: Reviewed SDS for accuracy. MH/STN	
05/16/2024	
00/10/2021	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
• * Data compared to the previous version altered.	
-	US