Printing date 07/01/2024

\*

\*

Identification	
Product identifier Trade name: <u>Cyclohexene Spiked</u> Bromine Number Titration Solvent	
Article number: M-571 Restrictions This chemical/product is not and cannot be dist processed (as defined in TSCA section 3(13)) for co	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	SOLUTIONS
<b>Information department:</b> Technical Coordinator Sherman Nelson shermann@aquasolutions.org <b>Emergency telephone number:</b> Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification Classification of the substance or mixture	
Hazard(s) identification Classification of the substance or mixture GHS02 Flame	
Classification of the substance or mixture	H225 Highly flammable liquid and vapor.
Classification of the substance or mixture GHS02 Flame	H225 Highly flammable liquid and vapor.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2	H225 Highly flammable liquid and vapor. H311 Toxic in contact with skin.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones	
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Dermal 3	
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Dermal 3 GHS08 Health hazard Carcinogenicity 1A	H311 Toxic in contact with skin.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Dermal 3 GHS08 Health hazard Carcinogenicity 1A	H311 Toxic in contact with skin. H350 May cause cancer. H370 Causes damage to the central nervous system and t
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Dermal 3 GHS08 Health hazard Carcinogenicity 1A Specific Target Organ Toxicity - Single Exposure 1	H311 Toxic in contact with skin. H350 May cause cancer. H370 Causes damage to the central nervous system and t
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Dermal 3 GHS08 Health hazard Carcinogenicity 1A Specific Target Organ Toxicity - Single Exposure 1 GHS05 Corrosion	H311 Toxic in contact with skin. H350 May cause cancer. H370 Causes damage to the central nervous system and t visual organs.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Dermal 3 GHS08 Health hazard Carcinogenicity 1A Specific Target Organ Toxicity - Single Exposure 1 GHS05 Corrosion Skin Corrosion 1B	<ul> <li>H311 Toxic in contact with skin.</li> <li>H350 May cause cancer.</li> <li>H370 Causes damage to the central nervous system and t visual organs.</li> <li>H314 Causes severe skin burns and eye damage.</li> </ul>

Printing date 07/01/2024

Reviewed on 07/01/2024


Trade name: Cyclohexene Spiked Bromine Number Titration Solvent	
	(Contd. of page 1)
Acute Toxicity - Oral 4	H302 Harmful if swallowed.
Sensitization - Skin 1	H317 May cause an allergic skin reaction.
	11517 May cause an anergic skin reaction.
<ul> <li>Label elements</li> <li>GHS label elements The product is classified and in the second seco</li></ul>	labeled according to the Globally Harmonized System (GHS).
GHS02 GHS05 GHS06 GHS07 GHS08	
· Signal word Danger	
<ul> <li>Hazard-determining components of labeling: Acetic Acid, Glacial Methanol Dichloromethane (Methylene Chloride) Sulfuric Acid 96 - 98%</li> <li>Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Toxic in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. Causes damage to the central nervous system and a Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have bee Keep away from heat/sparks/open flames/hot surfa Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/ Use only non-sparking tools. Take precautionary measures against static discha Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this produc Contaminated work clothing must not be allowed o Wear protective gloves/protective clothing/eye pro If swallowed: Call a poison center/doctor if you fee If swallowed: Rinse mouth. Do NOT induce vomiti. If on skin (or hair): Take off immediately all contai IF INHALED: Remove person to fresh air and kee If in eyes: Rinse cautiously with water for sever Continue rinsing. Immediately call a poison center/doctor.</li> </ul>	en read and understood. aces No smoking. /equipment. arge. t. but of the workplace. tection/face protection. el unwell. ng. minated clothing. Rinse skin with water/shower.
IF exposed or concerned: Get medical advice/atter	ntion.
Specific treatment (see on this label).	
Take off immediately all contaminated clothing and	
If skin irritation or rash occurs: Get medical advic	
In case of fire: Use CO2, powder or water spray to	) extinguish.
Store in a well-ventilated place. Keep cool.	(Contd. on page 3)

Printing date 07/01/2024


Reviewed on 07/01/2024

### Trade name: Cyclohexene Spiked **Bromine Number Titration Solvent**

(Contd. of page 2)



Health = 3



### · HMIS-ratings (scale 0 - 4)



### · Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

# **3** Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous com	ponents:	
CAS: 64-19-7	Acetic Acid, Glacial	72.101%
CAS: 75-09-2	Dichloromethane (Methylene Chloride)	17.091%
CAS: 67-56-1	Methanol	10.171%
CAS: 7664-93-9	9 Sulfuric Acid 96 - 98%	0.635%
v	zardous Ingredients	
CAS: 110-83-8	Cyclohexene	0.001%

# **4** First-aid measures

### · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eve contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 4)

Printing date 07/01/2024

Reviewed on 07/01/2024

Trade name: Cyclohexene Spiked

Bromine Number Titration Solvent

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

### **5** *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

# 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to enter sewers/ surface or ground water.

### • Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### · Protective Action Criteria for Chemicals

5 ppm
200 ppm
530 ppm
0.20 mg/m <sup>3</sup>
900 ppm
35 ppm
560 ppm
2,100 ppm
8.7 mg/m <sup>3</sup>
1,700 ppm
250 ppm

(Contd. of page 3)

Printing date 07/01/2024

Reviewed on 07/01/2024

#### Trade name: Cyclohexene Spiked **Bromine Number Titration Solvent**

		(Contd. of page 4)
CAS: 75-09-2	Dichloromethane (Methylene Chloride)	6,900 ppm
CAS: 67-56-1	Methanol	7200* ppm
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	160 mg/m <sup>3</sup>
CAS: 110-83-8	Cyclohexene	10,000 ppm

### 7 Handling and storage

### · Handling:

· Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Com	ponents with limit values that require monitoring at the workplace:
CAS.	: 64-19-7 Acetic Acid, Glacial
PEL	Long-term value: 25 mg/m <sup>3</sup> , 10 ppm
REL	Short-term value: 37 mg/m <sup>3</sup> , 15 ppm
	Long-term value: 25 mg/m <sup>3</sup> , 10 ppm
TLV	Short-term value: 15 ppm
	Long-term value: 10 ppm
CAS.	: 75-09-2 Dichloromethane (Methylene Chloride)
PEL	Short-term value: 125 ppm
	Long-term value: 25 ppm
	see 29 CFR 1910.1052
REL	See Pocket Guide App. A
TLV	Long-term value: 50 ppm
	BEI, A3
	(Contd. on page 6)
	115

Printing date 07/01/2024

Reviewed on 07/01/2024

### Trade name: Cyclohexene Spiked Bromine Number Titration Solvent

	(Contd. of page 5)
CAS	: 67-56-1 Methanol
PEL	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm
	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
	Skin
TLV	Short-term value: 250 ppm
	Long-term value: 200 ppm
	Skin; BEIc
	: 7664-93-9 Sulfuric Acid 96 - 98%
	Long-term value: 1 mg/m <sup>3</sup>
REL	Long-term value: 1 mg/m <sup>3</sup>
TLV	Long-term value: 0.2* mg/m <sup>3</sup>
	*as thoracic fraction, A2
· Ingr	edients with biological limit values:
CAS	: 75-09-2 Dichloromethane (Methylene Chloride)
BEI	0.3 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Dichloromethane (semi-quantitative)
	: 67-56-1 Methanol
BEI	15 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Methanol (background, nonspecific)
· Add	itional information: The lists that were valid during the creation were used as basis.
	osure controls
	onal protective equipment:
	eral protective and hygienic measures:
	o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	e protective clothing separately.
	d contact with the eyes.
Avoi	d contact with the eyes and skin.
	thing equipment:
	ase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use
	iratory protective device that is independent of circulating air.
· Prot	ection of hands:
	Ω · · · · · · · · · · · · · · · · · · ·
nui anti	Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 7)

Printing date 07/01/2024

Reviewed on 07/01/2024

### Trade name: Cyclohexene Spiked Bromine Number Titration Solvent

(Contd. of page 6)

• Penetration time of glove material The exact break through time has

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



\*

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and o	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Colorless
Odor:	Vinegar
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	118 °C (244.4 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	4 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	453 hPa (339.8 mm Hg)
Density at 20 °C (68 °F):	1.06597 g/cm³ (8.89552 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.

US

Printing date 07/01/2024

Reviewed on 07/01/2024

### Trade name: Cyclohexene Spiked Bromine Number Titration Solvent

		(Contd. of page 7
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	99.4 %	
<b>VOC</b> content:	82.27 %	
	877.0 g/l / 7.32 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

### 10 Stability and reactivity

• *Reactivity* No further relevant information available.

### · Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

### · Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)		
		983 mg/kg
	LD50	981 mg/kg
Inhalative	LC50/4h	29.5 mg/l

#### · Primary irritant effect:

- on the skin: Caustic effect on skin and mucous membranes.
- $\cdot$  on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

### · Carcinogenic categories

· IARC (Internatio	· IARC (International Agency for Research on Cancer)		
CAS: 75-09-2	Dichloromethane (Methylene Chloride)	2Æ	
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	1	

(Contd. on page 9)

ús •

Printing date 07/01/2024

Reviewed on 07/01/2024

(Contd. of page 8)

R

K

Trade name: Cyclohexene Spiked

Bromine Number Titration Solvent

· NTP (National Toxicology Program)

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· OSHA-Ca (Occupational Safety & Health Administration)

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

# **12** Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

 $\cdot$  Waste treatment methods

· Recommendation:


Must not be disposed of together with household garbage. Do not allow product to reach sewage system.


- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN3286
UN proper shipping name	
DOT	Flammable liquid, toxic, corrosive, n.o.s. (Methanol
	Dichloromethane, Acetic Acid, Glacial
	)
IMDG, IATA	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (Methanol
	Dichloromethane, Acetic Acid, Glacial
	)

Printing date 07/01/2024

Reviewed on 07/01/2024





Printing date 07/01/2024

Reviewed on 07/01/2024

Trade name: Cyclohexene Spiked Bromine Number Titration Solvent

(Contd. of page 10)

· UN "Model Regulation":

UN 3286 FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (METHANOL, DICHLOROMETHANE, ACETIC ACID, GLACIAL ), 3 (6.1+8), II

### **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

• Section 313 (Specific toxic chemical listings):

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

CAS: 67-56-1 Methanol

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· TSCA (Toxic Substances Control Act):

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

Acetic Acid, Glacial	ACTIVE
Dichloromethane (Methylene Chloride)	ACTIVE
Methanol	ACTIVE
Sulfuric Acid 96 - 98%	ACTIVE
Cyclohexene	ACTIVE

· Hazardous Air Pollutants

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

CAS: 67-56-1 Methanol

· Proposition 65

· Chemicals known to cause cancer:

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

### · Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

· TLV (Threshold Limit Value)

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

(Contd. on page 12)

L

AЗ

A2

US

Printing date 07/01/2024

Reviewed on 07/01/2024

GHS labe Hazard pi	(Contd. of page elements The product is classified and labeled according to the Globally Harmonized System (GHS). ctograms
GHS02	GHS05 GHS06 GHS07 GHS08
Signal wo	rd Danger
Hazard-de	termining components of labeling:
Acetic Aci	
Methanol	
	ethane (Methylene Chloride)
Sulfuric A <b>Hazard st</b> a	cid 96 - 98%
-	nmable liquid and vapor.
	swallowed.
	intact with skin.
Causes se	vere skin burns and eye damage.
May cause	an allergic skin reaction.
May cause	
	mage to the central nervous system and the visual organs.
	nary statements
	ecial instructions before use. Idle until all safety precautions have been read and understood.
	<i>p</i> from heat/sparks/open flames/hot surfaces No smoking.
	ainer tightly closed.
	ond container and receiving equipment.
	ion-proof electrical/ventilating/lighting/equipment.
	on-sparking tools.
	uutionary measures against static discharge.
	eathe dusts or mists. oughly after handling.
	, drink or smoke when using this product.
	ited work clothing must not be allowed out of the workplace.
	ective gloves/protective clothing/eye protection/face protection.
	ed: Call a poison center/doctor if you feel unwell.
	ed: Rinse mouth. Do NOT induce vomiting.
	for hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	ED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Continue	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to c
	ly call a poison center/doctor.
	l or concerned: Get medical advice/attention.
-	eatment (see on this label).
Take off in	mediately all contaminated clothing and wash it before reuse.
	tation or rash occurs: Get medical advice/attention.
	fire: Use CO2, powder or water spray to extinguish.
Store in a Store lock	well-ventilated place. Keep cool.

Printing date 07/01/2024

\*

Trade name: Cyclohexene Spiked Bromine Number Titration Solvent Reviewed on 07/01/2024

(Contd. of page 12)

	are not allowed to be exposed to the hazardous carcinogenic materials contained in this prepa
Exception	
	as can be made by the authorities in certain cases.
Chemica	safety assessment: A Chemical Safety Assessment has not been carried out.
01	
	<i>iformation</i>
	rmation is based on our present knowledge. However, this shall not constitute a guarantee f roduct features and shall not establish a legally valid contractual relationship.
Departm	ent issuing SDS: Environment protection department.
Contact:	
Date of P	reparation / Last Revision:
	reparation / last revision
	1.2 07/01/2024: Reviewed SDS for accuracy. MH/STN
	date for SDS 10-12-2017. LS
07/01/202	
Abbrevia	tions and acronyms:
IMDG: Inte	rnational Maritime Code for Dangerous Goods
	epartment of Transportation
	national Air Transport Association
	uropean Inventory of Existing Commercial Chemical Substances
	<i>uropean List of Notified Chemical Substances</i>
	ical Abstracts Service (division of the American Chemical Society)
	onal Fire Protection Association (USA) ardous Materials Identification System (USA)
	ile Organic Compounds (USA, EU)
	al concentration, 50 percent
	d dose, 50 percent
	tent, Bioaccumulative and Toxic
vPvB: very	Persistent and very Bioaccumulative
NIOSH: Na	tional Institute for Occupational Safety
OSHA: Occ	upational Safety & Health
TLV: Thres	hold Limit Value
	ssible Exposure Limit
	nmended Exposure Limit
	ical Exposure Limit
	Liquids 2: Flammable liquids – Category 2
	ity - Oral 4: Acute toxicity – Category 4
	ity - Dermal 3: Acute toxicity – Category 3 ion 1B: Skin corrosion/irritation – Category 1B
	e 1: Serious eye damage/eye irritation – Category 1
	n - Skin 1: Skin sensitisation – Category 1
	icity 1A: Carcinogenicity – Category 1A
	seet Organ Taxicity - Single Exposure 1: Specific target argan taxicity (single exposure) - Category 1

Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1 • \* Data compared to the previous version altered.

US -