Printing date 05/17/2024 Reviewed on 05/17/2024

1 Identification


· Product identifier

· Trade name: Magnesium Metal Ribbon, 3 mm Wide

· Article number: M0135

• CAS Number: 7439-95-4 • EC number: 231-104-6

• Index number: 012-001-00-3



· Manufacturer/Supplier:

Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



· Classification of the substance or mixture



emit flammable gases 1

Pyrophoric Solids 1
Substances and mixtures which, in contact with water,

H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases, which may ignite spontaneously.

· Label elements

- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS02

- · Signal word Danger
- · Hazard statements

Catches fire spontaneously if exposed to air.

In contact with water releases flammable gases, which may ignite spontaneously.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not allow contact with air.

Do not allow contact with water.

Handle under inert gas. Protect from moisture.

Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

Printing date 05/17/2024 Reviewed on 05/17/2024

Trade name: Magnesium Metal Ribbon, 3 mm Wide

(Contd. of page 1)

Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

In case of fire: Use CO2, sand, extinguishing powder to extinguish.

Store in a dry place. Store in a closed container.

Store contents under inert gas.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 4Reactivity = 2

The substance demonstrates unusual reactivity with water.

· HMIS-ratings (scale 0 - 4)



Health = 0Fire = 4

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

CAS: 7439-95-4 Magnesium

- · Identification number(s)
- · EC number: 231-104-6
- · Index number: 012-001-00-3

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 05/17/2024 Reviewed on 05/17/2024

Trade name: Magnesium Metal Ribbon, 3 mm Wide

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- · Protective Action Criteria for Chemicals
- **PAC-1:** 18 mg/m³
- · PAC-2: 200 mg/m3
- · PAC-3: 1,200 mg/m³

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

 \cdot *Specific end use*(s) *No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 4)

Printing date 05/17/2024 Reviewed on 05/17/2024

Trade name: Magnesium Metal Ribbon, 3 mm Wide

(Contd. of page 3)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Not required.
- · Body protection: Protective work clothing

Physical and chemical properties		
· Information on basic physical and	chemical properties	
· General Information	continued proportion	
· Appearance:		
Form:	Turnings	
Color:	White to Grey	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	649.5 °C (1,201.1 °F)	
Boiling point/Boiling range:	1,090 °C (3490 °F)	
· Flash point:	500 °C (932 °F)	
· Flammability (solid, gaseous):	Contact with water liberates extremely flammable gases.	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Spontaneously flammable in air.	
· Danger of explosion:	Not determined.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	0 hPa	
· Density at 20 °C (68 °F):	1.738 g/cm³ (14.50361 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/water): Not determined.		
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Other information	No further relevant information available.	

Printing date 05/17/2024 Reviewed on 05/17/2024

Trade name: Magnesium Metal Ribbon, 3 mm Wide

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Contact with water releases flammable gases.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

US

Printing date 05/17/2024 Reviewed on 05/17/2024

Trade name: Magnesium Metal Ribbon, 3 mm Wide

(Contd. of page 5)

14 Transport information	
· UN-Number	
· DOT, IMDG, IATA	UN1869
UN proper shipping name	
· DOT	Magnesium
· IMDG, IATA	MAGNESIUM
· Transport hazard class(es)	
\cdot DOT	
· Class	4.1 Flammable solids, self-reactive substances and solid desensitised explosives
· Label	4.1
· IMDG, IATA	
· Class	4.1 Flammable solids, self-reactive substances and solid desensitised explosives
· Label	4.1
· Packing group · DOT, IMDG, IATA	III
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Warning: Flammable solids, self-reactive substances and solid desensitised explosives
· Hazard identification number (Kemler code	
· EMS Number:	F- G , S - G
Stowage Category	A HI Voon as dry as reasonably practicable
· Handling Code · Segregation Code	H1 Keep as dry as reasonably practicable SG17 Stow "separated from" class 5.1
Segregation Code	SG25 Stow "separated from" goods of classes 2.1 and 3.
	SG26 In addition: from goods of classes 2.1 and 3 when stowed
	on deck of a containership a minimum distance of two container
	spaces athwartship shall be maintained, when stowed on ro-ro
	ships a distance of 6 m athwartship shall be maintained. SG32 Stow "away from" SGG10-liquid halogenated hydrocarbons
	SG35 Stow "separated from" SGG1-acids
	SG36 Stow "separated from" SGG18-alkalis.
	SG52 Stow "separated from" iron oxide
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

Printing date 05/17/2024 Reviewed on 05/17/2024

Trade name: Magnesium Metal Ribbon, 3 mm Wide

	(Contd. of page 6
· Transport/Additional information:	
$\cdot DOT$	
· Quantity limitations	On passenger aircraft/rail: 25 kg
	On cargo aircraft only: 100 kg
· IMDG	
· Limited quantities (LQ)	5 kg
\cdot Excepted quantities (\widetilde{EQ})	Code: E1
• • • • •	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 1869 MAGNESIUM, 4.1, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Danger
- · Hazard statements

Catches fire spontaneously if exposed to air.

In contact with water releases flammable gases, which may ignite spontaneously.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not allow contact with air.

Do not allow contact with water.

Handle under inert gas. Protect from moisture.

Wear protective gloves/protective clothing/eye protection/face protection.

Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

In case of fire: Use CO2, sand, extinguishing powder to extinguish.

Store in a dry place. Store in a closed container.

(Contd. on page 8)

Printing date 05/17/2024 Reviewed on 05/17/2024

Trade name: Magnesium Metal Ribbon, 3 mm Wide

(Contd. of page 7)

Store contents under inert gas.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 05/17/2024: Reviewed SDS for accuracy. MH/STN 05/17/2024

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Pyrophoric Solids 1: Pyrophoric solids – Category 1

Substances and mixtures which, in contact with water, emit flammable gases 1: Substances and mixtures which in contact with water emit flammable gases – Category 1

* Data compared to the previous version altered.

US