Printing date 05/21/2024

Reviewed on 05/21/2024

Identification	
Product identifier	
Trade name: <u>Calconcarboxylic Acid</u>	
<u>in Alcohol</u>	
Article number: MID249	
Details of the supplier of the safety data s	heet
Manufacturer/Supplier: Aqua Solutions, Inc.	AQUA
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536	
USA 800-256-2586	
Information department:	
Technical Coordinator	
Sherman Nelson shermann@aquasolution.	s.org
Technical Coordinator Sherman Nelson shermann@aquasolution.	s org
• Emergency telephone number:	5.015
Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
• Classification of the substance or mixture	
GHS02 Flame	
GHS02 Flame Flammable Liquids 2	H225 Highly flammable liquid and vapor.
Flammable Liquids 2	
Flammable Liquids 2 GHS06 Skull and crossbones	H225 Highly flammable liquid and vapor.
Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 2	H225 Highly flammable liquid and vapor. H300 Fatal if swallowed.
Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 2 Acute Toxicity - Dermal 2	H225 Highly flammable liquid and vapor. H300 Fatal if swallowed. H310 Fatal in contact with skin.
Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 2 Acute Toxicity - Dermal 2 Acute Toxicity - Inhalation 2 GHS08 Health hazard	H225 Highly flammable liquid and vapor. H300 Fatal if swallowed. H310 Fatal in contact with skin. H330 Fatal if inhaled.
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 2 Acute Toxicity - Dermal 2 Acute Toxicity - Inhalation 2 GHS08 Health hazard Specific Target Organ Toxicity - Single Ex Label elements GHS label elements The product is classif	H225 Highly flammable liquid and vapor. H300 Fatal if swallowed. H310 Fatal in contact with skin. H330 Fatal if inhaled.
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 2 Acute Toxicity - Dermal 2 Acute Toxicity - Inhalation 2 GHS08 Health hazard Specific Target Organ Toxicity - Single Ex Label elements	H225 Highly flammable liquid and vapor. H300 Fatal if swallowed. H310 Fatal in contact with skin. H330 Fatal if inhaled. Posure 1 H370 Causes damage to organs.
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 2 Acute Toxicity - Dermal 2 Acute Toxicity - Inhalation 2 GHS08 Health hazard Specific Target Organ Toxicity - Single Ex Label elements GHS label elements The product is classif	H225 Highly flammable liquid and vapor. H300 Fatal if swallowed. H310 Fatal in contact with skin. H330 Fatal if inhaled. Posure 1 H370 Causes damage to organs.
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 2 Acute Toxicity - Dermal 2 Acute Toxicity - Inhalation 2 GHS08 Health hazard Specific Target Organ Toxicity - Single Ex Label elements GHS label elements The product is classif	H225 Highly flammable liquid and vapor. H300 Fatal if swallowed. H310 Fatal in contact with skin. H330 Fatal if inhaled. Posure 1 H370 Causes damage to organs.
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 2 Acute Toxicity - Dermal 2 Acute Toxicity - Inhalation 2 GHS08 Health hazard Specific Target Organ Toxicity - Single Ex Label elements GHS label elements The product is classif Hazard pictograms	H225 Highly flammable liquid and vapor. H300 Fatal if swallowed. H310 Fatal in contact with skin. H330 Fatal if inhaled. Posure 1 H370 Causes damage to organs.

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Calconcarboxylic Acid in Alcohol

	(Contd. of page
Hazard-determining components of labeling:	
Methanol	
Hazard statements	
Highly flammable liquid and vapor.	
Fatal if swallowed, in contact with skin or if inhaled.	
Causes damage to organs.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Do not get in eyes, on skin, or on clothing.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
[In case of inadequate ventilation] wear respiratory protection.	
If swallowed: Immediately call a poison center/doctor.	
Rinse mouth.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower	:
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF exposed: Call a POISON CENTER or doctor/physician.	
Specific treatment is urgent (see on this label).	
Take off immediately all contaminated clothing and wash it before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	ıs.
Classification system:	
NFPA ratings (scale 0 - 4)	
$\frac{1}{3} \qquad Health = 0$	
Fire = 3	
<b>0 0</b> Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
HEALTH <b>O</b> $Health = 0$	
FIRE 3 $Fire = 3$	
$\frac{1}{\text{REACTIVITY}[0]} Reactivity = 0$	
$\frac{1}{1} \sum_{i=1}^{n} \sum_{j=1}^{n} \sum_{i=1}^{n} \sum_{i=1}^{n} \sum_{i=1}^{n} \sum_{j=1}^$	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable.	

*Printing date 05/21/2024* 

Reviewed on 05/21/2024

Trade name: Calconcarboxylic Acid in Alcohol

(Contd. of page 2)

97.95%

2.0%

#### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

#### · Dangerous components:

CAS: 67-56-1 Methanol

CAS: 7757-82-6 Sodium Sulfate Anhydrous

#### **4** First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available. • Indication of any immediate medical attention and special treatment needed
- $No\ further\ relevant\ information\ available.$

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to section 13.
- *Ensure adequate ventilation.* • **Reference to other sections**
- See Section 7 for information on safe handling.

(Contd. on page 4)

<sup>•</sup> US

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Calconcarboxylic Acid in Alcohol

See Section 13 fo	r information on personal protection equipment. or disposal information. <b>n Criteria for Chemicals</b>	(Contd. of page 3)
· PAC-1:		
CAS: 67-56-1	Methanol	530 ppm
CAS: 7757-82-6	Sodium Sulfate Anhydrous	9.8 mg/m <sup>3</sup>
· PAC-2:		
CAS: 67-56-1	Methanol	2,100 ppm
CAS: 7757-82-6	Sodium Sulfate Anhydrous	110 mg/m <sup>3</sup>
· PAC-3:		
CAS: 67-56-1	Methanol	7200* ppm
CAS: 7757-82-6	Sodium Sulfate Anhydrous	650 mg/m <sup>3</sup>

### 7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 67-56-1 Methanol
-----------------------

- PEL Long-term value: 260 mg/m<sup>3</sup>, 200 ppm
- REL Short-term value: 325 mg/m<sup>3</sup>, 250 ppm Long-term value: 260 mg/m<sup>3</sup>, 200 ppm Skin
- TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI

(Contd. on page 5)

US

*Printing date 05/21/2024* 

Reviewed on 05/21/2024

Trade name: Calconcarboxylic Acid in Alcohol

(Contd. of page 4)

#### CAS: 7757-82-6 Sodium Sulfate Anhydrous

TLV Short-term value: NIC-0.2 mg/m<sup>3</sup> thoracic fraction of aerosol

#### · Ingredients with biological limit values:

CAS: 67-56-1 Methanol

BEI 15 mg/L

LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 6)

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Calconcarboxylic Acid in Alcohol

(Contd. of page 5)

· Information on basic physical and c	hemical properties
· General Information	
· Appearance:	
Form:	Fluid
Color: • Odor:	According to product specification Characteristic
· Odor: · Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	ivoi acientatica.
Melting point/Melting range:	-97.8 °C (-144 °F)
Boiling point/Boiling range:	Undetermined.
· Flash point:	11 °C (51.8 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	455 °C (851 °F)
• Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
• Density at 20 °C (68 °F):	0.82766 g/cm <sup>3</sup> (6.90682 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	
· Viscosity:	- /
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	98.0 %
VOC content:	97.95 % 0.0 g/l / 0.00 lb/gal
Solids content:	0.1 %
Sollas content:	0.1 70

(Contd. on page 7)

*Printing date 05/21/2024* 

Reviewed on 05/21/2024

Trade name: Calconcarboxylic Acid in Alcohol

(Contd. of page 6)

#### **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- *The product shows the following dangers according to internally approved calculation methods for preparations: Toxic*

Very toxic

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 8)

*Printing date 05/21/2024* 

Reviewed on 05/21/2024

Trade name: Calconcarboxylic Acid in Alcohol

(Contd. of page 7)

# **13 Disposal considerations**

#### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*

UN-Number DOT, IMDG, IATA	UN1230
	0141250
UN proper shipping name DOT	Methanol mixture
IMDG, IATA	METHANOL mixture
Transport hazard class(es)	
Class	3 Flammable liquids
Label	3, 6.1
IMDG	
Class Label	3 Flammable liquids 3/6.1
IATA	
Class	3 Flammable liquids
Label	3 (6.1)
Packing group	
DOT, IMDG, IATA	11
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-D
Stowage Category	В

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Calconcarboxylic Acid in Alcohol

	(Contd. of page
· Stowage Code	SW2 Clear of living quarters.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	1L
$\cdot$ Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1230 METHANOL MIXTURE, 3 (6.1), II

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

ara	
ection 355 (extremely hazardous substances):	
lone of the ingredients is listed.	
ection 313 (Specific toxic chemical listings):	
CAS: 67-56-1 Methanol	
SCA (Toxic Substances Control Act):	
<i>1ethanol</i>	ACTIVE
odium Sulfate Anhydrous	ACTIVE
Iazardous Air Pollutants	
AS: 67-56-1 Methanol	
Proposition 65	
hemicals known to cause cancer:	
lone of the ingredients is listed.	
hemicals known to cause reproductive toxicity for females:	
lone of the ingredients is listed.	
hemicals known to cause reproductive toxicity for males:	
lone of the ingredients is listed.	
hemicals known to cause developmental toxicity:	
AS: 67-56-1 Methanol	
arcinogenic categories	
PA (Environmental Protection Agency)	
lone of the ingredients is listed.	
LV (Threshold Limit Value)	
lone of the ingredients is listed.	

(Contd. on page 10)

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Calconcarboxylic Acid in Alcohol

(Contd. of page 9)

# $\cdot$ NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



- · Signal word Danger
- · Hazard-determining components of labeling: Methanol · Hazard statements Highly flammable liquid and vapor. Fatal if swallowed, in contact with skin or if inhaled. Causes damage to organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. If swallowed: Immediately call a poison center/doctor. Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed: Call a POISON CENTER or doctor/physician. Specific treatment is urgent (see on this label). Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed.

Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

Store in a well-ventilated place. Keep cool.

(Contd. on page 11)

<sup>-</sup> US

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Calconcarboxylic Acid in Alcohol

	(Contd. of page 10
Date of preparation / last revision	
Revision 1.2, 05/21/2024: Reviewed SDS for accuracy. MH/STN	
Revision 0.0, 12-28-2015: creation date for SDS. STN	
05/21/2024	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Acute Toxicity - Oral 2: Acute toxicity – Category 2	
Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1	
* Data compared to the previous version altered.	