Printing date 05/21/2024

Reviewed on 05/21/2024

Product identifier	
•	
Trade name: Acetone:Isopropyl Alcoh Mixture 1:1	
Article number: MOB009	
Details of the supplier of the safety da	ita sheet
Manufacturer/Supplier:	
Aqua Solutions, Inc. 6913 Highway 225	SOLUTIONS
<i>DEER PARK, TX 77536</i>	
USA	
800-256-2586	
Information department:	
Technical Coordinator	
Sherman Nelson shermann@aquasolut	tions.org
Emergency telephone number:	
Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Canulec. 015-990-0000	
Hazard(s) identification	
Classification of the substance or mixed	
	lure
GHS02 Flame	
	U225 Highly flammable liquid and vanor
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
	H225 Highly flammable liquid and vapor.
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
Flammable Liquids 2	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation.
Flammable Liquids 2 GHS07 Eye Irritation 2A	
Flammable Liquids 2 GHS07 Eye Irritation 2A	H319 Causes serious eye irritation.
Flammable Liquids 2 Flammable Liquids 2 GHS07 Eye Irritation 2A Specific Target Organ Toxicity - Single Label elements GHS label elements The product is cla	H319 Causes serious eye irritation.
Flammable Liquids 2 Flammable Liquids 2 GHS07 Eye Irritation 2A Specific Target Organ Toxicity - Single Label elements	H319 Causes serious eye irritation. e Exposure 3 H336 May cause drowsiness or dizziness.
Flammable Liquids 2 Flammable Liquids 2 GHS07 Eye Irritation 2A Specific Target Organ Toxicity - Single Label elements GHS label elements The product is cla	H319 Causes serious eye irritation. e Exposure 3 H336 May cause drowsiness or dizziness.
Flammable Liquids 2 Flammable Liquids 2 GHS07 Eye Irritation 2A Specific Target Organ Toxicity - Single Label elements GHS label elements The product is cla	H319 Causes serious eye irritation. e Exposure 3 H336 May cause drowsiness or dizziness.
Flammable Liquids 2 Flammable Liquids 2 GHS07 Eye Irritation 2A Specific Target Organ Toxicity - Single Label elements GHS label elements The product is cla	H319 Causes serious eye irritation. e Exposure 3 H336 May cause drowsiness or dizziness.
Flammable Liquids 2 Flammable Liquids 2 GHS07 Eye Irritation 2A Specific Target Organ Toxicity - Single Label elements GHS label elements The product is cla Hazard pictograms Flammable Liquids 2 Hazard pictograms	H319 Causes serious eye irritation. e Exposure 3 H336 May cause drowsiness or dizziness.
Flammable Liquids 2 Flammable Liquids 2 GHS07 Eye Irritation 2A Specific Target Organ Toxicity - Single Label elements GHS label elements The product is cla Hazard pictograms Flammable Liquids 2 Hazard pictograms	H319 Causes serious eye irritation. e Exposure 3 H336 May cause drowsiness or dizziness.
Flammable Liquids 2 Flammable Liquids 2 GHS07 Eye Irritation 2A Specific Target Organ Toxicity - Single Label elements GHS label elements The product is cla Hazard pictograms Flammable Liquids 2 Hazard pictograms	H319 Causes serious eye irritation. e Exposure 3 H336 May cause drowsiness or dizziness.
Flammable Liquids 2 Flammable Liquids 2 GHS07 Eye Irritation 2A Specific Target Organ Toxicity - Single Label elements GHS label elements The product is cla Hazard pictograms GHS02 GHS07 Signal word Danger	H319 Causes serious eye irritation. e Exposure 3 H336 May cause drowsiness or dizziness. assified and labeled according to the Globally Harmonized System (GHS
Flammable Liquids 2 Flammable Liquids 2 GHS07 Eye Irritation 2A Specific Target Organ Toxicity - Single Label elements GHS label elements The product is cla Hazard pictograms GHS02 GHS07	H319 Causes serious eye irritation. e Exposure 3 H336 May cause drowsiness or dizziness. assified and labeled according to the Globally Harmonized System (GHS
Flammable Liquids 2 Flammable Liquids 2 GHS07 Eye Irritation 2A Specific Target Organ Toxicity - Single Label elements GHS label elements The product is cla Hazard pictograms GHS02 GHS07 Signal word Danger Hazard-determining components of la Acetone Isopropanol	H319 Causes serious eye irritation. e Exposure 3 H336 May cause drowsiness or dizziness. assified and labeled according to the Globally Harmonized System (GHS
Flammable Liquids 2 Flammable Liquids 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Label elements GHS label elements The product is cla Hazard pictograms GHS02 GHS07 Signal word Danger Hazard-determining components of la Acetone Isopropanol Hazard statements	H319 Causes serious eye irritation. e Exposure 3 H336 May cause drowsiness or dizziness. assified and labeled according to the Globally Harmonized System (GHS
Flammable Liquids 2 Flammable Liquids 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Label elements GHS label elements The product is cla Hazard pictograms GHS02 GHS07 Signal word Danger Hazard-determining components of la Acetone Isopropanol Hazard statements Highly flammable liquid and vapor.	H319 Causes serious eye irritation. e Exposure 3 H336 May cause drowsiness or dizziness. assified and labeled according to the Globally Harmonized System (GHS
Flammable Liquids 2 Flammable Liquids 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Label elements GHS label elements The product is cla Hazard pictograms GHS02 GHS07 Signal word Danger Hazard-determining components of la Acetone Isopropanol Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation.	H319 Causes serious eye irritation. e Exposure 3 H336 May cause drowsiness or dizziness. assified and labeled according to the Globally Harmonized System (GHS
Flammable Liquids 2 Flammable Liquids 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Label elements GHS label elements The product is cla Hazard pictograms GHS02 GHS07 Signal word Danger Hazard-determining components of la Acetone Isopropanol Hazard statements Highly flammable liquid and vapor.	H319 Causes serious eye irritation. e Exposure 3 H336 May cause drowsiness or dizziness. assified and labeled according to the Globally Harmonized System (GHS

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Acetone:Isopropyl Alcohol Mixture 1:1

(Contd. of page 1) Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 2 Health = 23 Fire = 3FIRE **REACTIVITY O** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients · Chemical characterization: Mixtures · Description: Mixture of the substances listed below with nonhazardous additions. · Dangerous components: CAS: 67-64-1 Acetone 50.159% CAS: 67-63-0 Isopropanol 49.841%

4 First-aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.

(Contd. on page 3)

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Acetone:Isopropyl Alcohol Mixture 1:1

(Contd. of page 2)

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

 \cdot Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• Special hazards arising from the substance or mixture No further relevant information available.

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.	
• Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 67-64-1 Acetone	200 ppm
CAS: 67-63-0 Isopropanol	400 ppm
· PAC-2:	
CAS: 67-64-1 Acetone	3200* ppm
CAS: 67-63-0 Isopropanol	2000* ppm
· PAC-3:	
CAS: 67-64-1 Acetone 57	700* ppm
CAS: 67-63-0 Isopropanol 12	2000** ppm

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

US

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Acetone:Isopropyl Alcohol Mixture 1:1

(Contd. of page 3)

Prevent formation of aerosols. • Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters	rs	
· Components with l	limit values that require monitoring at the workplace:	
CAS: 67-64-1 Acet	tone	
PEL Long-term va	alue: 2400 mg/m³, 1000 ppm	
REL Long-term va	ılue: 590 mg/m³, 250 ppm	
TLV Short-term va	alue: 500 ppm	
Long-term va	alue: 250 ppm	
A4, BEI		
CAS: 67-63-0 Isopt	propanol	
PEL Long-term va	ılue: 980 mg/m³, 400 ppm	
	alue: 1225 mg/m³, 500 ppm	
Long-term va	ılue: 980 mg/m³, 400 ppm	
TLV Short-term va		
	alue: 200 ppm	
BEI, A4		
· Ingredients with bi	iological limit values:	
CAS: 67-64-1 Acet	tone	
BEI 25 mg/L		
*	ritoneal: urine	
Time: end of s		
	ne (nonspecific)	
CAS: 67-63-0 Isopt	propanol	
BEI 40 mg/L	· · · ·	
	eritoneal: urine	
	shift at end of workweek 1e (background, nonspecific)	
	ation: The lists that were valid during the creation were used as basis.	
Ū		
• Exposure controls		
· Personal protective		
	e and hygienic measures: podstuffs, beverages and feed.	
iscep away from for		(Contd. on page 5)
		10,

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Acetone:Isopropyl Alcohol Mixture 1:1

(Contd. of page 4)

Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Clear	
· Odor:	Sweetish	
• Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	55 °C (131 °F)	
Flash point:	-17 °C (1.4 °F)	
Flammability (solid, gaseous):	Highly flammable.	
Auto igniting:	425 °C (797 °F)	
Decomposition temperature:	Not determined.	

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Acetone:Isopropyl Alcohol Mixture 1:1

	(Contd. of page
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	13 Vol %
Vapor pressure at 20 °C (68 °F):	233 hPa (174.8 mm Hg)
Density at 20 °C (68 °F):	0.7875 g/cm ³ (6.57169 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	100.0 %
VOC content:	49.84 %
	392.5 g/l / 3.28 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: (Contd. on page 7)

____US -

Printing date 05/21/2024

Reviewed on 05/21/2024

(Contd. of page 6)

3

Trade name: Acetone:Isopropyl Alcohol Mixture 1:1

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN1993
· UN proper shipping name	
$\cdot DOT$	Flammable liquids, n.o.s. (Acetone, Isopropanol
)
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Acetone, Isopropanol
1	

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Acetone:Isopropyl Alcohol
Mixture 1:1

	(Contd. of page
· Transport hazard class(es)	
·DOT	
3	
· Class	3 Flammable liquids
· Label	3
· IMDG, IATA	
3	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids
 Hazard identification number (Kemler code): EMS Number: 	- 33 F-E,S-E
· Stowage Category	B
• Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
·IMDG	
· Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2
· Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ACETONI
-	ISOPROPANOL
), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 9)

⁻US -

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Acetone:Isopropyl Alcohol Mixture 1:1

on 355 (extremely hazardous substances): of the ingredients is listed. on 313 (Specific toxic chemical listings): 67-63-0 Isopropanol A (Toxic Substances Control Act):	
of the ingredients is listed. on 313 (Specific toxic chemical listings): 67-63-0 Isopropanol	
on 313 (Specific toxic chemical listings): 67-63-0 Isopropanol	
67-63-0 Isopropanol	
A (Toxic Substances Control Act):	
one	ACTIVE
opanol	ACTIVE
rdous Air Pollutants	
of the ingredients is listed.	
osition 65	
nicals known to cause cancer:	
of the ingredients is listed.	
nicals known to cause reproductive toxicity for females:	
of the ingredients is listed.	
nicals known to cause reproductive toxicity for males:	
of the ingredients is listed.	
nicals known to cause developmental toxicity:	
of the ingredients is listed.	
inogenic categories	
(Environmental Protection Agency)	
67-64-1 Acetone	

All components have the value A4.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Acetone Isopropanol
Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.
Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment.

(Contd. on page 10)

US

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Acetone:Isopropyl Alcohol Mixture 1:1

(Contd. of page 9)

Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eve irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department. · Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 05/21/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 12-28-2015: creation date for SDS. STN 05/21/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 • * Data compared to the previous version altered.