Printing date 05/22/2024 Reviewed on 05/22/2024

1 Identification

· Product identifier

• Trade name: Phenolphthalein Solution 0.5% in 50% Isopropanol

· Article number: MU-017

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.

Toxic to Reproduction 2 H361 Suspected of damaging fertility or the unborn child.



GHS07

Eye Irritation 2A H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Isopropanol

Phenolphthalein

(Contd. on page 2)

Printing date 05/22/2024 Reviewed on 05/22/2024

Trade name: Phenolphthalein Solution 0.5% in 50% Isopropanol

(Contd. of page 1)

#### · Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

May cause drowsiness or dizziness.

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

*Use explosion-proof electrical/ventilating/lighting/equipment.* 

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

*If eye irritation persists: Get medical advice/attention.* 

*In case of fire: Use CO2, powder or water spray to extinguish.* 

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2Fire = 3REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 05/22/2024 Reviewed on 05/22/2024

Trade name: Phenolphthalein Solution 0.5% in 50% Isopropanol

	(Contd. of page 2)
· Dangerous components:	
CAS: 67-63-0 Isopropanol	43.978%
CAS: 77-09-8 Phenolphthalein	0.56%
· Table of Nonhazardous Ingredients	
CAS: 7732-18-5 Water	55.462%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 67-63-0	Isopropanol	400 ppm
CAS: 77-09-8	Phenolphthalein	4 mg/m <sup>3</sup>
		(Contd. on page 4)

us.

Printing date 05/22/2024 Reviewed on 05/22/2024

Trade name: Phenolphthalein Solution 0.5% in 50% Isopropanol

	(Contd. of page 3
· PAC-2:	
CAS: 67-63-0 Isopropanol	2000* ppm
CAS: 77-09-8 Phenolphthalein	$44 \text{ mg/m}^3$
· PAC-3:	
CAS: 67-63-0 Isopropanol	12000** ppm
CAS: 77-09-8 Phenolphthalein	$260 \text{ mg/m}^3$

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

111 010	is time, the remaining constituent has no known exposure timus.
CAS:	: 67-63-0 Isopropanol
PEL	Long-term value: 980 mg/m³, 400 ppm
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
TLV	Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4
Ingre	edients with biological limit values:
CAS:	: 67-63-0 Isopropanol
	40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific)

(Contd. on page 5)

Printing date 05/22/2024 Reviewed on 05/22/2024

Trade name: Phenolphthalein Solution 0.5% in 50% Isopropanol

(Contd. of page 4)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Colorless

Odor: Alcohol

Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

(Contd. on page 6)

Printing date 05/22/2024 Reviewed on 05/22/2024

Trade name: Phenolphthalein Solution 0.5% in 50% Isopropanol

Flammability (solid, gaseous):  Auto igniting:  Decomposition temperature:  Not determined.  Ignition temperature:  Product is not selfigniting.  Product is not explosive. However, formation of explosive air/vapo mixtures are possible.  Explosion limits:  Lower: Upper:  12 Vol %  Vapor pressure at 20 °C (68 °F):  A3 hPa (32.3 mm Hg)  Density at 20 °C (68 °F):  Not determined.  Vapor density  Not determined.  Not determined.  Solubility in / Miscibility with Water:  Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic:  Not determined. Not determined. Not determined.		(Contd. of page
Flammability (solid, gaseous): Highly flammable.  Auto igniting: 425 °C (797 °F)  Decomposition temperature: Not determined.  Ignition temperature: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive air/vapo mixtures are possible.  Explosion limits:  Lower: 2 Vol % Upper: 12 Vol %  Vapor pressure at 20 °C (68 °F): 43 hPa (32.3 mm Hg)  Density at 20 °C (68 °F): 0.8925 g/cm³ (7.44791 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Viscosity: Dynamic: Not determined. Solubility: Mothamatic: Not determined. Solubil	Boiling point/Boiling range:	Undetermined.
Auto igniting: 425 °C (797 °F)  Decomposition temperature: Not determined.  Ignition temperature: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive air/vapo mixtures are possible.  Explosion limits: Lower: 2 Vol % Upper: 12 Vol %  Vapor pressure at 20 °C (68 °F): 43 hPa (32.3 mm Hg)  Density at 20 °C (68 °F): 0.8925 g/cm³ (7.44791 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 44.0 % Water: 55.5 % VOC content: 43.98 % 392.5 g/l / 3.28 lb/gal  Solids content:	Flash point:	13 °C (55.4 °F)
Decomposition temperature: Not determined.  Ignition temperature: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive air/vapo mixtures are possible.  Explosion limits: Lower: 2 Vol % Upper: 12 Vol %  Vapor pressure at 20 °C (68 °F): 43 hPa (32.3 mm Hg)  Density at 20 °C (68 °F): 0.8925 g/cm³ (7.44791 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 44.0 % Water: 55.5 % VOC content: 43.98 % 392.5 g/l / 3.28 lb/gal  Solids content: 0.66 %	Flammability (solid, gaseous):	Highly flammable.
Ignition temperature: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive air/vapo mixtures are possible.  Explosion limits: Lower: 2 Vol % Upper: 12 Vol %  Vapor pressure at 20 °C (68 °F): 43 hPa (32.3 mm Hg)  Density at 20 °C (68 °F): 0.8925 g/cm³ (7.44791 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Viscosity: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 44.0 % Water: 43.98 % 392.5 g/l / 3.28 lb/gal  Solids content: 0.66 %	Auto igniting:	425 °C (797 °F)
Danger of explosion:  Product is not explosive. However, formation of explosive air/vapo mixtures are possible.  Explosion limits: Lower: Upper:  12 Vol %  Vapor pressure at 20 °C (68 °F):  0.8925 g/cm³ (7.44791 lbs/gal)  Ponsity at 20 °C (68 °F): Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic: Not determined.  Not determined.  Solvent content: Organic solvents: Water:  44.0 % Water: VOC content: 43.98 % 392.5 g/l / 3.28 lb/gal  Solids content: 0.6 %	Decomposition temperature:	Not determined.
Explosion limits: Lower: Upper: 12 Vol % Vapor pressure at 20 °C (68 °F): 43 hPa (32.3 mm Hg)  Density at 20 °C (68 °F): Not determined. Vapor density Not determined. Evaporation rate Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Solvent content: Organic solvents: Water: 44.0 % Water: 43.98 % 392.5 g/l/3.28 lb/gal  Solids content: 0.6 %	Ignition temperature:	Product is not selfigniting.
Lower:         2 Vol %           Upper:         12 Vol %           Vapor pressure at 20 °C (68 °F):         43 hPa (32.3 mm Hg)           Density at 20 °C (68 °F):         0.8925 g/cm³ (7.44791 lbs/gal)           Relative density         Not determined.           Vapor density         Not determined.           Evaporation rate         Not determined.           Solubility in / Miscibility with Water:         Not miscible or difficult to mix.           Partition coefficient (n-octanol/water):         Not determined.           Viscosity:         Dynamic:           Dynamic:         Not determined.           Kinematic:         Not determined.           Solvent content:         Organic solvents:           Vace:         44.0 %           Water:         55.5 %           VOC content:         43.98 %           392.5 g/l/3.28 lb/gal           Solids content:         0.6 %	Danger of explosion:	
Upper: 12 Vol %  Vapor pressure at 20 °C (68 °F): 43 hPa (32.3 mm Hg)  Density at 20 °C (68 °F): 0.8925 g/cm³ (7.44791 lbs/gal) Relative density Not determined. Vapor density Not determined.  Evaporation rate Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: 44.0 % Water: 55.5 % Water: 43.98 % 392.5 g/l / 3.28 lb/gal  Solids content: 0.6 %	Explosion limits:	
Vapor pressure at 20 °C (68 °F): 43 hPa (32.3 mm Hg)  Density at 20 °C (68 °F): 0.8925 g/cm³ (7.44791 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: 44.0 % Water: 55.5 % VOC content: 392.5 g/t / 3.28 lb/gal  Solids content: 0.6 %	Lower:	2 Vol %
Density at 20 °C (68 °F): Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: Water: 55.5 % VOC content: 43.98 % 392.5 g/l / 3.28 lb/gal  Solids content: 0.6 %	Upper:	12 Vol %
Relative density Vapor density Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: Water: VOC content: 44.0 % Water: 43.98 % 392.5 g/l / 3.28 lb/gal  Solids content: 0.6 %	Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
Vapor density Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: Water: VOC content: 44.0 % Water: 55.5 % VOC content: 43.98 % 392.5 g/l / 3.28 lb/gal  Solids content: 0.6 %	Density at 20 °C (68 °F):	0.8925 g/cm³ (7.44791 lbs/gal)
Evaporation rate  Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: Water: VOC content: 44.0 % Water: 55.5 % VOC content: 43.98 % 392.5 g/l / 3.28 lb/gal  Solids content: 0.6 %	Relative density	Not determined.
Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: 44.0 % Water: 55.5 % VOC content: 43.98 % 392.5 g/l / 3.28 lb/gal  Solids content: 0.6 %	Vapor density	Not determined.
Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: 44.0 % Water: 55.5 % VOC content: 43.98 % 392.5 g/l / 3.28 lb/gal  Solids content: 0.6 %	Evaporation rate	Not determined.
Partition coefficient (n-octanol/water): Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         Kinematic:       Not determined.         Solvent content:       Organic solvents:       44.0 %         Water:       55.5 %         VOC content:       43.98 %         392.5 g/l / 3.28 lb/gal         Solids content:       0.6 %	Solubility in / Miscibility with	
Viscosity:         Not determined.           Dynamic:         Not determined.           Kinematic:         Not determined.           Solvent content:         44.0 %           Water:         55.5 %           VOC content:         43.98 %           392.5 g/l / 3.28 lb/gal           Solids content:         0.6 %		Not miscible or difficult to mix.
Dynamic:         Not determined.           Kinematic:         Not determined.           Solvent content:         44.0 %           Water:         55.5 %           VOC content:         43.98 %           392.5 g/l / 3.28 lb/gal           Solids content:         0.6 %	Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.
Kinematic:         Not determined.           Solvent content:         44.0 %           Organic solvents:         44.0 %           Water:         55.5 %           VOC content:         43.98 %           392.5 g/l / 3.28 lb/gal           Solids content:         0.6 %	Viscosity:	
Solvent content:         Organic solvents:       44.0 %         Water:       55.5 %         VOC content:       43.98 %         392.5 g/l / 3.28 lb/gal         Solids content:       0.6 %		
Organic solvents:       44.0 %         Water:       55.5 %         VOC content:       43.98 %         392.5 g/l / 3.28 lb/gal         Solids content:       0.6 %	Kinematic:	Not determined.
Water: 55.5 %  VOC content: 43.98 %	Solvent content:	
VOC content:       43.98 %         392.5 g/l / 3.28 lb/gal         Solids content:       0.6 %	Organic solvents:	44.0 %
392.5 g/l / 3.28 lb/gal  Solids content: 0.6 %	Water:	55.5 %
Solids content: 0.6 %	VOC content:	12.00
		392.5 g/l / 3.28 lb/gal
Other information No further relevant information available.	Solids content:	0.6 %
	Other information	No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Printing date 05/22/2024 Reviewed on 05/22/2024

Trade name: Phenolphthalein Solution 0.5% in 50% Isopropanol

(Contd. of page 6)

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

Caremogenic		
· IARC (Intern	ational Agency for Research on Cancer)	
	Isopropanol	3
CAS: 77-09-8	Phenolphthalein	2 <i>B</i>
· NTP (Nation	al Toxicology Program)	
CAS: 77-09-8	Phenolphthalein	R
· OSHA-Ca (O	ccupational Safety & Health Administration)	
None of the in	gredients is listed.	

## 12 Ecological information

- · Toxicity
- $\cdot \textbf{\textit{Aquatic toxicity:}} \ \textit{No further relevant information available}.$
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

Printing date 05/22/2024 Reviewed on 05/22/2024

Trade name: Phenolphthalein Solution 0.5% in 50% Isopropanol

(Contd. of page 7)

Transport information	
UN-Number	
DOT, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Isopropanol
IMDC LATA	) FLAMMARIE HOUID NOS (I
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Isopropanol )
Transport hazard class(es)	
DOT	
F, AMABLE LIQUO	
3	
Class	2 Flammable liquide
Label	3 Flammable liquids 3
IMDG, IATA	
3	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	
EMS Number:	<i>F-E,<u>S-E</u></i>
Stowage Category	В
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities $(\widetilde{EQ})$	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 9)

Printing date 05/22/2024 Reviewed on 05/22/2024

Trade name: Phenolphthalein Solution 0.5% in 50% Isopropanol

(Contd. of page 8)

· UN "Model Regulation":

UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, II

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 67-63-0 Isopropanol

CAS: 77-09-8 Phenolphthalein

· TSCA (Toxic Substances Control Act):

Water ACTIVE
Isopropanol ACTIVE
Phenolphthalein ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

CAS: 77-09-8 Phenolphthalein

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 67-63-0 Isopropanol

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS07

CHCU6

Printing date 05/22/2024 Reviewed on 05/22/2024

Trade name: Phenolphthalein Solution 0.5% in 50% Isopropanol

(Contd. of page 9)

### · Signal word Danger

#### · Hazard-determining components of labeling:

Isopropanol

Phenolphthalein

#### · Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

May cause drowsiness or dizziness.

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 05/22/2024: Reviewed SDS for accuracy. MH/STN 05/22/2024

### · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 11)

Printing date 05/22/2024 Reviewed on 05/22/2024

Trade name: Phenolphthalein Solution 0.5% in 50% Isopropanol

(Contd. of page 10)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Carcinogenicity 2: Carcinogenicity – Category 2

Toxic to Reproduction 2: Reproductive toxicity – Category 2

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

HS.