Printing date 05/23/2024

Reviewed on 05/23/2024

Identification	
Product identifier	
Trade name: Silver Nitrate 1.41N	
Solution, NIST Traceable	
Article number: NOR014	
Details of the supplier of the safety data sheet	
Manufacturer/Supplier:	AQUA
Aqua Solutions, Inc. 6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536	
USA	
800-256-2586	
Information department:	
Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org	
<i>Emergency telephone number:</i> <i>Chemtrec: 800-424-9300</i>	
<i>Chemtrec:</i> 800-424-9300 <i>Canutec:</i> 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture	
GHS03 Flame over circle	
U Olisos I lume over circle	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer.	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer.	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye day	nage.
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye day	nage.
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye dat Eye Damage 1 H318 Causes serious eye damage.	nage.
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye day	nage.
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye dat Eye Damage 1 H318 Causes serious eye damage.	nage.
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Image 1 H272 May intensify fire; oxidizer. Image 1 H272 May intensify fire; oxidizer. Image 1 H314 Causes severe skin burns and eye damage. Image 1 H318 Causes serious eye damage. Image 1 H318 Causes serious eye damage.	nage.
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing CHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye dam Eye Damage 1 H318 Causes serious eye damage. Oxidizing CHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed.	nage.
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Skin Corrosion 1A H314 Causes severe skin burns and eye dam Eye Damage 1 H318 Causes serious eye damage. Oxidizing GHS07 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Label elements The product is classified and labeled accordin	-
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Skin Corrosion 1A H314 Causes severe skin burns and eye dam Eye Damage 1 H318 Causes serious eye damage. Oxidizing CHS07 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Label elements The product is classified and labeled accordin	-
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Skin Corrosion 1A H314 Causes severe skin burns and eye dam Eye Damage 1 H318 Causes serious eye damage. Oxidizing CHS07 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Label elements The product is classified and labeled accordin	-
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Skin Corrosion 1A H314 Causes severe skin burns and eye dam Eye Damage 1 H318 Causes serious eye damage. Oxidizing GHS07 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Label elements The product is classified and labeled accordin	-
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Skin Corrosion 1A H314 Causes severe skin burns and eye dam Eye Damage 1 H318 Causes serious eye damage. Oxidizing CHS07 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Label elements The product is classified and labeled accordin	-
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Skin Corrosion 1A H314 Causes severe skin burns and eye damage 1 Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Oxidizing 1 H318 Causes serious eye damage. Oxidizing 2 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Label elements The product is classified and labeled accordin	-
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Image 1 H314 Causes severe skin burns and eye date Skin Corrosion 1A H314 Causes severe skin burns and eye date Eye Damage 1 H318 Causes serious eye damage. Image 1 H318 Causes serious eye damage. Image 1 H318 Causes serious eye damage. Image 1 H302 Harmful if swallowed. Label elements The product is classified and labeled accordine Image 1 Image 1 Image 2 Image 2 Image 3 Image 3 Image 4 H302 Harmful if swallowed. Label elements Image 3 Image 4 Image 4 Image 5 Image 4 Image 6 Image 5 Image 6 Image 6 Image 7 Image 7 Image 7 Image 7 Image 8 Image 7 Image 8 Image 7 Image 8 Image 8 Image 8 Image 8	-
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing Liquids 2 GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye date Eye Damage 1 H318 Causes serious eye damage. H318 Causes serious eye damage. Oxidizing Liquids 2 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Label elements The product is classified and labeled accordine Hazard pictograms Oxidizing Liquids 3 GHS05 GHS03 GHS05 GHS05 GHS07 Signal word Danger Signal word Danger	-
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing Liquids 2 GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye dat Eye Damage 1 H318 Causes serious eye damage. Oxidizing CHS07 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Label elements The product is classified and labeled accordin Hazard pictograms GHS05 GHS03 GHS05 Signal word Danger Hazard-determining components of labeling:	-
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing Liquids 2 GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye dat Eye Damage 1 H318 Causes serious eye damage. Oxidizing CHS07 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Label elements The product is classified and labeled accordin Hazard pictograms Oxidizing CHS07 Signal word Danger Hazard-determining components of labeling: Silver Nitrate Nitrate	-
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing Liquids 2 GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye dat Eye Damage 1 H318 Causes serious eye damage. Oxidizing CHS07 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Label elements The product is classified and labeled accordin Hazard pictograms Oxidizing CHS05 GHS03 GHS05 GHS07 Signal word Danger Nord Danger	-

Printing date 05/23/2024

Reviewed on 05/23/2024

(Contd. on page 3)

US

Trade name: Silver Nitrate 1.41N Solution, NIST Traceable

	(Contd. of page 1)
Harmful if swallowed.	
Causes severe skin burns and eye damage.	
· Precautionary statements	
Keep away from heat.	
Keep/Store away from clothing/combustible materials.	
Take any precaution to avoid mixing with combustibles.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin wit IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lea	nses, if present and easy to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international	ional regulations.
· Classification system: · NFPA ratings (scale 0 - 4)	
3 0 Health = 3 Fire = 3 Reactivity = 0	
The substance possesses oxidizing properties.	
· HMIS-ratings (scale 0 - 4)	
$\frac{\text{HEALTH}}{2} Health = 2$	
FIRE 0 $Fire = 0$	
REACTIVITY \bigcirc Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
• vPvB : Not applicable.	
3 Composition/information on ingredients	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.	
· ·	
Dangerous components:	
CAS: 7761-88-8 Silver Nitrate	20.223%

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Silver Nitrate 1.41N Solution, NIST Traceable

(Contd. of page 2)

· Table of Nonhazardous Ingredients

79.777%

US

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. · Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. (Contd. on page 4)

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Silver Nitrate 1.41N Solution, NIST Traceable

 • Protective Action Criteria for Chemicals

 • PAC-1:

 CAS: 7761-88-8
 Silver Nitrate

 • PAC-2:

 CAS: 7761-88-8
 Silver Nitrate

 • PAC-3:
 0.9 mg/m³

 • CAS: 7761-88-8
 Silver Nitrate

 • Silver Nitrate
 5.4 mg/m³

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

US

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Silver Nitrate 1.41N Solution, NIST Traceable

(Contd. of page 4)

US

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information		
Appearance:	¥	
Form:	Liquid	
Color:	Clear Odorless	
Odor: Odor threshold:	Not determined.	
Oaor inresnoia:	Noi uelerminea.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.18447 g/cm ³ (9.8844 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Silver Nitrate 1.41N Solution, NIST Traceable

		(Contd. of page
Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	79.8 %	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	20.2 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 247 mg/kg (mouse)

· Primary irritant effect:

- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.

(Contd. on page 7)

US -

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Silver Nitrate 1.41N Solution, NIST Traceable

(Contd. of page 6)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packagings:

- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1760	
· UN proper shipping name		
$\cdot DOT$	Corrosive liquids, n.o.s. (Silver Nitrate)	
· IMDG, IATA	CORROSIVE LIQUID, N.O.S. (Silver Nitrate)	

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Silver Nitrate 1.41N Solution, NIST Traceable

m . 1 1 1 ()	(Contd. of page
Transport hazard class(es)	
DOT	
GORGOSIVE	
8	
Class	8 Corrosive substances
Label	8
	0
·IMDG	
4	
Class	8 Corrosive substances
- Cuiss - Label	8 Corrosive substances
IATA	
8	
· Class	8 Corrosive substances
· Label	8
Packing group DOT, IMDG, IATA	111
	111
Environmental hazards:	
Marine pollutant:	No South of (for hour difference)
	Symbol (fish and tree)
Special precautions for user	Warning: Corrosive substances
EMS Number:	F-A,S-B
Stowage Category	
Stowage Code	SW2 Clear of living quarters.
• Transport in bulk according to Ann	
MARPOL73/78 and the IBC Code	Not applicable.
UN ''Model Regulation'':	UN 1760 CORROSIVE LIQUID, N.O.S. (SILVER NITRATE), 8, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

· sara

 \cdot Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 7761-88-8 Silver Nitrate

(Contd. on page 9)

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Silver Nitrate 1.41N

Solution, NIST Traceable

Contd. of page 8)

• TSCA (Toxic Substances Control Act):

Water

Water

Silver Nitrate

• Hazardous Air Pollutants
None of the ingredients is listed.

• Proposition 65

• Chemicals known to cause cancer:
None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.

 \cdot Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Silver Nitrate · Hazard statements May intensify fire; oxidizer. Harmful if swallowed. Causes severe skin burns and eye damage. · Precautionary statements Keep away from heat. Keep/Store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 10)

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Silver Nitrate 1.41N Solution, NIST Traceable

(Contd. of page 9)

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- Contact: Date of Preparation / Last Revision:
 Date of preparation / last revision Revision 1.2, 05/23/2024: Reviewed SDS for accuracy. MH/STN 05/23/2024
 Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Oxidizing Liquids 2: Oxidizing liquids - Category 2 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1 • * Data compared to the previous version altered.