Printing date 05/28/2024

Reviewed on 05/28/2024

DNS

1 Identification · Product identifier • Trade name: Potassium Permanganate, Technical Grade • Article number: P5445 · CAS Number: 7722-64-7 · EC number: 231-760-3 · Index number: 025-002-00-9 · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification · Cla

*

*

Classification of the substance or mixture	
GHS03 Flame over circle	
Oxidizing Solids 2	H272 May intensify fire; oxidizer.
GHS08 Health hazard	
Toxic to Reproduction 2	H361 Suspected of damaging fertility or the unborn child.
Specific Target Organ Toxicity - Single Exposure 1	H370 Causes damage to organs.
Specific Target Organ Toxicity - Repeated Exposure 1	H372 Causes damage to organs through prolonged or repeated exposure.
GHS05 Corrosion	
Skin Corrosion 1B	H314 Causes severe skin burns and eye damage.
Eye Damage 1	H318 Causes serious eye damage.
GHS07	
Acute Toxicity - Oral 4	H302 Harmful if swallowed. (Contd. on page 2)

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Potassium Permanganate, Technical Grade

(Contd. of page 1)

· Label elements • GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS03 GHS05 GHS07 GHS08 · Signal word Danger · Hazard statements May intensify fire; oxidizer. Harmful if swallowed. Causes severe skin burns and eye damage. Suspected of damaging fertility or the unborn child. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat. Keep/Store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 3Reactivity = 0The substance possesses oxidizing properties.

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Potassium Permanganate, Technical Grade

(Contd. of page 2)

· HMIS-ratings (scale 0 - 4)



^{*3} Health = *3 Fire = 3**REACTIVITY O** Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 7722-64-7 Potassium Permanganate
- · Identification number(s)
- · EC number: 231-760-3
- · Index number: 025-002-00-9

4 First-aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eve contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Potassium Permanganate, Technical Grade

 Methods and material for containment and cleaning up: Use neutralizing agent.
 Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

Protective Action Criteria for Chemicals

- · PAC-1: 8.6 mg/m³
- **PAC-2:** 14 mg/m³
- · PAC-3: 150 mg/m³

7 Handling and storage

· Handling:

- · Precautions for safe handling Thorough dedusting.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7722-64-7 Potassium Permanganate

PEL Ceiling limit value: 5 mg/m³

as Mn

- REL Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ as Mn
- *TLV* Long-term value: 0.02* 0.1** mg/m³ as Mn; A4, *respirable **inhalable fraction

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

(Contd. on page 5)

(Contd. of page 3)

US

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Potassium Permanganate, Technical Grade

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Crystalline	
Color:	Dark purple	
Odor:	Mild to odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	>240 °C (>464 °F)	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Product is not flammable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Potassium Permanganate, Technical Grade

		(Contd. of page 2
· Vapor pressure at 20 °C (68 °F):	0 hPa	
• Density at 20 °C (68 °F):	2.703 g/cm ³ (22.55654 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water at 20 °C (68 °F):	64.3 g/l	
· Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
• Other information	No further relevant information available.	

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

- Oral LD50 500 mg/kg (ATE)
- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

(Contd. on page 7)

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Potassium Permanganate, Technical Grade

(Contd. of page 6)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · *Bioaccumulative potential* No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (Assessment by list): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	UN1490	
UN proper shipping name		
DOT	Potassium permanganate	
IMDG, IATA	POTASSIUM PERMANGANATE	
• Transport hazard class(es) • DOT		
- Class	5.1 Oxidizing substances	
Label	5.1	

[·] Uncleaned packagings:

Printing date 05/28/2024

Reviewed on 05/28/2024

	(Contd. of pa
IMDG	
Class Label	5.1 Oxidizing substances 5.1
ΙΑΤΑ	
Class	5.1 Oxidizing substances
Label	5.1
Packing group DOT, IMDG, IATA	Π
Environmental hazards:	Environmentally hazardous substance, solid
Marine pollutant:	No Symbol (fish and tree)
Special precautions for user Hazard identification number (Kemler code). EMS Number: Segregation groups Stowage Category Segregation Code	Warning: Oxidizing substances : 50 F-H,S-Q (SGG14) Permanganates D SG38 Stow "separated from" SGG2-ammonium compounds. SG49 Stow "separated from" SGG6-cyanides SG60 Stow "separated from" SGG16-peroxides
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 kg On cargo aircraft only: 25 kg
Hazardous substance:	100 lbs, 45.4 kg
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
UN "Model Regulation":	UN 1490 POTASSIUM PERMANGANATE, 5.1, II

15 Regulatory information

*

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 9)

US

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Potassium Permanganate, Technical Grade

Trade name: Potassium Permanganate, Technical Grade	
	of page 8)
· Sara	
• Section 355 (extremely hazardous substances): Substance is not listed.	
• Section 313 (Specific toxic chemical listings): Substance is listed.	
· TSCA (Toxic Substances Control Act): ACTIVE	
· Hazardous Air Pollutants Substance is listed.	
· Proposition 65	
• Chemicals known to cause cancer: Substance is not listed.	
• Chemicals known to cause reproductive toxicity for females: Substance is not listed.	
 Chemicals known to cause reproductive toxicity for males: Substance is not listed. 	
· Chemicals known to cause developmental toxicity: Substance is not listed.	
Canain against automotion	
· Carcinogenic categories	
· EPA (Environmental Protection Agency) D	
• TLV (Threshold Limit Value) Substance is not listed.	
• NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.	
• GHS label elements The substance is classified and labeled according to the Globally Harmonized System	(GHS).
· Hazard pictograms	· /
$ \qquad \qquad$	
\vee \vee \vee \vee	
GHS03 GHS05 GHS07 GHS08	
· Signal word Danger	
· Hazard statements	
May intensify fire; oxidizer.	
Harmful if swallowed.	
Causes severe skin burns and eye damage.	
Suspected of damaging fertility or the unborn child.	
Causes damage to organs.	
Causes damage to organs through prolonged or repeated exposure.	
· Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat.	
Keep/Store away from clothing/combustible materials.	
Take any precaution to avoid mixing with combustibles.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and eas	y to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Get medical advice/attention if you feel unwell.	
Wash contaminated clothing before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
(Contd. or	page 10)

(Contd. on page 10)

US

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Potassium Permanganate, Technical Grade

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 9)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

• Date of preparation / last revision Revision 1.2, 05/28/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS, 07-09-2015. STN 05/28/2024

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Oxidizing Solids 2: Oxidizing solids – Category 2 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Corrosion 1B: Skin corrosion/irritation – Category 1B Eye Damage 1: Serious eye damage/eye irritation - Category 1 *Toxic to Reproduction 2: Reproductive toxicity – Category 2* Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1 Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) - Category 1

 \cdot * Data compared to the previous version altered.