Printing date 09/23/2014 Reviewed on 02/06/2014

1 Identification

- · Product identifier
- · Trade name: Potassium Permanganate, Technical Grade
- · Article number: P5445
- CAS Number: 7722-64-7
 EC number: 231-760-3
- Index number: 025-002-00-9
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586
- · Information department:

Product safety department Technical Coordinator

Sherman Nelson sherman@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS03 Flame over circle

Ox. Sol. 2 H272 May intensify fire; oxidizer.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS03

GHS07

- · Signal word Danger
- · Hazard statements

May intensify fire; oxidizer.

Harmful if swallowed.

· Precautionary statements

Take any precaution to avoid mixing with combustibles.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

 ${\it Keep/Store\ away\ from\ clothing/combustible\ materials}.$

Wear protective gloves/protective clothing/eye protection/face protection.

 $IF \ SWALLOWED: \ Call \ a \ POISON \ CENTER/doctor \ if \ you \ feel \ unwell.$

(Contd. on page 2)

Printing date 09/23/2014 Reviewed on 02/06/2014

Trade name: Potassium Permanganate, Technical Grade

(Contd. of page 1)

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



The substance possesses oxidizing properties.

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

7722-64-7 Potassium Permanganate

- · Identification number(s) · EC number: 231-760-3
- · Index number: 025-002-00-9

4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)

Printing date 09/23/2014 Reviewed on 02/06/2014

Trade name: Potassium Permanganate, Technical Grade

(Contd. of page 2)

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- \cdot *Specific end use*(s) *No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

7722-64-7 Potassium Permanganate

PEL Ceiling limit value: 5 mg/m³

as Mn

REL Short-term value: 3 mg/m³

Long-term value: 1 mg/m³

as Mn

TLV Long-term value: $0.02*0.1*mg/m^3$

as Mn; *respirable **inhalable fraction

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Printing date 09/23/2014 Reviewed on 02/06/2014

Trade name: Potassium Permanganate, Technical Grade

· Eye protection: Not required.

(Contd. of page 3)

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

· pH-value:

Form: Crystalline
Color: Dark purple
Odor: Mild to odorless
Odour threshold: Not determined.

· Change in condition

Melting point/Melting range: >240, °C (>464 °F)
Boiling point/Boiling range: Undetermined.

Flash point: Not applicable.

· Flammability (solid, gaseous): Contact with combustible material may cause fire.

Not determined.

Not applicable.

· Ignition temperature:

Decomposition temperature:

· Auto igniting: Not determined.

· Danger of explosion: Not determined.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

• Vapor pressure at 20 $^{\circ}$ C (68 $^{\circ}$ F): 0 hPa

• Density at 20 °C (68 °F): 2.703 g/cm³ (22.557 lbs/gal)

Relative density
Vapour density
Evaporation rate
Not determined.
Not applicable.
Not applicable.

· Solubility in / Miscibility with

Water at 20 °C (68 °F): 64.3 g/l

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

• Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

HS/

Printing date 09/23/2014 Reviewed on 02/06/2014

Trade name: Potassium Permanganate, Technical Grade

(Contd. of page 4)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

Oral LD50 1090 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.

	ra								

· UN-Number

· **DOT**, **IMDG**, **IAT**A UN1490

· UN proper shipping name

POT • POTASSIUM permanganate POTASSIUM PERMANGANATE

(Contd. on page 6)

Printing date 09/23/2014 Reviewed on 02/06/2014

Trade name: Potassium Permanganate, Technical Grade

(Contd. of page 5) · Transport hazard class(es) $\cdot DOT$ · Class 5.1 Oxidizing substances · Label 5.1 · IMDG, IATA · Class 5.1 Oxidizing substances · Label 5.1 · Packing group II · DOT, IMDG, IATA · Environmental hazards: Environmentally hazardous substance, solid · Marine pollutant: · Special precautions for user Warning: Oxidizing substances · Danger code (Kemler): · EMS Number: F-H,S-Q· Segregation groups Permanganates · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · Quantity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 25 kg · Hazardous substance: 100 lbs, 45.4 kg · Limited quantities (LQ) 1 kg · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g UN1490, Potassium permanganate, 5.1, II, · UN "Model Regulation": ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is listed.
- · TSCA (Toxic Substances Control Act): Substance is listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.

(Contd. on page 7)

Printing date 09/23/2014 Reviewed on 02/06/2014

Trade name: Potassium Permanganate, Technical Grade

(Contd. of page 6)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

7722-64-7 Potassium Permanganate

D

- · TLV (Threshold Limit Value established by ACGIH) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS03

- · Signal word Danger
- · Hazard statements

May intensify fire; oxidizer.

Harmful if swallowed.

· Precautionary statements

Take any precaution to avoid mixing with combustibles.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep/Store away from clothing/combustible materials.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Mr. Nelson
- · Date of preparation / last revision

Creation date for SDS 03-21-2014 STN

09/23/2014 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Ox. Sol. 2: Oxidising Solids, Hazard Category 2

Acute Tox. 4: Acute toxicity, Hazard Category 4