Printing date 06/17/2024

Reviewed on 06/17/2024

## **1 Identification**

- · Product identifier
- Trade name: <u>Synthetic Sea Water</u> Stock #1 ASTM D665
- · Article number: SPE091S1
- Details of the supplier of the safety data sheet • Manufacturer/Supplier:

Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

- Information department: Technical Coordinator
  Sherman Nelson shermann@aquasolutions.org
  Emergency telephone number:
- *Chemtrec: 800-424-9300 Canutec: 613-996-6666*

## **2** *Hazard*(*s*) *identification*

• *Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).* 

- · Label elements
- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

| HEALTH 0     | Health = 0     |
|--------------|----------------|
| FIRE 0       | Fire = 0       |
| REACTIVITY 0 | Reactivity = 0 |

· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 10043-52-4 Calcium Chloride

(Contd. on page 2)



Printing date 06/17/2024

Reviewed on 06/17/2024

### Trade name: Synthetic Sea Water Stock #1 ASTM D665

|                                     |                                | (Contd. of page 1) |  |  |
|-------------------------------------|--------------------------------|--------------------|--|--|
| · Table of Nonhazardous Ingredients |                                |                    |  |  |
| CAS: 7791-18-6                      | Magnesium Chloride Hexahydrate | 55.5%              |  |  |
| CAS: 7732-18-5                      | Water                          | 38.5%              |  |  |
| CAS: 10025-70-4                     | Strontium Chloride Hexahydrate | 0.2%               |  |  |

# **4** First-aid measures

### · Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

## **6** Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required. • Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: CAS: 7791-18-6 Magnesium Chloride Hexahydrate CAS: 10043-52-4 Calcium Chloride · PAC-2: CAS: 7791-18-6 Magnesium Chloride Hexahydrate 370 mg/m<sup>3</sup> 33 mg/m3

CAS: 10043-52-4 Calcium Chloride · PAC-3: CAS: 7791-18-6 Magnesium Chloride Hexahydrate  $1,600 \text{ mg/m}^3$ 

> (Contd. on page 3) US

 $34 mg/m^3$ 

 $12 mg/m^3$ 

Printing date 06/17/2024

Reviewed on 06/17/2024

Trade name: Synthetic Sea Water Stock #1 ASTM D665

### CAS: 10043-52-4 Calcium Chloride

(Contd. of page 2) 200 mg/m3

### 7 Handling and storage

- · Handling:
- Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Goggles recommended during refilling.
- · Body protection: Protective work clothing

(Contd. on page 4)

Printing date 06/17/2024

Trade name: Synthetic Sea Water Stock #1 ASTM D665 Reviewed on 06/17/2024

(Contd. of page 3)

| 9 Physical and chemical proper                          | ties  |  |  |  |
|---|---|--|--|--|
| · Information on basic physical and chemical properties |   |  |  |  |
| · General Information                                   |   |  |  |  |
| · Appearance:   |   |  |  |  |
| Form:   | Liquid  |  |  |  |
| Color:  | Clear   |  |  |  |
| · Odor:   | Odorless                                      |  |  |  |
| • Odor threshold:                                       | Not determined.                               |  |  |  |
| · pH-value:   | Not determined.                               |  |  |  |
| · Change in condition                                   |   |  |  |  |
| Melting point/Melting range:                            | Undetermined.                                 |  |  |  |
| <b>Boiling point/Boiling range:</b>                     | 100 °C (212 °F)                               |  |  |  |
| · Flash point:  | Not applicable.                               |  |  |  |
| · Flammability (solid, gaseous):                        | Not applicable.                               |  |  |  |
| • Decomposition temperature:                            | Not determined.                               |  |  |  |
| · Ignition temperature:                                 | Product is not selfigniting.                  |  |  |  |
| • Danger of explosion:                                  | Product does not present an explosion hazard. |  |  |  |
| · Explosion limits:                                     |   |  |  |  |
| Lower:  | Not determined.                               |  |  |  |
| Upper:  | Not determined.                               |  |  |  |
| · Vapor pressure at 20 °C (68 °F):                      | 23 hPa (17.3 mm Hg)                           |  |  |  |
| • Density at 20 °C (68 °F):                             | 1.37936 g/cm³ (11.51076 lbs/gal)              |  |  |  |
| · Relative density                                      | Not determined.                               |  |  |  |
| · Vapor density   | Not determined.                               |  |  |  |
| • Evaporation rate                                      | Not determined.                               |  |  |  |
| · Solubility in / Miscibility with                      |   |  |  |  |
| Water:  | Fully miscible.                               |  |  |  |
| · Partition coefficient (n-octanol/wate                 | er): Not determined.                          |  |  |  |
| · Viscosity:  |   |  |  |  |
| Dynamic:  | Not determined.                               |  |  |  |
| Kinematic:  | Not determined.                               |  |  |  |
| · Solvent content:                                      |   |  |  |  |
| Water:  | 38.5 %  |  |  |  |
| VOC content:  | 0.00 %  |  |  |  |
|   | 0.0 g/l / 0.00 lb/gal                         |  |  |  |
| Solids content:   | 61.5 %  |  |  |  |
| · Other information                                     | No further relevant information available.    |  |  |  |

# 10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.

(Contd. on page 5)

<sup>-</sup> US

Printing date 06/17/2024

Trade name: Synthetic Sea Water Stock #1 ASTM D665 Reviewed on 06/17/2024

(Contd. of page 4)

· Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

• Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

### · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 17,241 mg/kg (rat)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- $\cdot$  Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 6)

Printing date 06/17/2024

Reviewed on 06/17/2024

Trade name: Synthetic Sea Water Stock #1 ASTM D665

(Contd. of page 5)

# **13 Disposal considerations**

- $\cdot$  Waste treatment methods
- $\cdot \textit{Recommendation: Smaller quantities can be disposed of with household waste.}$
- · Uncleaned packagings:
- *Recommendation:* Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

| 4 Transport information  |   |  |
|--|---|--|
| · UN-Number<br>· DOT, ADN, IMDG, IATA                                  | Not regulated                                   |  |
| · UN proper shipping name<br>· DOT, ADN, IATA<br>· IMDG                | Not regulated<br>Not Regulated<br>Not regulated |  |
| · Transport hazard class(es)   |   |  |
| · DOT, ADN, IMDG, IATA<br>· Class                                      | Not regulated                                   |  |
| · Packing group<br>· DOT, IMDG, IATA                                   | Not regulated                                   |  |
| · Environmental hazards:   | Not applicable.                                 |  |
| · Special precautions for user   | Not applicable.                                 |  |
| • Transport in bulk according to Annex<br>MARPOL73/78 and the IBC Code | II of<br>Not applicable.                        |  |
| · UN ''Model Regulation'':   | Not regulated                                   |  |

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

| • Section 355 (extremely hazardous substances):   |                    |
|---|--------------------|
| None of the ingredients is listed.                |                    |
| · Section 313 (Specific toxic chemical listings): |                    |
| None of the ingredients is listed.                |                    |
| · TSCA (Toxic Substances Control Act):            |                    |
| Water   | ACTIVE             |
| Calcium Chloride                                  | ACTIVE             |
| · Hazardous Air Pollutants                        |                    |
| None of the ingredients is listed.                |                    |
|   | (Contd. on page 7) |
|   | 110                |

Printing date 06/17/2024

#### Reviewed on 06/17/2024

### Trade name: Synthetic Sea Water Stock #1 ASTM D665

(Contd. of page 6)

## · Proposition 65

### · Chemicals known to cause cancer:

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

### · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

# $\cdot$ Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

#### · EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### · TLV (Threshold Limit Value)

None of the ingredients is listed.

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 0.1, 06/14/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 05-29-2024: Creation date for SDS. STN 06/17/2024 / 1.0 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit

(Contd. on page 8)

US

Printing date 06/17/2024

Trade name: Synthetic Sea Water Stock #1 ASTM D665

Reviewed on 06/17/2024

REL: Recommended Exposure Limit • \* Data compared to the previous version altered. (Contd. of page 7)

US -