Reviewed on 05/29/2024

Printing date 05/29/2024	Reviewed on 05/29/2024
1 Identification	
· Product identifier	
• Trade name: <u>Morpholine 0.05 Normal</u> in Methanol	
• Article number: SPE317	
Details of the supplier of the safety data sheet	
• <i>Manufacturer/Supplier:</i> Aqua Solutions, Inc.	AQUA
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536	
USA	
800-256-2586	
Information department:	
Technical Coordinator Sharman Nalson sharmann@aauasolutions ora	
Sherman Nelson shermann@aquasolutions.org • Emergency telephone number:	
Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3	H225 Highly flammable liquid and vapor. H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled.
GHS08 Health hazard	
Specific Target Organ Toxicity - Single Exposure 1	H370 Causes damage to the central nervous system and the visual organs.
• Label elements • GHS label elements The product is classified and l • Hazard pictograms	labeled according to the Globally Harmonized System (GHS).
GHS02 GHS06 GHS08 • Signal word Danger	
• •	
• Hazard-determining components of labeling: Methanol	
memanoi	(Contd. on page 2

(Contd. on page 2) US

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Morpholine 0.05 Normal in Methanol

	(Contd. of page 1)
Morpholine 99+%, Redistiled, Reagent A.C.S.	
· Hazard statements	
Highly flammable liquid and vapor.	
<i>Toxic if swallowed, in contact with skin or if inhaled.</i>	
Causes damage to the central nervous system and the visual organs.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Rinse mouth.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF exposed: Call a POISON CENTER or doctor/physician.	
Call a poison center/doctor if you feel unwell.	
Take off immediately all contaminated clothing and wash it before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation.	S.
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 2	
Fire = 3	
2 0 Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
HEALTH 3 $H_{aalth} = 3$	
\square $\Pi e u i n = J$	
FIRE 3 Fire = 3	
REACTIVITY 0 Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• PBT : Not applicable.	
• vPvB : Not applicable.	
······································	

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3) US

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Morpholine 0.05 Normal in Methanol

(Contd. of page 2)

99.447%

0.553%

•	Dangerous	components:
---	-----------	-------------

- CAS: 67-56-1 Methanol
- CAS: 110-91-8 Morpholine 99+%, Redistiled, Reagent A.C.S.

4 First-aid measures

· Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.
- *Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.*
- After inhalation:
- Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- *After swallowing:* Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

(Contd. on page 4)

US

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Morpholine 0.05 Normal in Methanol

· Protective Action Criteria for Chemicals		(Contd. of page 3)
· PAC-1:		
CAS: 67-56-1 Methanol		530 ppm
CAS: 110-91-8 Morpholine 99+%, Redistiled, R	eagent A.C.S.	30 ppm
· PAC-2:		
CAS: 67-56-1 Methanol		2,100 ppm
CAS: 110-91-8 Morpholine 99+%, Redistiled, R	eagent A.C.S.	1,300 ppm
· PAC-3:		
CAS: 67-56-1 Methanol		7200* ppm
CAS: 110-91-8 Morpholine 99+%, Redistiled, R	eagent A.C.S.	8000** ppm

7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.

- Conditions for safe storage, including any incompatibilities • Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- \cdot Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

CAS: 67-56-1 Methanol

PEL Long-term value: 260 mg/m³, 200 ppm

- REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
- TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI

(Contd. on page 5)

US

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Morpholine 0.05 Normal in Methanol

CAS	: 110-91-8 Morpholine 99+%, Redistiled, Reagent A.C.S. (Contd. of page 4
	Long-term value: 70 mg/m ³ , 20 ppm
1 22	Skin
REL	Short-term value: 105 mg/m ³ , 30 ppm
	Long-term value: 70 mg/m ³ , 20 ppm
	Skin
TLV	Long-term value: 20 ppm
	Skin, A4
Ingr	edients with biological limit values:
CAS	: 67-56-1 Methanol
BEI	15 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Methanol (background, nonspecific)
Addi	tional information: The lists that were valid during the creation were used as basis.
	osure controls
	onal protective equipment:
	ral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing.
	a hands before breaks and at the end of work.
	protective clothing separately.
	d contact with the eyes and skin. thing equipment:
	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us
	ratory protective device that is independent of circulating air.
	ection of hands:
	Protective closes
	Protective gloves
The g	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ th
	ical mixture.
	tion of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	rial of gloves
	relection of the suitable gloves does not only depend on the material, but also on further marks of quality an
	s from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of
	love material can not be calculated in advance and has therefore to be checked prior to the application.
	tration time of glove material
obset	exact break through time has to be found out by the manufacturer of the protective gloves and has to b reved
	vea. protection:
Lyc	
$\left(\right)$	
(Ū	Tightly sealed goggles
	(Contd. on page 6

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Morpholine 0.05 Normal in Methanol

· Body protection: Protective work clothing

Physical and chemical proper	ties
· Information on basic physical and c	hemical properties
· General Information	
· Appearance:	
Form:	Liquid
Color:	Clear Medanal
· Odor: · Odor threshold:	Methanol Not determined.
· pH-value:	Not determined.
•	ivoi uelermineu.
· Change in condition	07.9.9C(144.9E)
Melting point/Melting range: Boiling point/Boiling range:	-97.8 °C (-144 °F) 64 °C (147.2 °F)
· Flash point:	11 °C (51.8 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	455 °C (851 °F)
• Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
• Density at 20 °C (68 °F):	0.7924 g/cm ³ (6.61258 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	Fully missible
Water:	Fully miscible.
• Partition coefficient (n-octanol/wate	r; noi aeierminea.
· Viscosity:	Not determined
Dynamic: Kinematic:	Not determined. Not determined.
	1101 ucici IIIIIIcu.
· Solvent content:	100.0 %
Organic solvents: VOC content:	100.0 %
, oc coment.	792.4 g/l / 6.61 lb/gal
Solids content:	0.0 %
	(Contd. on page

Printing date 05/29/2024

Reviewed on 05/29/2024

(Contd. of page 6)

Trade name: Morpholine 0.05 Normal in Methanol

• Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)		
Oral	LD50	101 mg/kg
Dermal	LD50	301 mo/ko

		501 1115/115
Inhalative	LC50/4h	3.02 mg/l

• Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 110-91-8 Morpholine 99+%, Redistiled, Reagent A.C.S.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 8)

3

US

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Morpholine 0.05 Normal in Methanol

(Contd. of page 7)

 \cdot Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB**: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Methanol)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Methanol)
Transport hazard class(es)	
DOT	
PLANAALE LOUD	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class	2 Elaumahla lianida
Label	3 Flammable liquids 3
	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Morpholine 0.05 Normal in Methanol

	(Contd. of page
Hazard identification number (Kemler code)	: 33
EMS Number:	F-E,S-E
· Stowage Category	B
• Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· IMDG	
Limited quantities (LQ)	1L
\cdot Excepted quantities ($\widetilde{E}Q$)	Code: E2
· · · · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 Sara
- Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- Section 313 (Specific toxic chemical listings): CAS: 67-56-1 Methanol
- · TSCA (Toxic Substances Control Act):
- Methanol
 - Morpholine 99+%, Redistiled, Reagent A.C.S.
- · Hazardous Air Pollutants
- CAS: 67-56-1 Methanol
- · Proposition 65
- · Chemicals known to cause cancer:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for females:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.
- · Chemicals known to cause developmental toxicity:
- CAS: 67-56-1 Methanol
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- None of the ingredients is listed.

(Contd. on page 10)

ACTIVE

ACTIVE

US

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Morpholine 0.05 Normal in Methanol

(Contd. of page 9)

A4

• TLV (Threshold Limit Value)

CAS: 110-91-8 Morpholine 99+%, Redistiled, Reagent A.C.S.

 \cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Methanol Morpholine 99+%, Redistiled, Reagent A.C.S. · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes damage to the central nervous system and the visual organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. *Use explosion-proof electrical/ventilating/lighting/equipment.* Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed: Call a POISON CENTER or doctor/physician. Call a poison center/doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 11)

US

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Morpholine 0.05 Normal in Methanol

Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 1.2, 05/29/2024: Reviewed SDS for accuracy. MH/STN 05/29/2024 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods	
Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 1.2, 05/29/2024: Reviewed SDS for accuracy. MH/STN 05/29/2024 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods	
Date of preparation / last revision Revision 1.2, 05/29/2024: Reviewed SDS for accuracy. MH/STN 05/29/2024 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods	
Date of preparation / last revision Revision 1.2, 05/29/2024: Reviewed SDS for accuracy. MH/STN 05/29/2024 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods	
Revision 1.2, 05/29/2024: Reviewed SDS for accuracy. MH/STN 05/29/2024 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods	
05/29/2024 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods	
Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
DBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Acute Toxicity - Oral 3: Acute toxicity – Category 3	
Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1	
* Data compared to the previous version altered.	