Printing date 05/29/2024 Reviewed on 05/29/2024

1 Identification

· Product identifier

· Trade name: Thymol Blue 1% w/v

in Dimethylformamide

· Article number: SPE474

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300

Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Carcinogenicity 1B H350 May cause cancer.

Toxic to Reproduction 1B H360 May damage fertility or the unborn child.



GHS07

Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02 GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

 $N, N ext{-}Dimethyl formamide$

(Contd. on page 2)

Printing date 05/29/2024 Reviewed on 05/29/2024

Trade name: Thymol Blue 1% w/v in Dimethylformamide

(Contd. of page 1)

· Hazard statements

Flammable liquid and vapor.

Harmful in contact with skin or if inhaled.

Causes serious eye irritation.

May cause cancer.

May damage fertility or the unborn child.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3Fire = 2

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

Printing date 05/29/2024 Reviewed on 05/29/2024

Trade name: Thymol Blue 1% w/v in Dimethylformamide

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 68-12-2 N,N-Dimethylformamide

98.948%

· Table of Nonhazardous Ingredients

CAS: 76-61-9 Thymol Blue

1.052%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

(Contd. on page 4)

Printing date 05/29/2024 Reviewed on 05/29/2024

Trade name: Thymol Blue 1% w/v in Dimethylformamide

(Contd. of page 3)

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 68-12-2	N,N-Dimethylformamide	2 ppm
CAS: 76-61-9	Thymol Blue	30 mg/m^3
· PAC-2:		
CAS: 68-12-2	N,N-Dimethylformamide	91 ppm
CAS: 76-61-9	Thymol Blue	330 mg/m³
· PAC-3:		
CAS: 68-12-2	N,N-Dimethylformamide	530 ppm
CAS: 76-61-9	Thymol Blue	2,000 mg/m ³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values th	hat require monitorin	g at the workplace:
-----------------------------------	-----------------------	---------------------

CAS: 68-12-2 N,N-Dimethylformamide

PEL Long-term value: 30 mg/m³, 10 ppm

Skin

REL Long-term value: 30 mg/m³, 10 ppm

Skir

TLV Long-term value: 5 ppm

Skin; BEI, A3

(Contd. on page 5)

Printing date 05/29/2024 Reviewed on 05/29/2024

Trade name: Thymol Blue 1% w/v in Dimethylformamide

(Contd. of page 4)

· Ingredients with biological limit values:

CAS: 68-12-2 N,N-Dimethylformamide

BEI 30 mg/L

LD50 Intraperitoneal: urine

Time: end of shift

LD50: Total N-Methylformamide (sum of N-Methylformamide and N-(Hydroxymethyl)-N-Methylformamide

30 mg/L

LD50 Intraperitoneal: urine

Time: end of shift at end of workweek

LD50: N-Acetyl-S-(N-methylcarbamoyl) cysteine

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· **Body protection:** Protective work clothing

Printing date 05/29/2024 Reviewed on 05/29/2024

Trade name: Thymol Blue 1% w/v in Dimethylformamide

(Contd. of page 5)

Information on basic physical and chemical properties General Information - Appearance: Form: Color: Red Odor: Odor: Odor Organic Odor threshold: Not determined PH-value at 20 °C (68 °F): OC Conting point/Melting range: Bolling point/Melting range: Bolling point/Bolling range: Solida gaseous): Flammability (solid, gaseous): Flammable Auto igniting: Auto igniting: Auto igniting: Product is not selfigniting Decomposition temperature: Not determined Ignition temperature: Product is not selfigniting Danger of explosion: Not determined Explosion limits: Lower: Upper: Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): Openaity at 20 °C (68 °F): Openaity at 20 °C (68 °F): Solubility in / Miscibility with Water: Fully miscible Partition coefficient (n-octanol/water): Not determined Viscosity: Dynamic: Not determined Viscosity: Dynamic: Not determined Viscosity: Dynamic: Not determined Solvent content: VOC content: Openation on No further relevant information available.	9 Physical and chemical proper	ties
General Information - Appearance: Form: Color: Red Odor: Odor threshold: Not determined. - PH-value at 20 °C (68 °F): - Change in condition Melting point/Botling range: Boiling point/Botling range: - 152 °C (305.6 °F) - Flash point: - 58 °C (136.4 °F) - Flammability (solid, gaseous): - Flammability (solid, gaseous): - Flammability (solid, gaseous): - Auto igniting: - Auto igniting: - Decomposition temperature: - Not determined Ignition temperature: - Product is not selfigniting. - Danger of explosion: - Not determined Explosion limits: - Lower: - Upper: - 16 Vol % - Vapor pressure at 20 °C (68 °F): - O9503 g/cm³ (7.93025 lbs/gal) - Not determined Evaporation rate - Not determined Solubility in / Miscibility with Water: - Partition coefficient (n-octanol/water): - Not determined Solubility in / Miscibility with Water: - Partition coefficient (n-octanol/water): - Not determined Solvent content: - VOC c	· Information on basic physical and c	hemical properties
Appearance: Form:		
Color: Organic Odor threshold: Not determined. pH-value at 20 °C (68 °F): 7 Change in condition Melting point/Melting range: 152 °C (305.6 °F) Flash point: 58 °C (136.4 °F) Flammability (solid, gaseous): Flammable. Auto igniting: 440 °C (824 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Not determined. Explosion limits: Lower: 2.2 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 0.9503 g/cm³ (7.93025 lbs/gal) Not determined. Possity at 20 °C (68 °F): Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kiematic: Not determined. Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 % Solids content: 0.00 % Solids content: 0.00 %		
Odor: Odor threshold: Not determined. PH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: 152 °C (305.6 °F) Flash point: S8 °C (136.4 °F) Flammability (solid, gaseous): Flammable. Auto igniting: 440 °C (824 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Not determined. Explosion limits: Lower: Lower: 16 Vol % Vapor pressure at 20 °C (68 °F): 3.5 hPa (2.6 mm Hg) Density at 20 °C (68 °F): Not determined. Poensity at 20 °C (68 °F): Not determined. Partition coefficient (n-octanol/water): Not determined. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Not determined. Solvent content: VOC content: VO	Form:	Liquid
Odor threshold: PH-value at 20 °C (68 °F): Ph-value at 20 °C (68 °F): Change in condition Melting point/Boiling range: Boiling point/Boiling range: 152 °C (305.6 °F) Flash point: S8 °C (136.4 °F) Flammability (solid, gaseous): Flammable. Auto igniting: 440 °C (824 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Not determined. Explosion limits: Lower: Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 3.5 hPa (2.6 mm Hg) Density at 20 °C (68 °F): Not determined. Possity at 20 °C (68 °F): Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Not determined. Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Dynamic: Kinematic: Not determined.	Color:	Red
PH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: 152 °C (305.6 °F) Flash point: Flash point: Flammability (solid, gaseous): Flammable. Auto igniting: 440 °C (824 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Not determined. Explosion limits: Lower: Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): Relative density Not determined. Solubility in / Miscibility with Water: Partition coefficient (n-octanollwater): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Solvent content: VOC content: O 0 0 % O 0 g/l / 0.00 lb/gal Solids content:	· Odor:	
Change in condition Melting point/Melting range: Boiling point/Boiling range: 152 °C (305.6 °F) Flash point: 58 °C (136.4 °F) Flammability (solid, gaseous): Flammable. Auto igniting: 440 °C (824 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Not determined. Explosion limits: Lower: Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 3.5 hPa (2.6 mm Hg) Density at 20 °C (68 °F): Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content:	· Odor threshold:	Not determined.
Melting point/Melting range: Boiling point/Boiling range: 152 °C (305.6 °F) Flash point: 58 °C (136.4 °F) Flammability (solid, gaseous): Flammable. Auto igniting: 440 °C (824 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Not determined. Explosion limits: Lower: Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 3.5 hPa (2.6 mm Hg) Density at 20 °C (68 °F): 0.9503 g/cm³ (7.93025 lbs/gal) Relative density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Solvent content: VOC content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids contents:	· pH-value at 20 °C (68 °F):	7
Boiling point/Boiling range: 152 °C (305.6 °F) Flash point: 58 °C (136.4 °F) Flammability (solid, gaseous): Flammable. Auto igniting: 440 °C (824 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Not determined. Explosion limits: Lower: 2.2 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 3.5 hPa (2.6 mm Hg) Density at 20 °C (68 °F): 0.9503 g/cm³ (7.93025 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Solvent content: Not determined. Solvent content: Not determined. Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %	· Change in condition	
Boiling point/Boiling range: 152 °C (305.6 °F) Flash point: 58 °C (136.4 °F) Flammability (solid, gaseous): Flammable. Auto igniting: 440 °C (824 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Not determined. Explosion limits: Lower: Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 3.5 hPa (2.6 mm Hg) Density at 20 °C (68 °F): 0.9503 g/cm³ (7.93025 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Solvent content: Not determined. Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %	Melting point/Melting range:	-61 °C (-77.8 °F)
Flammability (solid, gaseous): Flammable. Auto igniting: 440 °C (824 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Not determined. Explosion limits: Lower: Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 3.5 hPa (2.6 mm Hg) Density at 20 °C (68 °F): Not determined. Possity at 20 °C (68 °F): Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Solvent content: VOC content: VOC content: VOC content: O,00 % Solids content: VOC content: O,00 % O g/1 / 0.00 lb/gal	Boiling point/Boiling range:	152 °C (305.6 °F)
- Auto igniting: 440 °C (824 °F) - Decomposition temperature: Not determined. - Ignition temperature: Product is not selfigniting. - Danger of explosion: Not determined. - Explosion limits:	· Flash point:	58 °C (136.4 °F)
Decomposition temperature: Product is not selfigniting. Danger of explosion: Not determined. Explosion limits: Lower: 2.2 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 3.5 hPa (2.6 mm Hg) Density at 20 °C (68 °F): 0.9503 g/cm³ (7.93025 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: VOC content: 0.00 % 0.00 g/l / 0.00 lb/gal Solids content: 0.00 %	· Flammability (solid, gaseous):	Flammable.
Ignition temperature: Product is not selfigniting. Danger of explosion: Not determined. Explosion limits: Lower: 2.2 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 3.5 hPa (2.6 mm Hg) Density at 20 °C (68 °F): 0.9503 g/cm³ (7.93025 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %	· Auto igniting:	440 °C (824 °F)
Danger of explosion: Danger of explosion: Danger of explosion: Explosion limits: Lower: Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 3.5 hPa (2.6 mm Hg) Density at 20 °C (68 °F): 0.9503 g/cm³ (7.93025 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content:	· Decomposition temperature:	Not determined.
Explosion limits: Lower: Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 3.5 hPa (2.6 mm Hg) Density at 20 °C (68 °F): Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %	· Ignition temperature:	Product is not selfigniting.
Lower: 2.2 Vol % Upper: 16 Vol % • Vapor pressure at 20 °C (68 °F): 3.5 hPa (2.6 mm Hg) • Density at 20 °C (68 °F): 0.9503 g/cm³ (7.93025 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Evaporation rate Not determined. • Solubility in / Miscibility with Water: Fully miscible. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. • Solvent content: VOC content: • O.00 % 0.0 g/l / 0.00 lb/gal • Solids content: 0.0 %	· Danger of explosion:	Not determined.
Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 3.5 hPa (2.6 mm Hg) Density at 20 °C (68 °F): 0.9503 g/cm³ (7.93025 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %	· Explosion limits:	
· Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Not determined. Vapor density Not determined. - Evaporation rate Not determined. - Solubility in / Miscibility with Water: Fully miscible. - Partition coefficient (n-octanol/water): Not determined. - Viscosity: Dynamic: Kinematic: Not determined. Not determined. - Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %	Lower:	2.2 Vol %
Density at 20 °C (68 °F): Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Solvent content: VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.00 %	Upper:	16 Vol %
 Relative density	· Vapor pressure at 20 °C (68 °F):	3.5 hPa (2.6 mm Hg)
 Relative density	· Density at 20 °C (68 °F):	$0.9503 \ g/cm^3 \ (7.93025 \ lbs/gal)$
 Vapor density Evaporation rate Not determined. Solubility in / Miscibility with		Not determined.
Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: 0.00 % VOC content: 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %	· Vapor density	Not determined.
Water: Fully miscible. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. • Solvent content: 0.00 % VOC content: 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %	· Evaporation rate	Not determined.
Water: Fully miscible. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. • Solvent content: 0.00 % VOC content: 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %	· Solubility in / Miscibility with	
• Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. • Solvent content: 0.00 % VOC content: 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %	•	Fully miscible.
Dynamic: Not determined. Kinematic: Not determined. Solvent content: 0.00 % VOC content: 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %	· Partition coefficient (n-octanol/wate	r): Not determined.
Kinematic: Not determined. • Solvent content: 0.00 % VOC content: 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %	· Viscosity:	
Solvent content: 0.00 % VOC content: 0.00 g/l / 0.00 lb/gal Solids content: 0.0 %	•	
VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %	Kinematic:	Not determined.
VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %	· Solvent content:	
0.0 g/l / 0.00 lb/gal Solids content: 0.0 %		0.00 %
H-10000-1-1000-1-100		0.0 g/l / 0.00 lb/gal
• Other information No further relevant information available.	Solids content:	0.0 %
	· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

(Contd. on page 7)

Printing date 05/29/2024 Reviewed on 05/29/2024

Trade name: Thymol Blue 1% w/v in Dimethylformamide

(Contd. of page 6)

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

 Dermal
 LD50
 1,112 mg/kg

 Inhalative
 LC50/4h
 11.1 mg/l

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 68-12-2 N,N-Dimethylformamide

2A

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 8)

Printing date 05/29/2024 Reviewed on 05/29/2024

Trade name: Thymol Blue 1% w/v in Dimethylformamide

· Other adverse effects No further relevant information available.

(Contd. of page 7)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN1993 Flammable liquids, n.o.s. (N,N-Dimethylformamide) FLAMMABLE LIQUID, N.O.S. (N,N-Dimethylformamide)
FLAMMABLE LIQUID, N.O.S. (N,N-Dimethylformamide)
3 Flammable liquids
3
3 Flammable liquids
3
III
No
Warning: Flammable liquids
) : 30
<i>F-E</i> , <u><i>S-E</i></u>
A
)

(Contd. on page 9)

Printing date 05/29/2024 Reviewed on 05/29/2024

Trade name: Thymol Blue 1% w/v in Dimethylformamide

(Contd. of page 8) · Transport/Additional information: · Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L · IMDG · Limited quantities (LQ) 5L· Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN 1993 FLAMMABLE LIQUID, N.O.S. (N, N-· UN "Model Regulation": DIMETHYLFORMAMIDE), 3, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 68-12-2 N,N-Dimethylformamide

· TSCA (Toxic Substances Control Act):

N,N-Dimethylformamide **ACTIVE** Thymol Blue **ACTIVE**

· Hazardous Air Pollutants

CAS: 68-12-2 N,N-Dimethylformamide

- · Proposition 65
- · Chemicals known to cause cancer:

CAS: 68-12-2 N,N-Dimethylformamide

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 68-12-2 N,N-Dimethylformamide

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 10)

Printing date 05/29/2024 Reviewed on 05/29/2024

Trade name: Thymol Blue 1% w/v in Dimethylformamide

(Contd. of page 9)

· Hazard pictograms







GHS02

GHS07

· Signal word Danger

· Hazard-determining components of labeling:

N,N-Dimethylformamide

· Hazard statements

Flammable liquid and vapor.

Harmful in contact with skin or if inhaled.

Causes serious eye irritation.

May cause cancer.

May damage fertility or the unborn child.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 05/29/2024 Reviewed on 05/29/2024

Trade name: Thymol Blue 1% w/v in Dimethylformamide

(Contd. of page 10)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 05/29/2024: Reviewed SDS for accuracy. MH/STN 05/29/2024

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 3: Flammable liquids – Category 3

Acute Toxicity - Dermal 4: Acute toxicity - Category 4

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Carcinogenicity 1B: Carcinogenicity - Category 1B

Toxic to Reproduction 1B: Reproductive toxicity – Category 1B

* * Data compared to the previous version altered.

US