Printing date 05/30/2024

Reviewed on 05/30/2024

1 Identification

- · Product identifier
- Trade name: Ferrous Ammonium Sulfate 8 g/L Stock Solution
- · Article number: SPX086
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225
- DEER PARK, TX 77536 USA 800-256-2586
- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



Carcinogenicity 1A H350 May cause cancer.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labeling: Sulfuric Acid 96 - 98%
- · Hazard statements
- May cause cancer.
- Precautionary statements
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Wear protective gloves/protective clothing/eye protection/face protection.
- IF exposed or concerned: Get medical advice/attention.
- Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)


⁻ US

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Ferrous Ammonium Sulfate 8 g/L Stock Solution

(Contd. of page 1)



· PBT: Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

• Dangerous components: 0.365% CAS: 7664-93-9 Sulfuric Acid 96 - 98% 0.365% • Table of Nonhazardous Ingredients 0.365% CAS: 7732-18-5 Water 98.839% CAS: 7783-85-9 Ferrous Ammonium Sulfate 0.796%

4 First-aid measures

· Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Ferrous Ammonium Sulfate 8 g/L Stock Solution

(Contd. of page 2)

Personal precauti	ions, protective equipment and emergency procedures Not required.	
	ecautions: Dilute with plenty of water.	
	erial for containment and cleaning up:	
	l-binding material (sand, diatomite, acid binders, universal binders, saw	edust).
	ated material as waste according to section 13.	
Ensure adequate v		
Reference to other		
	information on safe handling.	
	information on personal protection equipment.	
	disposal information.	
Protective Action	Criteria for Chemicals	
PAC-1:		
	Ferrous Ammonium Sulfate	9.6 mg/m ³
CAS: 7783-85-9	Ferrous Ammonium Sulfate Sulfuric Acid 96 - 98%	
CAS: 7783-85-9		
CAS: 7783-85-9 1 CAS: 7664-93-9 5 PAC-2:		0.20 mg/n
CAS: 7783-85-9 I CAS: 7664-93-9 S PAC-2: CAS: 7783-85-9 CAS: 7783-85-9 I	Sulfuric Acid 96 - 98%	0.20 mg/n 110 mg/n
CAS: 7783-85-9 1 CAS: 7664-93-9 5 PAC-2: CAS: 7783-85-9 1 CAS: 7664-93-9 5	Sulfuric Acid 96 - 98% Ferrous Ammonium Sulfate	0.20 mg/n 110 mg/n
CAS: 7783-85-9 I CAS: 7664-93-9 S PAC-2: CAS: 7783-85-9 I CAS: 7664-93-9 S PAC-3:	Sulfuric Acid 96 - 98% Ferrous Ammonium Sulfate	9.6 mg/m ³ 0.20 mg/n 110 mg/n 8.7 mg/m 640 mg/n

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

PEL Long-term value: 1 mg/m³

REL Long-term value: 1 mg/m³

(Contd. on page 4)

⁻ US

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Ferrous Ammonium Sulfate 8 g/L Stock Solution

(Contd. of page 3)

TLV Long-term value: 0.2* *mg/m³* *as thoracic fraction, A2

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Store protective clothing separately.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and General Information	chemical properties	
Appearance: Form:	Linuid	
Form: Color:	Liquid Colorless	
001011	Odorless	
Odor:	0.00110055	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Ferrous Ammonium Sulfate 8 g/L Stock Solution

	(Contd. of page 4
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	1.0054 g/cm ³ (8.39006 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
\cdot Evaporation rate	Not determined.
\cdot Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	98.8 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.8 %
• Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.

(Contd. on page 6)

[–] US

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Ferrous Ammonium Sulfate 8 g/L Stock Solution

(Contd. of page 5)

1

K

• Sensitization: No sensitizing effects known.

 \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· NTP (National Toxicology Program)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

1 Thursport injornitation		
· UN-Number · DOT, ADN, IMDG, IATA	Not regulated	
· UN proper shipping name · DOT, ADN, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	Not regulated	
		(Contd. on page 7)

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name:	Ferrous Ammonium	Sulfate
	8 g/L Stock Solution	

		(Contd. of page 6)
· Packing group · DOT, IMDG, IATA	Not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Anne. MARPOL73/78 and the IBC Code	x II of Not applicable.	
· UN "Model Regulation":	Not regulated	

15 Regulatory information

Section 355 (extremely hazardous substances):	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	
Section 313 (Specific toxic chemical listings):	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	
TSCA (Toxic Substances Control Act):	
Water	ACTIV
Sulfuric Acid 96 - 98%	ACTIV
Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	Α
NIOSH-Ca (National Institute for Occupational Safety and Health)	I
None of the ingredients is listed.	

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Ferrous Ammonium Sulfate 8 g/L Stock Solution

• Hazard pictograms	(Contd. of page 7)
GHS08	
· Signal word Danger	
 Hazard-determining components of labeling: Sulfuric Acid 96 - 98% Hazard statements May cause cancer. Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. IF exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations: 	lations.
• Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group III (dangerous).	
 Information about limitation of use: Workers are not allowed to be exposed to the hazardous carcinogenic materials containe Exceptions can be made by the authorities in certain cases. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 	ed in this preparation.
16 Other information	
This information is based on our present knowledge. However, this shall not constitute specific product features and shall not establish a legally valid contractual relationship.	? a guarantee for any

- · Department issuing SDS: Environment protection department.
- Contact: Date of Preparation / Last Revision:
 Date of preparation / last revision Revision 1.2, 05/30/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 12-20-2016: creation date for SDS. STN 05/30/2024
 Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit

(Contd. on page 9)

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Ferrous Ammonium Sulfate 8 g/L Stock Solution

(Contd. of page 8)

US

REL: Recommended Exposure Limit Carcinogenicity 1A: Carcinogenicity – Category 1A • * Data compared to the previous version altered.