Printing date 08/12/2024

*

Reviewed on 08/12/2024

Identification Product identifier Trade name: Water Standard 10.0% w/w (Imt = 100 mg H_Q) Article number: SPX470 Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Canutee: 613-996-66666 Hazard(s) identification Classification of the substance or mixture image of HS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. image of HS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. image of HS08 Health hazard Toxic to Reproduction 1B H360 May damage fertility or the unborn child. image of HS057 Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements They forgarms image of product is classified and labeled according to the Globally Harmonized System			
Trade name: Water Standard 10.0% w/w (Iml = 100 mg H ₂ O) Article number: SPX470 Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Itighway 225 DEER PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org Emergency telephone number: Chemtre: 800-424-9300 Canute: 613-99-66666 Hazard(IS) Identification Classification of the substance or mixture Image: Sherman Belson Sherman Reson Sherman Res	tification		
(Iml = 100 mg H_Q) Article number: SPX470 Details of the supplier of the safety data sheet Manu Schuins, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Canutee: 613-996-6666 Hazard(s) identification Classification of the substance or mixture Image: GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. For the substance of the s	act identifier		1
Article number: SPX470 Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77336 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtre: 800-424-9300 Canute: 613-996-6666 Hazard(s) Identification Classification of the substance or mixture Image: Construct of the substance or the substance or mixture Image: Construct of the substance or the substance o			
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, IX 77336 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Canutee: 613-996-6666 Information department: Technical Solutions of the substance or mixture Organization of the substance or mixture Information department: Telephical Action of the substance or mixture Image: GHS02 Flame H226 Flammable liquid and vapor. Flammable Liquids 3 H226 Flammable liquid and vapor. Image: GHS08 Health hazard H360 May damage fertility or the unborn child. Image: GHS07 Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements The product is classified and labeled according to the Globally Harmonized System			
Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-242-9300 Canutec: 613-996-6666 Information of the substance or mixture Operation of the substance or mixture Information of the substance or mixture Image: GHS02 Flame H226 Flammable liquid and vapor. Flammable Liquids 3 H226 Flammable liquid and vapor. Image: GHS08 Health hazard Toxic to Reproduction 1B Image: GHS07 GHS07 Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements The product is classified and labeled according to the Globally Harmonized System			
Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture \widehat{V} GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. \widehat{V} GHS08 Health hazard Toxic to Reproduction 1B H360 May damage fertility or the unborn child. \widehat{V} GHS07 Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements GHS The product is classified and labeled according to the Globally Harmonized System			
DEER PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture \overbrace{oo} GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. \overbrace{oo} GHS08 Health hazard Toxic to Reproduction 1B H360 May damage fertility or the unborn child. \overbrace{oo} GHS07 Specific Target Organ Toxicity - Single Exposure 3 Specific Target Organ Toxicity - Single Exposure 3 Label elements GHS tabel elements The product is classified and labeled according to the Globally Harmonized System	Solutions, Inc.		
USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture \widetilde{vvv} GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. \widetilde{vvv} GHS08 Health hazard Toxic to Reproduction 1B H360 May damage fertility or the unborn child. \widetilde{vvv} GHS07 Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System		SOLUTION	5
Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture Image: Construct of the substance or mixture Image: Constrest of the substance Image: Con	. FARK, 1A // 330		
Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. full for the substance or mixture for for the substance or mixture full for the substance or mixture full for the substance or mixture full for the substance or mixture for for the substance or mixture full for the substance or mixture full for the substance or mixture full for the substance or mixture	56-2586		
Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture 			
Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture Image: GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. Image: GHS08 Health hazard Toxic to Reproduction 1B H360 May damage fertility or the unborn child. Image: GHS07 Specific Target Organ Toxicity - Single Exposure 3 H366 May cause drowsiness or dizziness. Label elements GHS04 Is the product is classified and labeled according to the Globally Harmonized System			
Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. GHS08 Health hazard Toxic to Reproduction 1B H360 May damage fertility or the unborn child. GHS07 Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System	gency telephone number:		
Hazard(s) identification Classification of the substance or mixture			
Classification of the substance or mixture GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor.	ec. 015-990-0000		
Classification of the substance or mixture GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor.			
Flammable Liquids 3 H226 Flammable liquid and vapor. Image: Flammable Liquids 3 H226 Flammable liquid and vapor. Image: Flammable Liquids 3 H226 Flammable liquid and vapor. Image: Flammable Liquids 3 H226 Flammable liquid and vapor. Image: Flammable Liquids 3 H226 Flammable liquid and vapor. Image: Flammable Liquids 3 H226 Flammable liquid and vapor. Image: Flammable Liquids 3 H360 May damage fertility or the unborn child. Image: Flammable Liquids 3 H360 May damage fertility or the unborn child. Image: Flammable Liquids 3 H360 May damage fertility or the unborn child. Image: Flammable Liquids 3 H360 May damage fertility or the unborn child. Image: Flammable Liquids 3 H360 May cause drowsiness or dizziness. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements The product is classified and labeled according to the Globally Harmonized System	ra(s) identification		
Flammable Liquids 3 H226 Flammable liquid and vapor. Flammable Liquids 3 H360 May damage fertility or the unborn child. Flammable Liquids 4 H360 May damage fertility or the unborn child. Flammable Liquids 4 H360 May damage fertility or the unborn child. Flammable Comparison Flammable Liquids 5 H336 May cause drowsiness or dizziness. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System	fication of the substance or mixture		
Flammable Liquids 3 H226 Flammable liquid and vapor. Flammable Liquids 3 H360 May damage fertility or the unborn child. Flammable Liquids 4 H360 May damage fertility or the unborn child. Flammable Liquids 4 H360 May damage fertility or the unborn child. Flammable Comparison Flammable Liquids 5 H336 May cause drowsiness or dizziness. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System	CHS02 Elama		
GHS08 Health hazard Toxic to Reproduction 1B H360 May damage fertility or the unborn child. Image: Comparison of the text of	GHS02 Flume		
GHS08 Health hazard Toxic to Reproduction 1B H360 May damage fertility or the unborn child. Image: Comparison of the term of the term of the term of the term of ter	nable Liquids 3	H226 Flammable liquid and vapor.	
Toxic to Reproduction 1B H360 May damage fertility or the unborn child. Image: Comparison of the comparison of t			
GHS07 Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System	GHS08 Health hazard		
GHS07 Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System			
Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System	to Reproduction 1B	H360 May damage fertility or the unborn child.	
Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System			
Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System	GHS07		
Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System	r Ge Target Organ Toxicity - Single Exposu	re 3 H336 May cause drowsiness or dizziness	
GHS label elements The product is classified and labeled according to the Globally Harmonized System		e 5 11550 may cause arowsmess or alzaness.	
		nd labeled according to the Globally Harmonized System	m (GHS,
	$\land \land \land$		
GHS02 GHS07 GHS08			
01302 01307 01308	02 01307 01308		
Signal word Danger	l word Danger		
Hazard-determining components of labeling:			
1-Methoxy-2-propanol Hazard statements			
Flammable liquid and vapor.	nable liquid and vapor.		
May damage fertility or the unborn child.	lamage fertility or the unborn child.		ntd. on pag

US

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: Water Standard 10.0% w/w (*1ml* = 100 mg H₂O)

	(Contd. of page 1)
May cause drowsiness or dizziness.	
· Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
<i>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</i>	
IF exposed or concerned: Get medical advice/attention.	
<i>Call a poison center/doctor if you feel unwell.</i>	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	5.
· Classification system:	
·NFPA ratings (scale 0 - 4)	
Fire = 3 Reactivity = 0 • HMIS-ratings (scale 0 - 4) HEALTH \bigcirc Health = *0	
FIRE 3 $Fire = 3$	
REACTIVITY Reactivity = 0	
• Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
• vPvB: Not applicable.	
3 Composition/information on ingredients	
5 Composition information on ingreatents	
• <i>Chemical characterization: Mixtures</i> • <i>Description:</i> Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
CAS: 107-98-2 1-Methoxy-2-propanol	90.0%
• Table of Nonhazardous Ingredients	· · · · · · · · · · · · · · · · · · ·
CAS: 7732-18-5 Water	10.0%

(Contd. on page 3)

US

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: Water Standard 10.0% w/w (*1ml* = 100 mg H₂O)

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- *General information: Immediately remove any clothing soiled by the product.*
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- *CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.* • *Special hazards arising from the substance or mixture No further relevant information available.*
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. • Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: CAS: 107-98-2 1-Methoxy-2-propanol · PAC-2: CAS: 107-98-2 1-Methoxy-2-propanol · PAC-3: CAS: 107-98-2 1-Methoxy-2-propanol

(Contd. on page 4)

100 ppm

160 ppm

660 ppm

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: Water Standard 10.0% w/w (1ml = 100 mg H₂O)

(Contd. of page 3)

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 107-98-2 1-Methoxy-2-propanol

- REL Short-term value: 540 mg/m³, 150 ppm Long-term value: 360 mg/m³, 100 ppm
- *TLV* Short-term value: 100 ppm Long-term value: 50 ppm A4

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work. Store protective clothing separately.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

For full exposure, use butyl gloves. Dispose of gloves after use in accordance with applicablelaws and good laboratory practices.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

[•] US

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: Water Standard 10.0% w/w $(1ml = 100 mg H_2O)$

(Contd. of page 4)

US

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material

- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



*

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and a	chamical proparties
General Information	memicui properiies
Appearance:	
Form:	Liquid
Color:	Clear
Odor:	Alcohol like
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	34 °C (93.2 °F)
Flammability (solid, gaseous):	Flammable.
Auto igniting:	270 °C (518 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	1.8 Vol %
Upper:	16 Vol %
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	0.9244 g/cm ³ (7.71412 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: Water Standard 10.0% w/w (1ml = 100 mg H₂O)

		(Contd. of page 2
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	90.0 %	
Water:	10.0 %	
VOC content:	90.00 %	
	832.0 g/l / 6.94 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 7)

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: Water Standard 10.0% w/w (1ml = 100 mg H₂O)

(Contd. of page 6)

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	UN3092	
UN proper shipping name		
DOT	1-Methoxy-2-propanol solution	
IMDG, IATA	1-METHOXY-2-PROPANOL solution	
Transport hazard class(es) DOT		
Class	3 Flammable liquids	
Label	3	

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: Water Standard 10.0% w/w (1ml = 100 mg H₂O)

	(Contd. of page
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-D
Stowage Category	A
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
2 3	On cargo aircraft only: 220 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
$\sum copicu quantum (2\underline{v})$	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3092 1-METHOXY-2-PROPANOL SOLUTION, 3, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• Sara

• Section 355 (extremely hazardous substances): None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

1-Methoxy-2-propanol

Water

· Hazardous Air Pollutants

None of the ingredients is listed.

(Contd. on page 9)

ACTIVE ACTIVE

US

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: Water Standard 10.0% w/w (*1ml* = 100 mg H₂O)

(Contd. of page 8)

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: 1-Methoxy-2-propanol · Hazard statements Flammable liquid and vapor. May damage fertility or the unborn child. May cause drowsiness or dizziness. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. *Use explosion-proof electrical/ventilating/lighting/equipment.* Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed.

(Contd. on page 10)

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: Water Standard 10.0% w/w (*1ml* = 100 mg H₂O)

(Contd. of page 9)

Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 08-12-2024: Reviewed SDS for accuracy. STN/GW 08/12/2024 / 1.1 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3 Toxic to Reproduction 1B: Reproductive toxicity – Category 1B Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

• * Data compared to the previous version altered.