Printing date 06/03/2024

Reviewed on 06/03/2024

1 Identification	
 I Identification Product identifier Trade name: <u>Titration Solvent in</u> <u>Denatured Ethyl Alcohol</u> Article number: TEN228 Details of the supplier of the safety data shee Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.ce Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 	AQUA SOLUTIONS
2 Hazard(s) identification • Classification of the substance or mixture • GHS02 Flame Flammable Liquids 2 • GHS08 Health hazard Specific Target Organ Toxicity - Single Expo	H225 Highly flammable liquid and vapor. Disure 2 H371 May cause damage to the central nervous system and
GHS05 Corrosion Eye Damage 1 GHS07	the visual organs. H318 Causes serious eye damage.
Skin Irritation 2 • Label elements • GHS label elements The product is classified • Hazard pictograms GHS02 GHS05 GHS08	H315 Causes skin irritation. d and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

Printing date 06/03/2024

Trade name: Titration Solvent in Denatured Ethyl Alcohol Reviewed on 06/03/2024

	(Contd. of page 1)
· Signal word Danger	
· Hazard-determining components of labeling:	
2-Aminoethanol (Monoethanolamine), Reagent Grade	
Methanol	
· Hazard statements	
Highly flammable liquid and vapor.	
Causes skin irritation.	
Causes serious eye damage.	
May cause damage to the central nervous system and the visual organs.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wate	r/shower.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, ij	f present and easy to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
IF exposed or concerned: Call a poison center/doctor.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international re	egulations.
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 2	
Fire = 3	
2 0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH 2 $Health = 2$	
FIRE 3 $Fire = 3$	
REACTIVITY 0 Reactivity = 0	
TEACHINE Reaction of the second secon	
· Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
• vPvB: Not applicable.	
-	US

(Contd. on page 3)

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Titration Solvent in

Denatured Ethyl Alcohol

(Contd. of page 2)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	84.377%
CAS: 67-56-1	Methanol	4.702%
CAS: 67-63-0	Isopropanol	4.662%
CAS: 141-43-5	2-Aminoethanol (Monoethanolamine), Reagent Grade	3.781%
CAS: 6484-52-2	Ammonium Nitrate	2.479%

4 First-aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- \cdot After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

(Contd. on page 4)

⁻ US

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Titration Solvent in Denatured Ethyl Alcohol

D. 6		(Contd. of page
Reference to oth	er sections information on safe handling.	
	information on personal protection equipment.	
	r disposal information.	
	a Criteria for Chemicals	
PAC-1:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	1,800 ppr
CAS: 67-56-1	Methanol	530 ppm
CAS: 67-63-0	Isopropanol	400 ppm
CAS: 141-43-5	2-Aminoethanol (Monoethanolamine), Reagent Grade	6 ppm
CAS: 6484-52-2	Ammonium Nitrate	6.7 mg/m
PAC-2:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	3300* ppi
CAS: 67-56-1	Methanol	2,100 ppn
CAS: 67-63-0	Isopropanol	2000* ppi
CAS: 141-43-5	2-Aminoethanol (Monoethanolamine), Reagent Grade	170 ppm
CAS: 6484-52-2	Ammonium Nitrate	73 mg/m ³
<i>PAC-3:</i>		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	15000* ppm
CAS: 67-56-1	Methanol	7200* ppm
CAS: 67-63-0	Isopropanol	12000** ppi
CAS: 141-43-5	2-Aminoethanol (Monoethanolamine), Reagent Grade	1,000 ppm
CAS: 6484-52-2	Ammonium Nitrate	440 mg/m ³

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- \cdot Conditions for safe storage, including any incompatibilities
- · Storage:
- \cdot Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles. • **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

US

Printing date 06/03/2024

Reviewed on 06/03/2024

Parameters nents with limit values that require monitoring at the workplace: lowing constituents are the only constituents of the product which have a PEL, TLV or or re limit. time, the remaining constituent has no known exposure limits. 4-17-5 Ethyl Alcohol, Absolute 200 Proof ong-term value: 1900 mg/m ³ , 1000 ppm ong-term value: 1900 mg/m ³ , 1000 ppm a tort-term value: 1000 ppm 3 7-56-1 Methanol	(Contd. of p
nents with limit values that require monitoring at the workplace: lowing constituents are the only constituents of the product which have a PEL, TLV or or re limit. time, the remaining constituent has no known exposure limits. 4-17-5 Ethyl Alcohol, Absolute 200 Proof ong-term value: 1900 mg/m ³ , 1000 ppm ong-term value: 1900 mg/m ³ , 1000 ppm hort-term value: 1000 ppm 3	ther recomme
nents with limit values that require monitoring at the workplace: lowing constituents are the only constituents of the product which have a PEL, TLV or or re limit. time, the remaining constituent has no known exposure limits. 4-17-5 Ethyl Alcohol, Absolute 200 Proof ong-term value: 1900 mg/m ³ , 1000 ppm ong-term value: 1900 mg/m ³ , 1000 ppm hort-term value: 1000 ppm 3	ther recomme
re limit. time, the remaining constituent has no known exposure limits. 4-17-5 Ethyl Alcohol, Absolute 200 Proof pong-term value: 1900 mg/m ³ , 1000 ppm pong-term value: 1900 mg/m ³ , 1000 ppm fort-term value: 1000 ppm 3	ther recomme
time, the remaining constituent has no known exposure limits. 4-17-5 Ethyl Alcohol, Absolute 200 Proof pong-term value: 1900 mg/m ³ , 1000 ppm pong-term value: 1900 mg/m ³ , 1000 ppm fort-term value: 1000 ppm 3	
4-17-5 Ethyl Alcohol, Absolute 200 Proof ong-term value: 1900 mg/m ³ , 1000 ppm ong-term value: 1900 mg/m ³ , 1000 ppm oort-term value: 1000 ppm 3	
ong-term value: 1900 mg/m³, 1000 ppm ong-term value: 1900 mg/m³, 1000 ppm hort-term value: 1000 ppm 3	
ong-term value: 1900 mg/m³, 1000 ppm hort-term value: 1000 ppm 3	
hort-term value: 1000 ppm 3	
3	
7-56-1 Methanol	
ong-term value: 260 mg/m³, 200 ppm	
hort-term value: 325 mg/m ³ , 250 ppm	
ong-term value: 260 mg/m³, 200 ppm	
<i>cin</i>	
hort-term value: 250 ppm	
·	
7-63-0 Isopropanol	
ong-term value: 980 mg/m³, 400 ppm	
nort-term value: 1225 mg/m³, 500 ppm	
ong-term value: 980 mg/m³, 400 ppm	
nort-term value: 400 ppm	
ong-term value: 200 ppm	
ong-term value: 6 mg/m³, 3 ppm	
hort-term value: 15 mg/m³, 6 ppm	
11	
ong-term value: 3 ppm	
ents with biological limit values:	
* *	
D50: Acetone (background, nonspecific)	
nal information: The lists that were valid during the creation were used as basis.	
re controls	
l protective and hygienic measures:	
	ng-term value: 260 mg/m ³ , 200 ppm in hort-term value: 250 ppm hog-term value: 200 ppm hir; BEI 7-63-0 Isopropanol mg-term value: 980 mg/m ³ , 400 ppm hort-term value: 1225 mg/m ³ , 500 ppm hog-term value: 980 mg/m ³ , 400 ppm hog-term value: 980 mg/m ³ , 400 ppm hog-term value: 200 ppm EI, A4 41-43-5 2-Aminoethanol (Monoethanolamine), Reagent Grade mg-term value: 6 mg/m ³ , 3 ppm hort-term value: 6 mg/m ³ , 3 ppm hog-term value: 8 mg/m ³ , 6 ppm hog-term value: 8 mg/m ³ , 3 ppm hog-term value: 8 mg/m ³ , 3 ppm hog-term value: 8 mg/m ³ , 3 ppm hog-term value: 9 ppm mg-term value: 9 ppm mg-term value: 9 ppm hog-term value: 9 ppm mg/L b50 Intraperitoneal: urine ne: end of shift hoft at end of workweek b50: Acetone (background, nonspecific) mg/L b50 Intraperitoneal: urine ne: end of shift at end of workweek b50: Acetone (background, nonspecific) mal information: The lists that were valid during the creation were used as basis. re controls d protective equipment:

(Contd. on page 6) US -

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Titration Solvent in Denatured Ethyl Alcohol

(Contd. of page 5)

Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Clear	
· Odor:	Alcohol	
• Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	78 °C (172.4 °F)	
Flash point:	13 °C (55.4 °F)	
Flammability (solid, gaseous):	Highly flammable.	
Auto igniting:	425 °C (797 °F)	
• Decomposition temperature:	Not determined.	

US

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Titration Solvent in Denatured Ethyl Alcohol

	(Contd. of page	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.	
Explosion limits:		
Lower:	3.5 Vol %	
Upper:	19 Vol %	
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)	
Density at 20 °C (68 °F):	0.8068 g/cm ³ (6.73275 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	e r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	97.5 %	
VOC content:	97.52 %	
	786.8 g/l / 6.57 lb/gal	
Solids content:	86.9 %	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50	values tha	t are relevant for classification:	٦
ATE (Acu	te Toxicity	y Estimate)	
Oral	LD50	2,047 mg/kg	
Dermal	LD50	2,047 mg/kg 5,141 mg/kg	
Inhalative	LC50/4h	52.3 mg/l	
		(Contd. on page 3	8)

Printing date 06/03/2024

Trade name: Titration Solvent in Denatured Ethyl Alcohol

(Contd. of page 7)

1

3

Reviewed on 06/03/2024

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Irritant
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof
- CAS: 67-63-0 Isopropanol
- · NTP (National Toxicology Program)
- None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- *Recommendation:* Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 9)

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Titration Solvent in Denatured Ethyl Alcohol

(Contd. of page 8)

Transport information	
UN-Number DOT, IMDG, IATA	UN1987
UN proper shipping name DOT	Alcohols, n.o.s. (Ethanol, Methanol, Isopropanol
IMDG, IATA) ALCOHOLS, N.O.S. (Ethanol, Methanol, Isopropanol)
Transport hazard class(es)	
DOT	
RAMMARE LOUD	
Class	3 Flammable liquids
Label	3
Class Label	3 Flammable liquids 3
Packing group DOT, IMDG, IATA	П
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	
EMS Number: Stowage Category	F-E,S-D B
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml

US –

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Titration Solvent in Denatured Ethyl Alcohol

(Contd. of page 9)

· UN "Model Regulation":

UN 1987 ALCOHOLS, N.O.S. (ETHANOL, METHANOL, ISOPROPANOL), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):			
None of the ingre	edients is listed.		
· Section 313 (Spe	ecific toxic chemical listings):		
CAS: 67-56-1 Methanol			
CAS: 67-63-0	Isopropanol		
CAS: 6484-52-2	CAS: 6484-52-2 Ammonium Nitrate		
· TSCA (Toxic Substances Control Act):			
Ethyl Alcohol, Absolute 200 Proof ACTIV		ACTIVE	
Methanol A		ACTIVE	
Isopropanol		ACTIVE	
2-Aminoethanol (Monoethanolamine), Reagent Grade		ACTIVE	
Ammonium Nitrate AC		ACTIVE	
· Hazardous Air P	Pollutants		

CAS: 67-56-1 Methanol

· Proposition 65

 \cdot Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

 Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

CAS: 67-63-0 Isopropanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 11)

AЗ

A4

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Titration Solvent in Denatured Ethyl Alcohol

· Hazard pictograms	(Contd. of page 10)
· Hazara piciograms	
$\bigwedge \land \land$	
GHS02 GHS05 GHS08	
· Signal word Danger	
Hazard-determining components of labeling:	
2-Aminoethanol (Monoethanolamine), Reagent Grade	
Methanol	
Hazard statements	
Highly flammable liquid and vapor.	
Causes skin irritation.	
Causes serious eye damage.	
May cause damage to the central nervous system and the visual organs.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/sho	wer.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pre-	sent and easy to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
IF exposed or concerned: Call a poison center/doctor.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regula	tions.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

- Date of Preparation / Last Revision:
- Date of preparation / last revision Revision 1.2, 06/03/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 08-10-2018: Creation date for SDS. STN 06/03/2024

(Contd. on page 12)

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Titration Solvent in Denatured Ethyl Alcohol

	(Contd. of page 11)
· Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Specific Target Organ Toxicity - Single Exposure 2: Specific target organ toxicity (single exposure) – Category 2	
* Data compared to the previous version altered.	
	US