Printing date 06/04/2024

Reviewed on 06/04/2024

Due du et identifien	
Product identifier Trade name: Mobile Phase Acctonitrile	
Trade name: <u>Mobile Phase Acetonitrile</u> Methanol, Water	2
Article number: UCT118	
Details of the supplier of the safety data	a sheet
Manufacturer/Supplier:	AQUA
Aqua Solutions, Inc. 6913 Highway 225	SOLUTIONS
<i>DEER PARK, TX 77536</i>	
USA 256 2586	
800-256-2586	
Information department: Technical Coordinator	
Sherman Nelson shermann@aquasolutic	ons.org
Emergency telephone number:	
Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixtu	IFA
Classification of the substance of mixin	in e
GHS02 Flame	
\checkmark	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
Flammable Liquids 2 GHS08 Health hazard	H225 Highly flammable liquid and vapor.
GHS08 Health hazard	
GHS08 Health hazard	Exposure 1 H370 Causes damage to the central nervous system and t
GHS08 Health hazard	
GHS08 Health hazard	Exposure 1 H370 Causes damage to the central nervous system and t
GHS08 Health hazard Specific Target Organ Toxicity - Single I	Exposure 1 H370 Causes damage to the central nervous system and t
GHS08 Health hazard Specific Target Organ Toxicity - Single I	Exposure 1 H370 Causes damage to the central nervous system and t
GHS08 Health hazard Specific Target Organ Toxicity - Single I GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4	Exposure 1 H370 Causes damage to the central nervous system and t visual organs. H302 Harmful if swallowed. H312 Harmful in contact with skin.
GHS08 Health hazard Specific Target Organ Toxicity - Single I GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4 Acute Toxicity - Inhalation 4	Exposure 1 H370 Causes damage to the central nervous system and t visual organs. H302 Harmful if swallowed. H312 Harmful in contact with skin. H332 Harmful if inhaled.
GHS08 Health hazard Specific Target Organ Toxicity - Single I GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4 Acute Toxicity - Inhalation 4 Eye Irritation 2A	Exposure 1 H370 Causes damage to the central nervous system and t visual organs. H302 Harmful if swallowed. H312 Harmful in contact with skin.
GHS08 Health hazard Specific Target Organ Toxicity - Single I GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4 Acute Toxicity - Inhalation 4 Eye Irritation 2A Label elements	Exposure 1 H370 Causes damage to the central nervous system and t visual organs. H302 Harmful if swallowed. H312 Harmful in contact with skin. H332 Harmful if inhaled. H319 Causes serious eye irritation.
GHS08 Health hazard Specific Target Organ Toxicity - Single I GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4 Acute Toxicity - Inhalation 4 Eye Irritation 2A Label elements GHS label elements The product is class	Exposure 1 H370 Causes damage to the central nervous system and t visual organs. H302 Harmful if swallowed. H312 Harmful in contact with skin. H332 Harmful if inhaled.
GHS08 Health hazard Specific Target Organ Toxicity - Single I GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4 Acute Toxicity - Inhalation 4 Eye Irritation 2A Label elements	Exposure 1 H370 Causes damage to the central nervous system and t visual organs. H302 Harmful if swallowed. H312 Harmful in contact with skin. H332 Harmful if inhaled. H319 Causes serious eye irritation.
GHS08 Health hazard Specific Target Organ Toxicity - Single I GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4 Acute Toxicity - Inhalation 4 Eye Irritation 2A Label elements GHS label elements The product is class	Exposure 1 H370 Causes damage to the central nervous system and t visual organs. H302 Harmful if swallowed. H312 Harmful in contact with skin. H332 Harmful if inhaled. H319 Causes serious eye irritation.
GHS08 Health hazard Specific Target Organ Toxicity - Single I GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4 Acute Toxicity - Inhalation 4 Eye Irritation 2A Label elements GHS label elements The product is class Hazard pictograms	Exposure 1 H370 Causes damage to the central nervous system and t visual organs. H302 Harmful if swallowed. H312 Harmful in contact with skin. H332 Harmful if inhaled. H319 Causes serious eye irritation.
GHS08 Health hazard Specific Target Organ Toxicity - Single I GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4 Acute Toxicity - Inhalation 4 Eye Irritation 2A Label elements GHS label elements The product is class	Exposure 1 H370 Causes damage to the central nervous system and t visual organs. H302 Harmful if swallowed. H312 Harmful in contact with skin. H332 Harmful if inhaled. H319 Causes serious eye irritation.

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Mobile Phase Acetonitrile, Methanol, Water

(Contd. of page 1) · Hazard-determining components of labeling: Acetonitrile, Reagent ACS Grade Methanol · Hazard statements *Highly flammable liquid and vapor.* Harmful if swallowed, in contact with skin or if inhaled. Causes serious eye irritation. Causes damage to the central nervous system and the visual organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or doctor/physician. Specific treatment (see on this label). Rinse mouth. Take off contaminated clothing and wash it before reuse. If eve irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE3Fire = 3REACTIVITY0Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 3)

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Mobile Phase Acetonitrile, Methanol, Water

(Contd. of page 2)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
CAS: 75-05-8 Acetonitrile, Reagent ACS Grade	38.551%
CAS: 67-56-1 Methanol	14.628%
· Table of Nonhazardous Ingredients	
CAS: 7732-18-5 Water	46.821%

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \cdot Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

• *Environmental precautions: Dilute with plenty of water.*

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

US

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Mobile Phase Acetonitrile, Methanol, Water

Dispose contaminated material as waste according to section 13.	(Contd. of page 3)
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 75-05-8 Acetonitrile, Reagent ACS Grade	13 ppm
CAS: 67-56-1 Methanol	530 ppm
· PAC-2:	
CAS: 75-05-8 Acetonitrile, Reagent ACS Grade	50 ppm
CAS: 67-56-1 Methanol	2,100 ppm
· PAC-3:	
CAS: 75-05-8 Acetonitrile, Reagent ACS Grade	150 ppm
CAS: 67-56-1 Methanol	7200* ppm

7 Handling and storage

· Handling:

- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.*
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 75-05-8 Acetonitrile, Reagent ACS Grade

PEL Long-term value: 70 mg/m³, 40 ppm

REL Long-term value: 34 mg/m³, 20 ppm

TLV Long-term value: 20 ppm

Skin, A4

(Contd. on page 5)

US -

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Mobile Phase Acetonitrile, Methanol, Water

(Contd. of page 4)

CAS: 67-56-1 Methanol

PEL Long-term value: 260 mg/m³, 200 ppm

- REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin TLV Short term value: 250 ppm
- TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI

· Ingredients with biological limit values:

CAS: 67-56-1 Methanol

BEI 15 mg/L

LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.





Tightly sealed goggles

(Contd. on page 6)

US –

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Mobile Phase Acetonitrile, Methanol, Water

· Body protection: Protective work clothing

, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	а на "н
 Information on basic physical and c General Information 	hemical properties
· General Information · Appearance:	
Form:	Liquid
Color:	Clear
· Odor:	Distinct
• Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	64 °C (147.2 °F)
· Flash point:	5 °C (41 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	455 °C (851 °F)
• Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits:	
Lower:	4.4 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
· Density at 20 °C (68 °F):	0.81161 g/cm³ (6.77289 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	14.6 %
Water:	46.8 %
VOC content:	14.63 %
	118.7 g/l / 0.99 lb/gal
Solids content:	0.0~%

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Mobile Phase Acetonitrile, Methanol, Water

(Contd. of page 6)

• Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)			
	LD50	448 mg/kg	
Dermal Inhalative	LD50	1,193 mg/kg	
Inhalative	LC50/4h	11.9 mg/l	

· Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 8)

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Mobile Phase Acetonitrile, Methanol, Water

(Contd. of page 7)

 \cdot Additional ecological information:

· General notes:

- Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
DOT, IMDG, IATA	UN1993
· UN proper shipping name	
· DOT	Flammable liquids, n.o.s. (acetonitrile, Methanol)
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (acetonitrile, Methanol)
• Transport hazard class(es)	
DOT	
FJAMIARE LOUD	
· Class	3 Flammable liquids
· Label	3
· IMDG, IATA	
· Class	3 Flammable liquids
· Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Mobile Phase Acetonitrile, Methanol, Water

	(Contd. of page
· Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Kemler cod	e): 33
· EMS Number:	<i>F-E,S-E</i>
· Stowage Category	B
· Transport in bulk according to Annex II of	f
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities ($\widetilde{E}Q$)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUID, N.O.S. (ACETONITRILE
-	METHANOL), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

• Section 355 (extremely hazardous substances): None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
CAS: 75-05-8 Acetonitrile, Reagent ACS Grade	
CAS: 67-56-1 Methanol	
· TSCA (Toxic Substances Control Act):	
Water	ACTIV
Acetonitrile, Reagent ACS Grade	ACTIV
Methanol	ACTIV
· Hazardous Air Pollutants	
CAS: 75-05-8 Acetonitrile, Reagent ACS Grade	
CAS: 67-56-1 Methanol	
Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for males:	

- US

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Mobile Phase Acetonitrile, Methanol, Water

(Contd. of page 9)

CBD, D

A4

 \cdot Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 75-05-8 Acetonitrile, Reagent ACS Grade

· TLV (Threshold Limit Value)

CAS: 75-05-8 Acetonitrile, Reagent ACS Grade

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



----- ----

· Signal word Danger

· Hazard-determining components of labeling: Acetonitrile, Reagent ACS Grade Methanol · Hazard statements Highly flammable liquid and vapor. Harmful if swallowed, in contact with skin or if inhaled. Causes serious eve irritation. Causes damage to the central nervous system and the visual organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or doctor/physician. Specific treatment (see on this label). Rinse mouth. Take off contaminated clothing and wash it before reuse. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. (Contd. on page 11) US

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Mobile Phase Acetonitrile, Methanol, Water

(Contd. of page 10)

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 06/04/2024: Reviewed SDS for accuracy. MH/STN 06/04/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Eve Irritation 2A: Serious eve damage/eve irritation – Category 2A Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1

• * Data compared to the previous version altered.

US -