

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2024

Reviewed on 06/04/2024

## 1 Identification

- **Product identifier**
- **Trade name:** Valero Maintenance  
Reliability Solution
- **Article number:** VAL029
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Aqua Solutions, Inc.  
6913 Highway 225  
DEER PARK, TX 77536  
USA  
800-256-2586
- **Information department:**  
Technical Coordinator  
Sherman Nelson [shermann@aquasolutions.org](mailto:shermann@aquasolutions.org)
- **Emergency telephone number:**  
Chemtrec: 800-424-9300  
Canutec: 613-996-6666



## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Eye Damage 1 H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
Cupric Sulfate Pentahydrate
- **Hazard statements**  
Causes serious eye damage.
- **Precautionary statements**  
Wear eye protection / face protection.  
If swallowed: Call a poison center/doctor if you feel unwell.  
If on skin: Wash with plenty of water.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing.  
Store in a closed container.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2024

Reviewed on 06/04/2024

**Trade name: Valero Maintenance  
Reliability Solution**

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 3  
Fire = 0  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



HEALTH \*3 Health = \*3  
FIRE 0 Fire = 0  
REACTIVITY 0 Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### \* 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

#### · **Dangerous components:**

CAS: 7758-99-8	Cupric Sulfate Pentahydrate	8.529%
----------------	-----------------------------	--------

#### · **Table of Nonhazardous Ingredients**

CAS: 7732-18-5	Water	91.38%
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	0.091%

### \* 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately rinse with water.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

US

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2024

Reviewed on 06/04/2024

**Trade name: Valero Maintenance  
Reliability Solution**

(Contd. of page 2)

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Dispose contaminated material as waste according to section 13.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

CAS: 7758-99-8	Cupric Sulfate Pentahydrate	12 mg/m <sup>3</sup>
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	0.20 mg/m <sup>3</sup>

- **PAC-2:**

CAS: 7758-99-8	Cupric Sulfate Pentahydrate	32 mg/m <sup>3</sup>
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	8.7 mg/m <sup>3</sup>

- **PAC-3:**

CAS: 7758-99-8	Cupric Sulfate Pentahydrate	190 mg/m <sup>3</sup>
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	160 mg/m <sup>3</sup>

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2024

Reviewed on 06/04/2024

**Trade name: Valero Maintenance  
Reliability Solution**

(Contd. of page 3)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Breathing equipment:** Not required.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

## \* 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

Color: Blue

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 100 °C (212 °F)

· **Flash point:** Not applicable.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2024

Reviewed on 06/04/2024

**Trade name: Valero Maintenance  
Reliability Solution**

(Contd. of page 4)

· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Ignition temperature:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapor pressure at 20 °C (68 °F):</b>	23 hPa (17.3 mm Hg)
· <b>Density at 20 °C (68 °F):</b>	1.11027 g/cm <sup>3</sup> (9.2652 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Water:</b>	91.4 %
<b>VOC content:</b>	0.00 %
	0.0 g/l / 0.00 lb/gal
<b>Solids content:</b>	8.5 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## \* 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2024

Reviewed on 06/04/2024

**Trade name: Valero Maintenance  
Reliability Solution**

(Contd. of page 5)

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

CAS: 7664-93-9	Sulfuric Acid 96 - 98%	I
----------------	------------------------	---

· **NTP (National Toxicology Program)**

CAS: 7664-93-9	Sulfuric Acid 96 - 98%	K
----------------	------------------------	---

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## \* 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

## \* 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## \* 14 Transport information

· **UN-Number**

· **DOT, IMDG, IATA**

UN3082

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2024

Reviewed on 06/04/2024

**Trade name: Valero Maintenance  
Reliability Solution**

(Contd. of page 6)

<ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT</b></li> <li>· <b>IMDG</b></li> <li>· <b>IATA</b></li> </ul>	<p><i>Environmentally hazardous substance, liquid, n.o.s. (Cupric Sulfate Pentahydrate)</i></p> <p><b>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cupric Sulfate Pentahydrate), MARINE POLLUTANT</b></p> <p><b>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cupric Sulfate Pentahydrate)</b></p>
--	---

- **Transport hazard class(es)**
- **DOT, IMDG, IATA**



- **Class** 9 Miscellaneous dangerous substances and articles
- **Label** 9

- **Packing group** III
- **DOT, IMDG, IATA**

- **Environmental hazards:** *Product contains environmentally hazardous substances: Cupric Sulfate Pentahydrate*
- **Marine pollutant:** *Yes (DOT)*  
*Symbol (fish and tree)*
- **Special marking (IATA):** *Symbol (fish and tree)*

- **Special precautions for user** *Warning: Miscellaneous dangerous substances and articles*
- **Hazard identification number (Kemler code):** 90
- **EMS Number:** F-A,S-F
- **Stowage Category** A

- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** *Not applicable.*

- **Transport/Additional information:**

- **DOT**
- **Quantity limitations** *On passenger aircraft/rail: 450 L*  
*On cargo aircraft only: 450 L*
- **Remarks:** *Special marking with the symbol (fish and tree).*

- **IMDG**
- **Limited quantities (LQ)** 5L
- **Excepted quantities (EQ)** Code: E1  
*Maximum net quantity per inner packaging: 30 ml*  
*Maximum net quantity per outer packaging: 1000 ml*

- **UN "Model Regulation":** **UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CUPRIC SULFATE PENTAHYDRATE), 9, III**

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
*No further relevant information available.*

(Contd. on page 8)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2024

Reviewed on 06/04/2024

**Trade name: Valero Maintenance  
Reliability Solution**

(Contd. of page 7)

· **Sara**

· **Section 355 (extremely hazardous substances):**

CAS: 7664-93-9	Sulfuric Acid 96 - 98%
----------------	------------------------

· **Section 313 (Specific toxic chemical listings):**

CAS: 7758-99-8	Cupric Sulfate Pentahydrate
----------------	-----------------------------

CAS: 7664-93-9	Sulfuric Acid 96 - 98%
----------------	------------------------

· **TSCA (Toxic Substances Control Act):**

Water	ACTIVE
-------	--------

Sulfuric Acid 96 - 98%	ACTIVE
------------------------	--------

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

CAS: 7664-93-9	Sulfuric Acid 96 - 98%	A2
----------------	------------------------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Cupric Sulfate Pentahydrate

· **Hazard statements**

Causes serious eye damage.

· **Precautionary statements**

Wear eye protection / face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

(Contd. on page 9)



# Safety Data Sheet

## acc. to OSHA HCS

Printing date 06/04/2024

Reviewed on 06/04/2024

**Trade name: Valero Maintenance  
Reliability Solution**

(Contd. of page 8)

*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing.  
Store in a closed container.  
Dispose of contents/container in accordance with local/regional/national/international regulations.*

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### **16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing SDS:** Environment protection department.
- **Contact:**  
Date of Preparation / Last Revision:
- **Date of preparation / last revision**  
Revision 1.2, 06/04/2024: Reviewed SDS for accuracy. MH/STN  
Revision 0.0, 05-29-2024: Creation date for SDS. STN  
06/04/2024
- **Abbreviations and acronyms:**  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Eye Damage 1: Serious eye damage/eye irritation – Category 1
- **\* Data compared to the previous version altered.**

US