Printing date 05/21/2019

Reviewed on 05/21/2019

1 Identification

- · Product identifier
- Trade name: <u>Acetate Buffer Solution pH 3.5</u> for USP Heavy Metals Testing
- Article number: THE477
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- · Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org • Emergency telephone number: Chemtrec: 800-424-9300
- Canutec: 613-996-6666

Classification	of the substance or mixture
GH	S06 Skull and crossbones
Acute Tox. 3	H331 Toxic if inhaled.
GH.	S08 Health hazard
Resp. Sens. 1	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
STOT SE 1	H370 Causes damage to organs.
STOT RE 1	H372 Causes damage to organs through prolonged or repeated exposure.
$\mathbf{\vee}$	S05 Corrosion
	H290 May be corrosive to metals.
	H314 Causes severe skin burns and eye damage.
Eye Dam. 1	H318 Causes serious eye damage.
GH.	807
Acute Tox. 4	H302 Harmful if swallowed.
Label element GHS label ele	ts ments The product is classified and labeled according to the Globally Harmonized System (GHS).



Printing date 05/21/2019

Reviewed on 05/21/2019

Trade name: Acetate Buffer Solution pH 3.5 for USP Heavy Metals Testing

(Contd. of page 1) · Hazard pictograms GHS05 GHS06 GHS08 · Signal word Danger · Hazard-determining components of labeling: Hydrochloric Acid · Hazard statements May be corrosive to metals. Harmful if swallowed. Toxic if inhaled. Causes severe skin burns and eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure. · Precautionary statements Keep only in original container. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed: Call a POISON CENTER or doctor/physician. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. If experiencing respiratory symptoms: Call a poison center/doctor. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0

(Contd. on page 3)

US

Printing date 05/21/2019

Reviewed on 05/21/2019

Trade name: Acetate Buffer Solution pH 3.5 for USP Heavy Metals Testing

(Contd. of page 2)

19.924%

24.598%

55.478%

· HMIS-ratings (scale 0 - 4)

HEALTH*3Health =
$$*3$$
FIRE0Fire = 0REACTIVITY0Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:
-------------	-------------

CAS: 7647-01-0 Hydrochloric Acid

• Table of Nonhazardous Ingredients

CAS: 631-61-8 Ammonium Acetate

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- After inhalation:
- Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- \cdot Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

US

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/21/2019

Reviewed on 05/21/2019

Trade name: Acetate Buffer Solution pH 3.5 for USP Heavy Metals Testing

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. • Environmental precautions: Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: CAS: 631-61-8 Ammonium Acetate $3.8 mg/m^3$ CAS: 7647-01-0 Hydrochloric Acid 1.8 ppm · PAC-2: CAS: 631-61-8 Ammonium Acetate $42 mg/m^3$ CAS: 7647-01-0 Hydrochloric Acid 22 ppm · PAC-3: CAS: 631-61-8 Ammonium Acetate 250 mg/m³ CAS: 7647-01-0 Hydrochloric Acid 100 ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

US -

Printing date 05/21/2019

Reviewed on 05/21/2019

Trade name: Acetate Buffer Solution pH 3.5 for USP Heavy Metals Testing

		(Contd. of page 4)
· Control parameters		
· Components with limit va	lues that require monitoring at the workplace:	
CAS: 7647-01-0 Hydroch	loric Acid	
NIOSH RECOMENDED	EXP LIMI Ceiling limit value: 7.0 mg/m3 mg/m ³	
PEL	Ceiling limit value: 7 mg/m ³ , 5 ppm	
REL	Ceiling limit value: 7 mg/m ³ , 5 ppm	
TLV	Ceiling limit value: 2.98 mg/m ³ , 2 ppm	
· Additional information: T	The lists that were valid during the creation were used as basis.	

- · Exposure controls
- · Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 6)

Printing date 05/21/2019

Reviewed on 05/21/2019

Trade name: Acetate Buffer Solution pH 3.5 for USP Heavy Metals Testing

(Contd. of page 5)

Information on basic physical and c	homical properties	
General Information	nemicui properiies	
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Mild	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.01636 g/cm³ (8.48152 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	55.5 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	24.6 %	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 7) US

Printing date 05/21/2019

Reviewed on 05/21/2019

Trade name: Acetate Buffer Solution pH 3.5 for USP Heavy Metals Testing

(Contd. of page 6)

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- · Sensitization: Sensitization possible through inhalation.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

- Harmful
- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 8)

US

Printing date 05/21/2019

Reviewed on 05/21/2019

Trade name: Acetate Buffer Solution pH 3.5 for USP Heavy Metals Testing

(Contd. of page 7)

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

UN-Number		
DOT, IMDG, IATA	UN2790	
UN proper shipping name		
DOT	Acetic acid solution	
IMDG, IATA	ACETIC ACID SOLUTION	
Transport hazard class(es)		
DOT		
No Part		
CORROSIVE		
V		
Class	8 Corrosive substances	
Label	8	
Class	8 Corrosive substances	
Label	8	
Packing group		
DOT, IMDG, IATA	III	
Environmental hazards:	Not applicable.	
Special precautions for user	Warning: Corrosive substances	
Danger code (Kemler):	80	
EMS Number:	F-A,S-B	
Segregation groups	Strong acids	
Stowage Category	С	
Transport in bulk according to Annex . MARPOL73/78 and the IBC Code		
	Not applicable.	

US

Printing date 05/21/2019

Reviewed on 05/21/2019

Trade name: Acetate Buffer Solution pH 3.5 for USP Heavy Metals Testing

Transport/Additional information:	(Contd. of page
DOT Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2790 ACETIC ACID SOLUTION, 8, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances): None of the ingredients is listed. · Section 313 (Specific toxic chemical listings): None of the ingredients is listed. · TSCA (Toxic Substances Control Act): Ammonium Acetate ACTIVE Hydrochloric Acid ACTIVE Water ACTIVE · Hazardous Air Pollutants CAS: 7647-01-0 Hydrochloric Acid · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Carcinogenic categories · EPA (Environmental Protection Agency) CAS: 631-61-8 Ammonium Acetate D · TLV (Threshold Limit Value established by ACGIH) None of the ingredients is listed. · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 10)

Printing date 05/21/2019

Reviewed on 05/21/2019

Trade name: Acetate Buffer Solution pH 3.5 for USP Heavy Metals Testing

(Contd. of page 9) · Hazard pictograms GHS05 GHS06 GHS08 · Signal word Danger · Hazard-determining components of labeling: Hydrochloric Acid · Hazard statements May be corrosive to metals. Harmful if swallowed. Toxic if inhaled. Causes severe skin burns and eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure. · Precautionary statements Keep only in original container. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed: Call a POISON CENTER or doctor/physician. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. If experiencing respiratory symptoms: Call a poison center/doctor. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

(Contd. on page 11)

_119

Printing date 05/21/2019

Reviewed on 05/21/2019

(Contd. of page 10)

US

Trade name: Acetate Buffer Solution pH 3.5 for USP Heavy Metals Testing

· Date of preparation / last revision	
Revsion 0.0, 05-17-2019: Creation date for SDS. STN	
05/21/2019 / -	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Met. Corr.1: Corrosive to metals – Category 1	
Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 3: Acute toxicity – Category 3	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Resp. Sens. 1: Respiratory sensitisation – Category 1	
STOT SE 1: Specific target organ toxicity (single exposure) – Category 1	
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1	