Printing date 06/07/2024

*

Reviewed on 06/07/2024

I Identification	
· Product identifier	
· Trade name: Reagent #2	
Acid Solution	
• Article number: SPX762	
\cdot Details of the supplier of the safety data sheet	
• Manufacturer/Supplier:	
Aqua Solutions, Inc.	
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536	
USA	
800-256-2586	
· Information department:	
Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org	
• Emergency telephone number: Chemtrec: 800-424-9300	
<i>Chemtrec:</i> 800-424-9300 <i>Canutec:</i> 613-996-6666	
2 Hazard(s) identification • Classification of the substance or mixture	
GHS08 Health hazard	
GHS08 Health hazard Carcinogenicity 1A H350 May cause cancer.	
Carcinogenicity 1A H350 May cause cancer.	damaae
Carcinogenicity 1A H350 May cause cancer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye	damage.
Carcinogenicity 1A H350 May cause cancer.	damage.
Carcinogenicity 1A H350 May cause cancer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye Eye Damage 1 H318 Causes serious eye damage. • Label elements	
Carcinogenicity 1A H350 May cause cancer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye Eye Damage 1 H318 Causes serious eye damage. • Label elements • GHS label elements The product is classified and labeled ac	
Carcinogenicity 1A H350 May cause cancer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye Eye Damage 1 H318 Causes serious eye damage. • Label elements	
Carcinogenicity 1A H350 May cause cancer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye Eye Damage 1 H318 Causes serious eye damage. • Label elements • GHS label elements The product is classified and labeled ac	
Carcinogenicity 1A H350 May cause cancer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye Eye Damage 1 H318 Causes serious eye damage. • Label elements • GHS label elements The product is classified and labeled ac	
Carcinogenicity 1A H350 May cause cancer. Carcinogenicity 1A H350 May cause cancer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye Eye Damage 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled ac Hazard pictograms Corrosion 1A H314 Causes severe skin burns and eye Eye Damage 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled ac	
Carcinogenicity 1A H350 May cause cancer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye Eye Damage 1 H318 Causes serious eye damage. • Label elements • GHS label elements The product is classified and labeled ac	
Carcinogenicity 1A H350 May cause cancer. Carcinogenicity 1A H350 May cause cancer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye Eye Damage 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled ac Hazard pictograms Corrosion 1A H314 Causes severe skin burns and eye Eye Damage 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled ac	
Carcinogenicity 1A H350 May cause cancer. Carcinogenicity 1A H350 May cause cancer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye Eye Damage 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled act Hazard pictograms GHS05 GHS08 Signal word Danger	
Carcinogenicity 1A H350 May cause cancer. Carcinogenicity 1A H350 May cause cancer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye Eye Damage 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled ac Hazard pictograms GHS05 GHS08	
Carcinogenicity 1A H350 May cause cancer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye Eye Damage 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled ac Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of labeling: Sulfuric Acid 96 - 98% Hazard statements	
Carcinogenicity 1A H350 May cause cancer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye Eye Damage 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled ac Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of labeling: Sulfuric Acid 96 - 98% Hazard statements Causes severe skin burns and eye damage.	
Carcinogenicity 1A H350 May cause cancer.	
Carcinogenicity 1A H350 May cause cancer.	
Carcinogenicity 1A H350 May cause cancer.	cording to the Globally Harmonized System (GHS).
Carcinogenicity 1A H350 May cause cancer.	cording to the Globally Harmonized System (GHS).

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Reagent #2 Acid Solution

(Contd. of page 1) <i>Wash thoroughly after handling.</i>
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 3
Fire = 0
$\frac{3}{0} Reactivity = 0$
· HMIS-ratings (scale 0 - 4)
$\begin{array}{c} \text{HEALTH} \overset{*3}{=} \\ Health = *3 \end{array}$
FIRE 0 Fire = 0
REACTIVITY 0 Reactivity = 0
• Other hazards
• Results of PBT and vPvB assessment
• PBT : Not applicable.
• vPvB: Not applicable.
2. Commenting the formation on increasing the set
3 Composition/information on ingredients
· Chemical characterization: Mixtures
• Description: Mixture of the substances listed below with nonhazardous additions.
• •
· Dangerous components:
CAS: 7664-93-9 Sulfuric Acid 96 - 98% 1.825%

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

 \cdot Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

98.175%

- US

Printing date 06/07/2024

Trade name: Reagent #2 Acid Solution

> • *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

- Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	0.20 mg/m ³
· PAC-2:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	8.7 mg/m ³
· PAC-3:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	160 mg/m ³

7 Handling and storage

· Handling:

DAC 1

- \cdot Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

(Contd. of page 2)

Reviewed on 06/07/2024

US -

Printing date 06/07/2024

Trade name: Reagent #2 Acid Solution Reviewed on 06/07/2024

(Contd. of page 3)

• *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

PEL Long-term value: 1 mg/m³

REL Long-term value: 1 mg/m³

TLV Long-term value: 0.2* mg/m³

*as thoracic fraction, A2

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

• General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.





Tightly sealed goggles

(Contd. on page 5)

US -

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Reagent #2 Acid Solution

· Body protection: Protective work clothing

Information on basis abusisal 1	ahomiaal nyonautias	
Information on basic physical and of General Information	cnemical properties	
Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
<i>pH-value at 20 °C (68 °F):</i>	<2	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.01533 g/cm ³ (8.47293 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	98.2 %	
VOC content:		
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

(Contd. on page 6)

Printing date 06/07/2024

Trade name: Reagent #2 Acid Solution Reviewed on 06/07/2024

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

- · IARC (International Agency for Research on Cancer)
- CAS: 7664-93-9 Sulfuric Acid 96 98%

· NTP (National Toxicology Program)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Not hazardous for water.
- Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

(Contd. on page 7)

1

Κ

Printing date 06/07/2024

Trade name: Reagent #2 Acid Solution

(Contd. of page 6)

Reviewed on 06/07/2024

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

Transport information		
UN-Number DOT, IMDG, IATA	Not regulated	
UN proper shipping name DOT, IMDG, IATA	Not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA Class	Not regulated	
Packing group DOT, IMDG, IATA	Not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	l of Not applicable.	
UN "Model Regulation":	Not regulated	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

 Section 313 (Specific toxic chemical listings): CAS: 7664-93-9 Sulfuric Acid 96 - 98%

ens. 7007 35 7 Sugare new 30 707

• TSCA (Toxic Substances Control Act):

Water

Sulfuric Acid 96 - 98%

(Contd. on page 8)

ACTIVE

ACTIVE

US

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Reagent #2 Acid Solution

(Contd. of page 7)

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

 \cdot Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

A2

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Sulfuric Acid 96 - 98% · Hazard statements Causes severe skin burns and eye damage. May cause cancer. · Precautionary statements *Obtain special instructions before use.* Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Wash contaminated clothing before reuse.

(Contd. on page 9)

US

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Reagent #2 Acid Solution

(Contd. of page 8)

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

• Date of preparation / last revision Revision 1.2, 06/05/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 05-29-2024: Creation date for SDS. STN 06/07/2024

• Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1 Carcinogenicity 1A: Carcinogenicity - Category 1A \cdot * Data compared to the previous version altered.