Printing date 06/07/2024

Reviewed on 06/07/2024

1 Identification

- · Product identifier
- · Trade name: Calmagite Manual
- Article number: OLI031
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

- · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number:
- Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage.



Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

· Label elements

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: Ammonium Hydroxide · Hazard statements Causes severe skin burns and eye damage. May cause respiratory irritation. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

US

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Calmagite Manual

(Contd. of page 1)
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
$\begin{array}{c} \textbf{Health} = 3\\ \textbf{Fire} = 0\\ \textbf{Reactivity} = 0 \end{array}$
· HMIS-ratings (scale 0 - 4)
HEALTH*3FIRE0REACTIVITY 0 Reactivity = 0
· Other hazards
· Results of PBT and vPvB assessment
· PBT: Not applicable.
• vPvB : Not applicable.
3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 102-71-6	Triethanolamine	4.475%
CAS: 1336-21-6	Ammonium Hydroxide	3.178%
· Table of Nonhazardous Ingredients		
CAS: 7732-18-5	Water	91.394%
	Ammonium Chloride, Reagent ACS Grade	0.551%
CAS: 15954-95-7	E.D.T.A. Magnesium	0.4%
CAS: 3147-14-6	Calmagite	0.003%

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

(Contd. on page 3)

US

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Calmagite Manual

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- \cdot Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• Personal precauti Mount respiratory	ons, protective equipment and emergency procedures	
	protective device. guipment. Keep unprotected persons away.	
• Environmental pr		
	<i>fuct to reach sewage system or any water course.</i>	
	authorities in case of seepage into water course or sewage system.	
v 1	ter sewers/ surface or ground water.	
	erial for containment and cleaning up:	
Absorb with liquia	binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing a		
	ated material as waste according to section 13.	
Ensure adequate v		
· Reference to other		
	nformation on safe handling.	
	nformation on personal protection equipment.	
	disposal information. Criteria for Chemicals	
	Crueria for Chemicais	
· PAC-1:		
CAS: 102-71-6	Triethanolamine	$15 mg/m^3$
CAS: 1336-21-6	Ammonium Hydroxide	61 ppm
CAS: 12125-02-9	Ammonium Chloride, Reagent ACS Grade	20 mg/m ³
· PAC-2:		
CAS: 102-71-6	Triethanolamine	240 mg/m ³
CAS: 1336-21-6	Ammonium Hydroxide	330 ppm
CAS: 12125-02-9	Ammonium Chloride, Reagent ACS Grade	54 mg/m ³
· PAC-3:		
CAS: 102-71-6	Triethanolamine	1,500 mg/m ³
CAS: 1336-21-6	Ammonium Hydroxide	2,300 ppm
CAS: 12125-02-9	Ammonium Chloride, Reagent ACS Grade	330 mg/m ³
		US

(Contd. of page 2)

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Calmagite Manual

(Contd. of page 3)

7 Handling and storage

- · Handling:
- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 102-71-6 Triethanolamine

TLV Long-term value: 5 mg/m³

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

US

Printing date 06/07/2024

Reviewed on 06/07/2024

(Contd. of page 4)

Trade name: Calmagite Manual

 \cdot Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Blue	
Odor:	Ammonia	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1 g/cm ³ (8.345 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	4.5 %	

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Calmagite Manual

		(Contd. of page 5)
Water: VOC content:	91.4 % 4.47 % 44.7 all (0.37 lb/aal	
Solids content:	44.7 g/l / 0.37 lb/gal 0.6 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 15,734 mg/kg

- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- CAS: 102-71-6 Triethanolamine
- · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 7)

3

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Calmagite Manual

(Contd. of page 6)

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	Not regulated	
UN proper shipping name DOT, IMDG, IATA	Not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA Class	Not regulated	
Packing group DOT, IMDG, IATA	Not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
UN "Model Regulation":	Not regulated	

(Contd. on page 8)

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Calmagite Manual

(Contd. of page 7)

 Safety, health and environmental regulations/legislation specific for the substant No further relevant information available. Sara 	
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 1336-21-6 Ammonium Hydroxide	
• TSCA (Toxic Substances Control Act):	
Water	ACTIV
Triethanolamine	ACTIV
Ammonium Hydroxide	ACTIV
Ammonium Chloride, Reagent ACS Grade	ACTIV
Calmagite	ACTIV
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· GHS label elements The product is classified and labeled according to the Globa	ally Harmonized System (GHS)



· Signal word Danger

• *Hazard-determining components of labeling: Ammonium Hydroxide*

(Contd. on page 9)

⁻ US

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Calmagite Manual

	(Contd. of page 8)
Hazard statements	
Causes severe skin burns and eye damage.	
May cause respiratory irritation.	
Precautionary statements	
Do not breathe dusts or mists.	
Vash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
<i>Near protective gloves/protective clothing/eye protection/face protection.</i>	
f swallowed: Rinse mouth. Do NOT induce vomiting.	
f on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
F INHALED: Remove person to fresh air and keep comfortable for breathing.	
f in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present	and easy to do.
Continue rinsing.	
mmediately call a poison center/doctor.	
Specific treatment (see on this label).	
Nash contaminated clothing before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	<i>s</i> .
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Environment protection department.
- · Contact:
- Date of Preparation / Last Revision:
- Date of preparation / last revision Revision 1.2, 06/05/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 05-29-2024: Creation date for SDS. STN 06/07/2024
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 \cdot * Data compared to the previous version altered.

US