Printing date 06/07/2024

Reviewed on 06/07/2024


# **1** Identification


- · Product identifier
- Trade name: Chromium (VI) 1,000 mg/L Stock for EZ1009 Series - Chromium
- · Article number: HAC054
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
   Emergency telephone number: Chemtrec: 800-424-9300
- *Canutec:* 613-996-6666

# **2** *Hazard*(*s*) *identification*





•	
Sensitization - Respiratory 1	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Germ Cell Mutagenicity 1B	H340 May cause genetic defects.
Carcinogenicity 1A	H350 May cause cancer.
Toxic to Reproduction 1B	H360 May damage fertility or the unborn child.



Skin Corrosion 1AH314 Causes severe skin burns and eye damage.Eye Damage 1H318 Causes serious eye damage.



Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



(Contd. on page 2)

US

Printing date 06/07/2024

Reviewed on 06/07/2024

ade name: Chromium (VI) 1,000 mg/L Stock for EZ1009 Series - Chromium	
	(Contd. of page
· Signal word Danger	
· Hazard-determining components of labeling:	
Potassium Dichromate	
Nitric Acid	
· Hazard statements	
Harmful if inhaled.	
Causes severe skin burns and eye damage.	
May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
May cause an allergic skin reaction.	
May cause genetic defects.	
May cause cancer.	
May damage fertility or the unborn child.	
· Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
[In case of inadequate ventilation] wear respiratory protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin w	with water/shower
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	viin waier/shower.
If in eyes: Rinse cautiously with water for several minutes. Remove contact	lenses if present and easy to a
Continue rinsing.	ienses, y present and easy to a
Immediately call a poison center/doctor.	
<i>IF exposed or concerned: Get medical advice/attention.</i>	
Specific treatment (see on this label).	
If skin irritation or rash occurs: Get medical advice/attention.	
If experiencing respiratory symptoms: Call a poison center/doctor.	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international	ational regulations.
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 0	
3  0  Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
<b>REACTIVITY O</b> $Reactivity = 0$	
· Other hazards	
· Results of PBT and vPvB assessment	
• <b><i>PBT:</i></b> Not applicable.	
· vPvB: Not applicable.	

(Contd. on page 3)

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Chromium (VI) 1,000 mg/L Stock for EZ1009 Series - Chromium

(Contd. of page 2)

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous comp	ponents:	
CAS: 7697-37-2	Nitric Acid	0.4%
CAS: 7778-50-9	Potassium Dichromate	0.283%
• Table of Nonhaz	ardous Ingredients	
CAS: 7732-18-5	Water	99.317%

#### 4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

US

Printing date 06/07/2024

Reviewed on 06/07/2024

#### Trade name: Chromium (VI) 1,000 mg/L Stock for EZ1009 Series - Chromium

Use neutralizing	agent	(Contd. of page 3)
	nated material as waste according to section 13.	
Ensure adequate	8	
· Reference to oth		
	information on safe handling.	
	information on personal protection equipment.	
•	r disposal information.	
· Protective Action	Criteria for Chemicals	
· PAC-1:		
CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 7778-50-9	Potassium Dichromate	$0.42 mg/m^3$
· PAC-2:		
CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 7778-50-9	Potassium Dichromate	7.4 mg/m <sup>3</sup>
· PAC-3:		
CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 7778-50-9	Potassium Dichromate	44 mg/m <sup>3</sup>

# 7 Handling and storage

#### · Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

## CAS: 7697-37-2 Nitric Acid

- PEL Long-term value: 5 mg/m<sup>3</sup>, 2 ppm
- REL Short-term value: 10 mg/m<sup>3</sup>, 4 ppm
- Long-term value: 5 mg/m<sup>3</sup>, 2 ppm
- TLV Short-term value: (4) NIC-0.025\* ppm Long-term value: (2) ppm \*inh. fraction + vapor, NIC-A4

(Contd. on page 5)

<sup>–</sup> US

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Chromium (VI) 1,000 mg/L Stock for EZ1009 Series - Chromium

(Contd. of page 4)

~ . ~	(Contd. of page
	7778-50-9 Potassium Dichromate
PEL	Long-term value: 0.005* mg/m <sup>3</sup>
	Ceiling limit value: 0.1** mg/m <sup>3</sup>
	*as Cr(VI) **as CrO3; see 29 CFR 1910.1026
REL	Long-term value: 0.0002 mg/m <sup>3</sup>
	as Cr; See Pocket Guide Apps. A and C
TLV	Short-term value: 0.0005 mg/m <sup>3</sup>
12,	Long-term value: 0.0002 mg/m <sup>3</sup>
	as Cr(VI); A1; inhalable, Skin; BEI, DSEN, RSEN
Inord	dients with biological limit values:
0	7778-50-9 Potassium Dichromate
REI	25 μg/L
	LD50 Intraperitoneal: urine
	Time: end of shift at end of workweek
	LD50: Total chromium (fume)
	10 µg/L
	LD50 Intraperitoneal: urine
	Time: increase during shift
	LD50: Total chromium (fume)
Wash Store Avoid Avoid <b>Brea</b> In ca respi	diately remove all soiled and contaminated clothing. hands before breaks and at the end of work. protective clothing separately. l contact with the eyes. l contact with the eyes and skin. thing equipment: se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u ratory protective device that is independent of circulating air. ction of hands:
	Protective gloves
Due	love material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ t ical mixture.
	tion of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>rial of gloves</b>
The s varie the g	election of the suitable gloves does not only depend on the material, but also on further marks of quality as s from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance love material can not be calculated in advance and has therefore to be checked prior to the application. t <b>ration time of glove material</b>

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6) US

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Chromium (VI) 1,000 mg/L Stock for EZ1009 Series - Chromium

(Contd. of page 5)

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

· Information on basic physical and o	chemical properties	
· General Information		
· Appearance:		
Form:	Liquid	
Color: • Odor:	Orange Odorless	
· Odor: · Odor threshold:	Not determined.	
• <i>pH-value at 20 °C (68 °F):</i>	<2	
· Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
• Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F):	1.00675 g/cm³ (8.40133 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
$\cdot$ Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	99.3 %	
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal	

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Chromium (VI) 1,000 mg/L Stock for EZ1009 Series - Chromium

Solids content:

0.3 %

· Other information

No further relevant information available.

# 10 Stability and reactivity

- · *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

# · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 35,348 mg/kg

Inhalative LC50/4h 17.3 mg/l

· Primary irritant effect:

- on the skin: Strong caustic effect on skin and mucous membranes.
- $\cdot$  on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The product can cause inheritable damage.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
CAS: 7778-50-9 Potassium Dichromate	1
· NTP (National Toxicology Program)	
CAS: 7778-50-9 Potassium Dichromate	K
	(Contd. on page 8)

(Contd. of page 6)

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Chromium (VI) 1,000 mg/L Stock for EZ1009 Series - Chromium

(Contd. of page 7)

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12 Ecological information**

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	Not regulated	
· UN proper shipping name		
· DOT, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA		
· Class	Not regulated	
· Packing group		
· DOT, IMDG, IATA	Not regulated	

Printing date 06/07/2024

Reviewed on 06/07/2024

(Contd. of page 8)

Trade name: Chromium (VI) 1,000 mg/L Stock for EZ1009 Series - Chromium

· Environmental hazards:

· Special precautions for user

Not applicable. Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code
UN "Model Regulation":

Not applicable. Not regulated

**15 Regulatory information** 

CAS: 7778-50-9 Potassium Dichromate

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 10)

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara · Section 355 (extremely hazardous substances): CAS: 7697-37-2 Nitric Acid · Section 313 (Specific toxic chemical listings): CAS: 7697-37-2 Nitric Acid CAS: 7778-50-9 Potassium Dichromate · TSCA (Toxic Substances Control Act): Water ACTIVE Nitric Acid ACTIVE ACTIVE Potassium Dichromate · Hazardous Air Pollutants CAS: 7778-50-9 Potassium Dichromate · Proposition 65 · Chemicals known to cause cancer: CAS: 7778-50-9 Potassium Dichromate · Chemicals known to cause reproductive toxicity for females: CAS: 7778-50-9 Potassium Dichromate · Chemicals known to cause reproductive toxicity for males: CAS: 7778-50-9 Potassium Dichromate · Chemicals known to cause developmental toxicity: CAS: 7778-50-9 Potassium Dichromate · Carcinogenic categories · EPA (Environmental Protection Agency) CAS: 7778-50-9 Potassium Dichromate A(inh), D(oral), K/L(inh), CBD(oral) · TLV (Threshold Limit Value) CAS: 7778-50-9 Potassium Dichromate A1· NIOSH-Ca (National Institute for Occupational Safety and Health)

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Chromium (VI) 1,000 mg/L Stock for EZ1009 Series - Chromium



· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Printing date 06/07/2024

Reviewed on 06/07/2024

# Trade name: Chromium (VI) 1,000 mg/L Stock for EZ1009 Series - Chromium

	(Contd. of page
<b>Department issuing SDS:</b> Environment protection department.	
Contact:	
Date of Preparation / Last Revision:	
Date of preparation / last revision	
Revision 1.2, 06/05/2024: Reviewed SDS for accuracy. MH/STN	
Revision 0.0, 05-29-2024: Creation date for SDS. STN	
06/07/2024	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Acute Toxicity - Inhalation 4: Acute toxicity – Category 4	
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A	
Eye Damage 1: Serious eye damage/eye irritation – Category 1 Semiitingtion – Deminstern I: Beggington agriculture of Category 1	
Sensitization - Respiratory 1: Respiratory sensitisation – Category 1	
Sensitization - Skin 1: Skin sensitisation – Category 1 Corm Coll Mutageniain, 1P: Corm coll mutageniain, Category 1P	
Germ Cell Mutagenicity 1B: Germ cell mutagenicity – Category 1B Carcinogenicity 1A: Carcinogenicity – Category 1A	
Toxic to Reproduction 1B: Reproductive toxicity – Category 1B	
* Data compared to the previous version altered.	
<sup>•</sup> Data comparea to the previous version atterea.	