Printing date 06/10/2024

*

*

Reviewed on 06/10/2024

1 Identification		
· Product identifier		
· Trade name: <u>Ethyl</u>		
	v/v Solution	
• Article number: 36	83	
	lier of the safety data sheet	
• Manufacturer/Supp Aqua Solutions, Inc.		AQUA
6913 Highway 225	•	SOLUTIONS
DEER PARK, TX 72	7536	
USA 800-256-2586		
	-mont.	
Information depart Technical Coordina		
Sherman Nelson she	ermann@aquasolutions.org	
• Emergency telepho		
Chemtrec: 800-424 Canutec: 613-996-6		
2 Hazand(a) ident	fightion	
2 Hazard(s) identi	gication	
· Classification of the	e substance or mixture	
GHS07		
Acute Loxicity - Ord	al 4 H302 Harmful if swallowed.	
Skin Irritation 2	H315 Causes skin irritation.	
Skin Irritation 2	H315 Causes skin irritation. H320 Causes eye irritation.	
Skin Irritation 2 Eye Irritation 2B Label elements	H320 Causes eye irritation.	
Skin Irritation 2 Eye Irritation 2B Label elements GHS label elements	H320 Causes eye irritation. s The product is classified and labeled a	ccording to the Globally Harmonized System (GHS).
Skin Irritation 2 Eye Irritation 2B Label elements	H320 Causes eye irritation. s The product is classified and labeled a	ccording to the Globally Harmonized System (GHS).
Skin Irritation 2 Eye Irritation 2B Label elements GHS label elements	H320 Causes eye irritation. s The product is classified and labeled a	ccording to the Globally Harmonized System (GHS).
Skin Irritation 2 Eye Irritation 2B Label elements GHS label elements	H320 Causes eye irritation. s The product is classified and labeled a	ccording to the Globally Harmonized System (GHS).
Skin Irritation 2 Eye Irritation 2B Label elements GHS label elements Hazard pictograms	H320 Causes eye irritation. s The product is classified and labeled a	ccording to the Globally Harmonized System (GHS).
Skin Irritation 2 Eye Irritation 2B Label elements GHS label elements	H320 Causes eye irritation. s The product is classified and labeled a	ccording to the Globally Harmonized System (GHS).
Skin Irritation 2 Eye Irritation 2B Label elements GHS label elements Hazard pictograms	H320 Causes eye irritation. s The product is classified and labeled a	ccording to the Globally Harmonized System (GHS).
Skin Irritation 2 Eye Irritation 2B Label elements GHS label elements Hazard pictograms GHS07	H320 Causes eye irritation. s The product is classified and labeled a	ccording to the Globally Harmonized System (GHS).
Skin Irritation 2 Eye Irritation 2B • Label elements • GHS label elements • Hazard pictograms • GHS07 • Signal word Warnin • Hazard-determinin Ethylene Glycol	H320 Causes eye irritation. s The product is classified and labeled a	ccording to the Globally Harmonized System (GHS).
Skin Irritation 2 Eye Irritation 2B • Label elements • GHS label elements • Hazard pictograms • GHS07 • Signal word Warnin • Hazard-determinin Ethylene Glycol • Hazard statements	H320 Causes eye irritation. s The product is classified and labeled a ng g components of labeling:	ccording to the Globally Harmonized System (GHS).
Skin Irritation 2 Eye Irritation 2B • Label elements • GHS label elements • Hazard pictograms • GHS07 • Signal word Warnin • Hazard-determinin Ethylene Glycol • Hazard statements Harmful if swallowe	H320 Causes eye irritation. s The product is classified and labeled a ^{ng} g components of labeling: ed.	ccording to the Globally Harmonized System (GHS).
Skin Irritation 2 Eye Irritation 2B • Label elements • GHS label elements • Hazard pictograms • GHS07 • Signal word Warnin • Hazard-determinin Ethylene Glycol • Hazard statements Harmful if swallowe Causes skin and eye	H320 Causes eye irritation. s The product is classified and labeled and ng g components of labeling: ed. e irritation.	ccording to the Globally Harmonized System (GHS).
Skin Irritation 2 Eye Irritation 2B • Label elements • GHS label elements • Hazard pictograms • GHS07 • Signal word Warnin • Hazard-determinin Ethylene Glycol • Hazard statements Harmful if swallowe Causes skin and eye • Precautionary state Wash thoroughly af	H320 Causes eye irritation. s The product is classified and labeled and g components of labeling: ed. e irritation. ments fer handling. Do not touch eyes.	ccording to the Globally Harmonized System (GHS).
Skin Irritation 2 Eye Irritation 2B • Label elements • GHS label elements • Hazard pictograms • GHS07 • Signal word Warnin • Hazard-determinin Ethylene Glycol • Hazard statements Harmful if swallowe Causes skin and eye • Precautionary state Wash thoroughly af Do not eat, drink or	H320 Causes eye irritation. s The product is classified and labeled and g components of labeling: ed. e irritation. ements fter handling. Do not touch eyes. • smoke when using this product.	ccording to the Globally Harmonized System (GHS).
Skin Irritation 2 Eye Irritation 2B • Label elements • GHS label elements • Hazard pictograms • GHS07 • Signal word Warnin • Hazard-determinin Ethylene Glycol • Hazard statements Harmful if swallowe Causes skin and eye • Precautionary state Wash thoroughly af Do not eat, drink or Wear protective glo	H320 Causes eye irritation. s The product is classified and labeled and g g components of labeling: ed. e irritation. ements fer handling. Do not touch eyes. • smoke when using this product. ves.	ccording to the Globally Harmonized System (GHS).
Skin Irritation 2 Eye Irritation 2B • Label elements • GHS label elements • Hazard pictograms • GHS07 • Signal word Warnin • Hazard-determinin Ethylene Glycol • Hazard statements Harmful if swallowe Causes skin and eye • Precautionary state Wash thoroughly af Do not eat, drink or Wear protective glo	H320 Causes eye irritation. s The product is classified and labeled and g components of labeling: ed. e irritation. ements fter handling. Do not touch eyes. • smoke when using this product.	ccording to the Globally Harmonized System (GHS).
Skin Irritation 2 Eye Irritation 2B • Label elements • GHS label elements • Hazard pictograms • GHS07 • Signal word Warnin • Hazard-determinin Ethylene Glycol • Hazard statements Harmful if swallowe Causes skin and eye • Precautionary state Wash thoroughly af Do not eat, drink or Wear protective glo If swallowed: Call of	H320 Causes eye irritation. s The product is classified and labeled and g components of labeling: ed. e irritation. ements frer handling. Do not touch eyes. • smoke when using this product. ves. a poison center/doctor if you feel unwell.	ccording to the Globally Harmonized System (GHS).

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Ethylene Glycol 40% v/v Solution

Specifi	c treatment (see on this label). (Contd. of pag
1 0	
	ves: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to ue rinsing.
	ff contaminated clothing and wash it before reuse.
v	irritation occurs: Get medical advice/attention.
	rritation persists: Get medical help.
	e of contents/container in accordance with local/regional/national/international regulations.
	ication system:
· NFPA	ratings (scale 0 - 4)
	Health = 1
	Fire = 1
	$\frac{1}{1} \frac{1}{1} \frac{1}$
	Kedenvay = 0
· HMIS·	ratings (scale 0 - 4)
HEALT	+ 1 Health = 1
FIRE	1 Fire = 1
REACT	
NEACT	Mito Reactivity = 0
· Other	hazards
· Results	s of PBT and vPvB assessment
• PBT: 1	Not applicable.
	Not applicable.
3 Comr	osition/information on ingredients
1	v 0
· Chemi	cal characterization: Mixtures

· Description. Mixture of the st

 · Dangerous components:
 42.529%

 CAS: 107-21-1
 Ethylene Glycol
 42.529%

 · Table of Nonhazardous Ingredients
 57.471%

 CAS: 7732-18-5
 Water
 57.471%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: Immediately call a doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

US -

Printing date 06/10/2024

Trade name: Ethylene Glycol 40% v/v Solution

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
 Protective Action Criteria for Chemicals

· Protective Action Criteria for Chemicals

• PAC-1:

CAS: 107-21-1 Ethylene Glycol

· PAC-2:

CAS: 107-21-1 Ethylene Glycol

· PAC-3:

CAS: 107-21-1 Ethylene Glycol

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

30 ppm

150 ppm

900 ppm

(Contd. on page 4)

(Contd. of page 2)

Reviewed on 06/10/2024

Printing date 06/10/2024

Trade name: Ethylene Glycol 40% v/v Solution Reviewed on 06/10/2024

(Contd. of page 3)

	l parameters nents with limit values that require monitoring at the workplace:
	07-21-1 Ethylene Glycol
	Short-term value: 10** mg/m ³ , 50* ppm
	Long-term value: 25* ppm
	*vapor fraction: **inh. fraction, aerosol only, A4
WEEL	I(2)
Additio	nal information: The lists that were valid during the creation were used as basis.
Exposu	<i>ure controls</i>
	al protective equipment:
	I protective and hygienic measures:
	way from foodstuffs, beverages and feed.
	iately remove all soiled and contaminated clothing.
	ands before breaks and at the end of work.
	contact with the eyes and skin.
	ing equipment: Not required.
	tion of hands:
	Protective gloves
Theale	we waterial has to be imperented by and resistant to the product the substance of the propagation
	we material has to be impermeable and resistant to the product/ the substance/ the preparation.
	missing tests no recommendation to the glove material can be given for the product/ the preparation/ t
	al mixture.
	on of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	al of gloves
	ection of the suitable gloves does not only depend on the material, but also on further marks of quality a
	from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance
the glov	ve material can not be calculated in advance and has therefore to be checked prior to the application.
Penetra	ation time of glove material
The exc	act break through time has to be found out by the manufacturer of the protective gloves and has to
observe	
Eve pro	otection:
$(\bigcirc$	
	Tightly sealed goggles
Body pr	rotection: Protective work clothing
D1 ·	
Physic	cal and chemical properties
Inform	ation on basic physical and chemical properties
	alion on basic physical and chemical properties Il Information
	•
Appear	
Form	······
Color	
Odor:	Odorless
	hreshold: Not determined.

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Ethylene Glycol 40% v/v Solution

	(Co	ntd. of page
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)	
Flash point:	111 °C (231.8 °F)	
Flammability (solid, gaseous):	Not applicable.	
Auto igniting:	410 °C (770 °F)	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	3.2 Vol % 53 Vol %	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	1.04678 g/cm ³ (8.73538 lbs/gal) Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
Solvent content: Water: VOC content:	57.5 % 0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials: } No \ further \ relevant \ information \ available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Ethylene Glycol

40% v/v Solution

(Contd. of page 5)

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 1,176 mg/kg

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment

- *PBT:* Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Printing date 06/10/2024

Trade name: Ethylene Glycol 40% v/v Solution Reviewed on 06/10/2024

(Contd. of page 6)

· Uncleaned packagings:

• *Recommendation:* Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	Not regulated
· UN proper shipping name · DOT, IMDG, IATA	Not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	Not regulated
Packing group DOT, IMDG, IATA	Not regulated
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	of Not applicable.
· UN ''Model Regulation'':	Not regulated

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara · Section 355 (extremely hazardous substances): None of the ingredients is listed. • Section 313 (Specific toxic chemical listings): CAS: 107-21-1 Ethylene Glycol · TSCA (Toxic Substances Control Act): Water ACTIVE ACTIVE Ethylene Glycol · Hazardous Air Pollutants CAS: 107-21-1 Ethylene Glycol · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. (Contd. on page 8)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Ethylene Glycol 40% v/v Solution

(Contd. of page 7)

A4

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 107-21-1 Ethylene Glycol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 107-21-1 Ethylene Glycol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

· Hazard-determining components of labeling:

Ethylene Glycol

• Hazard statements Harmful if swallowed.

Causes skin and eye irritation.

• Precautionary statements

Wash thoroughly after handling. Do not touch eyes.

Do not eat, drink or smoke when using this product.

- Wear protective gloves.
- If swallowed: Call a poison center/doctor if you feel unwell.
- Rinse mouth.

If on skin: Wash with plenty of water.

Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical help.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

(Contd. on page 9)

Printing date 06/10/2024

Trade name: Ethylene Glycol 40% v/v Solution

Reviewed on 06/10/2024

	(Contd. of page 8)
• Date of preparation / last revision	
Revision 1.2, 06/10/2024: Reviewed SDS for accuracy. MH/STN	
Revision 0.0, 05-29-2024: Creation date for SDS. STN	
06/10/2024 / 1.0	
· Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Toxicity - Oral 4: Acute toxicity – Category 4	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
Eye Irritation 2B: Serious eye damage/eye irritation – Category 2B	
\cdot * Data compared to the previous version altered.	
	US