Printing date 06/11/2024

Reviewed on 06/11/2024

1 Identification

- · Product identifier
- Trade name: <u>Color Reagent for</u> <u>EZ1025/EZ2003/EZ2303 Manganese</u>
- · Article number: HAC097
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



Carcinogenicity 1A H350 May cause cancer. Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure.



Sensitization - Skin 1

H317 May cause an allergic skin reaction.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



- · Signal word Danger
- Hazard-determining components of labeling: Hydroxylamine Hydrochloride Formaldehyde
 Hazard statements May cause an allergic skin reaction. May cause cancer. May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 2)

[–] ÚS

Printing date 06/11/2024

Reviewed on 06/11/2024

Trade name: Color Reagent for EZ1025/EZ2003/EZ2303 Manganese

| | (Contd. of page 1) |
|---|--------------------|
| · Precautionary statements | |
| Obtain special instructions before use. | |
| Do not handle until all safety precautions have been read and understood. | |
| Do not breathe dust/fume/gas/mist/vapors/spray. | |
| Contaminated work clothing must not be allowed out of the workplace. | |
| Wear protective gloves/protective clothing/eye protection/face protection. | |
| If on skin: Wash with plenty of water. | |
| IF exposed or concerned: Get medical advice/attention. | |
| Specific treatment (see on this label). | |
| Get medical advice/attention if you feel unwell. | |
| If skin irritation or rash occurs: Get medical advice/attention. | |
| Wash contaminated clothing before reuse. | |
| Store locked up. | |
| Dispose of contents/container in accordance with local/regional/national/international regulations | |
| · Classification system: | |
| ·NFPA ratings (scale 0 - 4) | |
| | |
| Health = 0 | |
| Fire = 0 | |
| $0 0 \mathbf{R}$ eactivity = 0 | |
| · HMIS-ratings (scale 0 - 4) | |
| | |
| $\begin{array}{c} \text{HEALTH} & \text{``1} \\ \text{Health} = *1 \\ \text{Health} = $ | |
| $FIRE \qquad 0 \qquad Fire = 0$ | |
| REACTIVITY Reactivity = 0 | |
| · Other hazards | |
| · Results of PBT and vPvB assessment | |
| • PBT : Not applicable. | |
| · vPvB: Not applicable. | |
| | |

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components: | | | |
|-------------------------------------|-----------------------------|--------|--|
| CAS: 5470-11-1 | Hydroxylamine Hydrochloride | 4.001% | |
| CAS: 50-00-0 | Formaldehyde | 0.6% | |
| CAS: 67-56-1 | Methanol | 0.324% | |
| · Table of Nonhazardous Ingredients | | | |
| CAS: 7732-18-5 Water 95.076% | | | |

4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

(Contd. on page 3)

⁻ US

Printing date 06/11/2024

Trade name: Color Reagent for EZ1025/EZ2003/EZ2303 Manganese Reviewed on 06/11/2024

(Contd. of page 2)

- In case of unconsciousness place patient stably in side position for transportation.
- $\cdot \textit{After skin contact: Immediately wash with water and so ap and rinse thoroughly.}$
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- During nearing or in case of fire poisonous gas
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

| · Personal precau · Environmental p | tions, protective equipment and emergency procedures Mount respiratory pro recautions: | tective device. | |
|--|---|----------------------|--|
| Do not allow pro | duct to reach sewage system or any water course. | | |
| Inform respective authorities in case of seepage into water course or sewage system. | | | |
| Dilute with plenty of water. | | | |
| Do not allow to enter sewers/ surface or ground water. | | | |
| · Methods and material for containment and cleaning up: | | | |
| Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). | | | |
| | nated material as waste according to section 13. | | |
| Ensure adequate ventilation. | | | |
| · Reference to oth | er sections | | |
| | information on safe handling. | | |
| See Section 8 for | information on personal protection equipment. | | |
| See Section 13 fo | r disposal information. | | |
| · Protective Action | e Criteria for Chemicals | | |
| · PAC-1: | | | |
| CAS: 5470-11-1 | Hydroxylamine Hydrochloride | $0.42 \ mg/m^3$ | |
| CAS: 50-00-0 | Formaldehyde | 0.90 ppm | |
| CAS: 67-56-1 | Methanol | 530 ppm | |
| · PAC-2: | | | |
| CAS: 5470-11-1 | Hydroxylamine Hydrochloride | $4.7 \ mg/m^3$ | |
| CAS: 50-00-0 | Formaldehyde | 14 ppm | |
| CAS: 67-56-1 | Methanol | 2,100 ppm | |
| · PAC-3: | | | |
| CAS: 5470-11-1 | Hydroxylamine Hydrochloride | 28 mg/m ³ | |
| CAS: 50-00-0 | Formaldehyde | 56 ppm | |
| | | (Contd. on page 4) | |
| | | US | |

Printing date 06/11/2024

Reviewed on 06/11/2024

Trade name: Color Reagent for

EZ1025/EZ2003/EZ2303 Manganese

CAS: 67-56-1 Methanol

(Contd. of page 3) 7200* ppm

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 50-00-0 Formaldehyde

PEL Short-term value: 2 ppm Long-term value: 0.75 ppm see 29 CFR 1910.1048(c)

- REL Long-term value: 0.016 ppm Ceiling limit value: 0.1* ppm *15-min; See Pocket Guide App. A
- TLV Short-term value: 0.3 ppm Long-term value: 0.1 ppm DSEN; RSEN, A1

CAS: 67-56-1 Methanol

- PEL Long-term value: 260 mg/m³, 200 ppm
- REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
- TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEIc

(Contd. on page 5)

Printing date 06/11/2024

*

Reviewed on 06/11/2024

Trade name: Color Reagent for EZ1025/EZ2003/EZ2303 Manganese

(Contd. of page 4)

| · Ing | redients with biological limit values: |
|-----------------------------------|--|
| CA | S: 67-56-1 Methanol |
| BE | 15 mg/L |
| | LD50 Intraperitoneal: urine |
| | Time: end of shift |
| | LD50: Methanol (background, nonspecific) |
| · Ad | litional information: The lists that were valid during the creation were used as basis. |
| $\cdot Exp$ | posure controls |
| | sonal protective equipment: |
| · Ge | ieral protective and hygienic measures: |
| | p away from foodstuffs, beverages and feed. |
| Im | nediately remove all soiled and contaminated clothing. |
| Wa | sh hands before breaks and at the end of work. |
| | re protective clothing separately. |
| | athing equipment: |
| | ase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure i |
| | piratory protective device that is independent of circulating air. |
| | tection of hands: |
| | |
| Du | glove material has to be impermeable and resistant to the product/ the substance/ the preparation. The to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to wised wiseway |
| | mical mixture. |
| | ection of the glove material on consideration of the penetration times, rates of diffusion and the degradation terial of gloves |
| The var the · Per | selection of the suitable gloves does not only depend on the material, but also on further marks of quality a ies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance glove material can not be calculated in advance and has therefore to be checked prior to the application. Thetration time of glove material |
| | e exact break through time has to be found out by the manufacturer of the protective gloves and has to erved. |
| ·Eye | protection: |
| C | Tightly sealed goggles |
| · Ro | ly protection: Protective work clothing |
| DU | |

| | ysical and chemical properties | |
|--|--------------------------------|--|
| • General Information • Appearance: | | |
| Form: | Liquid | |
| Color: | Colorless | |
| Odor: | Formaldehyde | |

Printing date 06/11/2024

Reviewed on 06/11/2024

Trade name: Color Reagent for EZ1025/EZ2003/EZ2303 Manganese

| | (Contd. of page 5) |
|--|--|
| · Odor threshold: | Not determined. |
| · pH-value: | Not determined. |
| • Change in condition Melting point/Melting range: Boiling point/Boiling range: | 0 °C (32 °F) 100 °C (212 °F) |
| · Flash point: | Not applicable. |
| · Flammability (solid, gaseous): | Not applicable. |
| · Decomposition temperature: | Not determined. |
| · Ignition temperature: | Product is not selfigniting. |
| · Danger of explosion: | Product does not present an explosion hazard. |
| · Explosion limits: Lower: Upper: | Not determined. Not determined. |
| · Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) |
| Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate | 1.00219 g/cm ³ (8.36328 lbs/gal) Not determined. Not determined. Not determined. |
| · Solubility in / Miscibility with Water: | Fully miscible. |

| Water: | Fully miscible. | |
|--------------------------------------|--|--|
| · Partition coefficient (n-octanol/w | ater): Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| · Solvent content: | | |
| Organic solvents: | 0.9 % | |
| Water: | 95.1 % | |
| VOC content: | 0.92 % | |
| | 9.3 g/l / 0.08 lb/gal | |
| Solids content: | 4.0 % | |
| • Other information | No further relevant information available. | |

10 Stability and reactivity

· Reactivity No further relevant information available.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

[·] Chemical stability

Printing date 06/11/2024

Reviewed on 06/11/2024

Trade name: Color Reagent for

EZ1025/EZ2003/EZ2303 Manganese

(Contd. of page 6)

| 11 Toxicological information | | | |
|---|--|--------------|---|
| · Information on toxicological effects · Acute toxicity: | | | |
| · LD/LC50 values that are relevant for classification: | | |] |
| ATE (Acu | ATE (Acute Toxicity Estimate) | | |
| Oral | LD50 | >2,162 mg/kg | 1 |
| Dermal | LD50 | 14,891 mg/kg | |
| Inhalative | LC50/4h | 325 mg/l | |
| · Sensitizati · Additional | | | |
| | 0 | | 1 |
| | · IARC (International Agency for Research on Cancer) CAS: 50-00-0 Formaldehyde 1 | | |
| • NTP (Nati | · NTP (National Toxicology Program) | | |
| CAS: 50-0 | 0-0 Form | aldehyde K |] |
| · OSHA-Ca | · OSHA-Ca (Occupational Safety & Health Administration) | | |
| CAS: 50-00-0 Formaldehyde | | | |

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- \cdot **Mobility in soil** No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water
- Do not allow product to reach ground water, water course or sewage system, even in small quantities.
- Danger to drinking water if even extremely small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

⁻ US

Printing date 06/11/2024

Reviewed on 06/11/2024

Trade name: Color Reagent for EZ1025/EZ2003/EZ2303 Manganese

(Contd. of page 7)

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

| UN-Number | | |
|---|-----------------|--|
| DOT, ADN, IMDG, IATA | Not regulated | |
| UN proper shipping name DOT, ADN, IMDG, IATA | Not regulated | |
| Transport hazard class(es) | | |
| DOT, ADN, IMDG, IATA | | |
| Class | Not regulated | |
| Packing group | | |
| DOT, IMDG, IATA | Not regulated | |
| Environmental hazards: | Not applicable. | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex I | I of | |
| MARPOL73/78 and the IBC Code | Not applicable. | |

15 Regulatory information

*

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

| • Section 355 (extremely hazardous substances): | | |
|---|--------------------|--|
| CAS: 50-00-0 Formaldehyde | | |
| · Section 313 (Specific toxic chemical listings): | | |
| CAS: 50-00-0 Formaldehyde | | |
| CAS: 67-56-1 Methanol | | |
| · TSCA (Toxic Substances Control Act): | | |
| Water | ACTIVE | |
| Hydroxylamine Hydrochloride | ACTIVE | |
| Formaldehyde | ACTIVE | |
| Methanol | | |
| · Hazardous Air Pollutants | | |
| CAS: 50-00-0 Formaldehyde | | |
| CAS: 67-56-1 Methanol | | |
| · Proposition 65 | | |
| · Chemicals known to cause cancer: | | |
| CAS: 50-00-0 Formaldehyde | | |
| | (Contd. on page 9) | |

US

Printing date 06/11/2024

Reviewed on 06/11/2024

(Contd. of page 8)

B1

A2

Trade name: Color Reagent for

EZ1025/EZ2003/EZ2303 Manganese

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 50-00-0 Formaldehyde

• TLV (Threshold Limit Value)

CAS: 50-00-0 Formaldehyde

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 50-00-0 Formaldehyde

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Hydroxylamine Hydrochloride Formaldehyde · Hazard statements May cause an allergic skin reaction. May cause cancer. May cause damage to organs through prolonged or repeated exposure. · Precautionary statements *Obtain special instructions before use.* Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

(Contd. on page 10)

US

Printing date 06/11/2024

Reviewed on 06/11/2024

Trade name: Color Reagent for

EZ1025/EZ2003/EZ2303 Manganese

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 9)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Environment protection department. • Contact:
- Date of Preparation / Last Revision:
- · Date of preparation / last revision Revision 1.2, 06/10/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 05-29-2024: Creation date for SDS. STN 06/11/2024 / 1.1 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Sensitization - Skin 1: Skin sensitisation - Category 1 Carcinogenicity 1A: Carcinogenicity – Category 1A Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2 \cdot * Data compared to the previous version altered.