Printing date 06/10/2024

*

Reviewed on 06/10/2024

Product identifier		
Trade name: Cyclohexan for FZ1040	none Solution - Series Zinc	
Article number: HAC116		
Details of the supplier of Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	the safety data sheet	AQUA SOLUTIONS
Information department: Technical Coordinator Sherman Nelson sherman Emergency telephone nu Chemtrec: 800-424-9300 Canutec: 613-996-6666	n@aquasolutions.org mber:	
Hazard(s) identificat	ion	
Classification of the subs	tance or mixture	
GHS02 Flame		
	H226 Flammable liquid and vapo	pr.
		<i>)r.</i>
Flammable Liquids 3	nd crossbones	pr.
Flammable Liquids 3		pr.
Flammable Liquids 3	nd crossbones	pr.
Flammable Liquids 3 GHS06 Skull a Acute Toxicity - Dermal 3	nd crossbones	<i>pr.</i>
Flammable Liquids 3 GHS06 Skull a Acute Toxicity - Dermal 3 GHS07 Acute Toxicity - Oral 4	nd crossbones H311 Toxic in contact with skin.	ν.
Flammable Liquids 3 GHS06 Skull a Acute Toxicity - Dermal 3 GHS07 Acute Toxicity - Oral 4	nd crossbones H311 Toxic in contact with skin. H302 Harmful if swallowed.	<i>pr</i> .
Flammable Liquids 3 Flammable Liquids 3 GHS06 Skull a Acute Toxicity - Dermal 3 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Inhalatio	nd crossbones H311 Toxic in contact with skin. H302 Harmful if swallowed. n 4 H332 Harmful if inhaled.	
Flammable Liquids 3 Flammable Liquids 3 GHS06 Skull a Acute Toxicity - Dermal 3 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Inhalatio Skin Irritation 2 Eye Irritation 2A Label elements	nd crossbones H311 Toxic in contact with skin. H302 Harmful if swallowed. n 4 H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritatio	
Flammable Liquids 3 GHS06 Skull a Acute Toxicity - Dermal 3 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Inhalatio Skin Irritation 2 Eye Irritation 2A Label elements GHS label elements The Hazard pictograms	nd crossbones H311 Toxic in contact with skin. H302 Harmful if swallowed. n 4 H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritatio	т.
Flammable Liquids 3 GHS06 Skull a. Acute Toxicity - Dermal 3 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Oral 4 Acute Toxicity - Inhalatio Skin Irritation 2 Eye Irritation 2A Label elements GHS label elements The Hazard pictograms GHS02 GHS06 GH	nd crossbones H311 Toxic in contact with skin. H302 Harmful if swallowed. n 4 H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritatio product is classified and labeled accom	т.
Flammable Liquids 3 GHS06 Skull a Acute Toxicity - Dermal 3 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Inhalatio Skin Irritation 2 Eye Irritation 2A Label elements GHS label elements The Hazard pictograms	nd crossbones H311 Toxic in contact with skin. H302 Harmful if swallowed. n 4 H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritatio product is classified and labeled accounts	т.

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Cyclohexanone Solution for EZ1040 - Series Zinc

(Contd. of page 1)
· Hazard statements
Flammable liquid and vapor.
Harmful if swallowed or if inhaled.
Toxic in contact with skin.
Causes skin irritation.
Causes serious eye irritation.
· Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Call a poison center/doctor if you feel unwell.
Rinse mouth.
Specific treatment (see on this label).
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Take off immediately all contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 2
Fire = 2
2 <i>Q Reactivity</i> = 0
HMIS-ratings (scale 0 - 4)
HEALTH 2 $H_{aclth} = 2$
FIRE 2 $Fire = 2$
REACTIVITY $\begin{bmatrix} 0 \end{bmatrix}$ Reactivity = 0
• Other hazards
• Results of PBT and vPvB assessment
• PBT : Not applicable.
• vPvB: Not applicable.

(Contd. on page 3)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Cyclohexanone Solution for EZ1040 - Series Zinc

(Contd. of page 2)

>99.0%

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 108-94-1 Cyclohexanone 99.8%

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- In case of irregular breathing or respiratory arrest provide artificial respiration.
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 4)

US ·

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Cyclohexanone Solution for EZ1040 - Series Zinc

(Contd. of page 3)

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

• PAC-1:

All components have the value 60 ppm.

· PAC-2:

All components have the value 830 ppm.

· PAC-3:

All components have the value 5000* ppm.

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 108-94-1 Cyclohexanone 99.8%

PEL Long-term value: 200 mg/m³, 50 ppm

REL Long-term value: 100 mg/m³, 25 ppm Skin

TLV Short-term value: 50 ppm Long-term value: 20 ppm Skin, BEI, A3

(Contd. on page 5)

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Cyclohexanone Solution for EZ1040 - Series Zinc

(Contd. of page 4)

CAS	: 108-94-1 Cyclohexanone 99.8%
	80 mg/L
DLI	LD50 Intraperitoneal: urine
	Time: end of shift at end of workweek
	LD50: 1.2-Cyclohexanediol (with hydrolysis, nonspecific, nonquantitative)
	8 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Cyclohexanol (with hydrolysis, nonspecific, nonquantitative)
· Add	itional information: The lists that were valid during the creation were used as basis.
	osure controls
	onal protective equipment:
	eral protective and hygienic measures:
	o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	e protective clothing separately.
	id contact with the eyes and skin.
	ithing equipment:
	use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us
	iratory protective device that is independent of circulating air.
· Prot	ection of hands:
ent.	Protective gloves
Due	glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ th nical mixture.
	ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	erial of gloves
	selection of the suitable gloves does not only depend on the material, but also on further marks of quality and
	es from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of
	glove material can not be calculated in advance and has therefore to be checked prior to the application.
	etration time of glove material
-	exact break through time has to be found out by the manufacturer of the protective gloves and has to b
	rved.
·Eye	protection:
(
∖לוֹ	Tightly sealed goggles
· Bod	y protection: Protective work clothing

Printing date 06/10/2024

*

Reviewed on 06/10/2024

Trade name: Cyclohexanone Solution for EZ1040 - Series Zinc

(Contd. of page 5)

Information on basic physical and c	hemical properties
General Information	
Appearance:	vv
Form:	Liquid
Color:	Clear Distinct
Odor: Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	26 °C (78.8 °F)
Boiling point/Boiling range:	153-156 °C (307.4-312.8 °F)
Flash point:	43 °C (109.4 °F)
Flammability (solid, gaseous):	Flammable.
Auto igniting:	420 °C (788 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vap mixtures are possible.
Explosion limits:	
Lower:	1.3 Vol %
Upper:	9.4 Vol %
Vapor pressure at 20 °C (68 °F):	5 hPa (3.8 mm Hg)
Density at 20 °C (68 °F):	>0.95 g/cm ³ (>7.92775 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water at 20 °C (68 °F):	80 g/l
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	>99.0 %
VOC content:	>99.00 %
	>940.5 g/l / >7.85 lb/gal
Solids content:	>99.0 %
Other information	No further relevant information available.

(Contd. on page 7)

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Cyclohexanone Solution for EZ1040 - Series Zinc

(Contd. of page 6)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	<505 mg/kg
Dermal	LD50	<303 mg/kg
Inhalative	LC50/4h	<11.1 mg/l

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

All components have the value 3.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

(Contd. on page 8)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Cyclohexanone Solution for EZ1040 - Series Zinc

(Contd. of page 7)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment

• *PBT:* Not applicable.

· **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	UN1915	
UN proper shipping name		
DOT	Cyclohexanone	
IMDG, IATA	CYCLOHEXANONE	
Transport hazard class(es)		
DOT		
PLAMABLE LIQUD		
3		
Class	3 Flammable liquids	
Label	3	
IMDG, IATA		
Class	3 Flammable liquids	
Label	3	
Packing group		
DOT, IMDG, IATA	III	
Environmental hazards:	Not applicable.	
Special precautions for user	Warning: Flammable liquids	
Hazard identification number (Kemler cod		
EMS Number:	F-E,S-D	
Stowage Category	Α	

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Cyclohexanone Solution for EZ1040 - Series Zinc

	(Contd. of page 8
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
· IMDG	
· Limited quantities (LQ)	5L
\cdot Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 1915 CYCLOHEXANONE, 3, III

15 Regulatory information

*

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

ACTIVE
ACTIVE

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Cyclohexanone Solution for EZ1040 - Series Zinc

	bel elements The product is classified and labeled according to the Globally Harmonized System (GHS). pictograms
11uzuru	
	$\wedge \wedge$
((7)	
GHS0	2 GHS06 GHS07
Signal 1	word Danger
Hazard	-determining components of labeling:
	exanone 99.8%
Hazard	statements
Flamme	ible liquid and vapor.
Harmfu	l if swallowed or if inhaled.
Toxic in	contact with skin.
Causes	skin irritation.
Causes	serious eye irritation.
Precaut	ionary statements
Keep av	vay from heat/sparks/open flames/hot surfaces No smoking.
Кеер са	ntainer tightly closed.
Ground	<i>Ibond container and receiving equipment.</i>
Use exp	losion-proof electrical/ventilating/lighting/equipment.
Use onl	y non-sparking tools.
Take pr	ecautionary measures against static discharge.
Avoid b	reathing dust/fume/gas/mist/vapors/spray
Wash th	oroughly after handling.
Do not	eat, drink or smoke when using this product.
Use onl	y outdoors or in a well-ventilated area.
Wear pr	otective gloves/protective clothing/eye protection/face protection.
If swall	owed: Call a poison center/doctor if you feel unwell.
Rinse m	outh.
Specific	treatment (see on this label).
If on ski	in (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INH	ALED: Remove person to fresh air and keep comfortable for breathing.
	es: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to a
Continu	e rinsing.
Take of	f immediately all contaminated clothing and wash it before reuse.
If skin i	rritation occurs: Get medical advice/attention.
Îf eye ir	ritation persists: Get medical advice/attention.
• •	of fire: Use CO2, powder or water spray to extinguish.
	a well-ventilated place. Keep cool.
	cked up.
	of contents/container in accordance with local/regional/national/international regulations.
	al safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

(Contd. on page 11)

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Cyclohexanone Solution for EZ1040 - Series Zinc

	(Contd. of page 10)
• Date of preparation / last revision	
Revision 1.2, 06/10/2024: Reviewed SDS for accuracy. MH/STN	
Revision 0.0, 05-29-2024: Creation date for SDS. STN	
06/10/2024 / 1.0	
· Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 3: Flammable liquids – Category 3	
Acute Toxicity - Oral 4: Acute toxicity – Category 4	
Acute Toxicity - Orar 4. Acute toxicity – Category 4 Acute Toxicity - Dermal 3: Acute toxicity – Category 3	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
• * Data compared to the previous version altered.	
· Data comparea to the previous version anerea.	
	US —