Printing date 06/10/2024

Reviewed on 06/10/2024

1 Identification

- · Product identifier
- · Trade name: Barium Chloride 0.1 M Reagent for EZ1036 Series - Sulfate
- Article number: HAC125
- · Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

- · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org · Emergency telephone number:
- Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification



Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).

· Label elements

- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable

· Precautionary statements

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a closed container.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 1 Health = 10 Fire = 0**REACTIVITY** O Reactivity = 0

· Other hazards

FIRE

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Barium Chloride 0.1 M Reagent for EZ1036 Series - Sulfate

(Contd. of page 1)

2.403%

97.597%

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 10326-27-9 Barium Chloride Dihydrate

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

• Environmental precautions: Dilute with plenty of water.

- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

• PAC-1:

CAS: 10326-27-9 Barium Chloride Dihydrate

 $2.7 mg/m^3$

• PAC-2:

CAS: 10326-27-9 Barium Chloride Dihydrate

330 mg/m³ (Contd. on page 3)

US -

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Barium Chloride 0.1 M Reagent for EZ1036 Series - Sulfate

(Contd. of page 2)

 $2,000 \text{ mg/m}^3$

· PAC-3:

CAS: 10326-27-9 Barium Chloride Dihydrate

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 10326-27-9 Barium Chloride Dihydrate

PEL Long-term value: 0.5 mg/m³ as Ba REL Long-term value: 0.5 mg/m³

as Ba

TLV Long-term value: 0.5 mg/m³ as Ba, A4

• Additional information: The lists that were valid during the creation were used as basis.

- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

[·] Exposure controls

Printing date 06/10/2024

Reviewed on 06/10/2024

(Contd. of page 3)

Trade name: Barium Chloride 0.1 M Reagent for EZ1036 Series - Sulfate

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

· Body protection: Protective work clothing

9 Physical and chemical properties

Appearance:LiquidForm:Color:ColorlessOdor:OdorlessOdorlessOdor threshold:Not determined.pH-value:Not determined.pH-value:Not determined.Change in condition Melting point/Melting range:0°C (32°F) Boiling point/Boiling range:Boiling point/Boiling range:0°C (212°F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lover:Not determined.Upper:Not determined.Vapor pressure at 20°C (68°F):23 hPa (17.3 mm Hg)Density at 20°C (68°F):1.05039 g/cm³ (8.7655 lbs/gal)Relative density Vapor densityNot determined.Sotubility in / Miscibility with Water:Fully miscible.Vapor coefficient (n-octanol/water):Not determined.Sotubility in / Miscibility with Water:Not determined.Soluent content: Water:Not determined.Soluent conten	Information on basic physical and ca General Information		
Form:Liquid Color:Colorless Odortss Odorthreshold:Not determined.pH-value:Not determined.pH-value:Not determined.Change in condition 			
Odor:Odorless Not determined.Odor threshold:Not determined.pH-value:Not determined.pH-value:Not determined.Change in condition Melting point/Melting range:0 °C (32 °F) 100 °C (212 °F)Flash point:Not applicable.Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Jecomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.05039 g/cm³ (8.7655 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Solubility in / Miscibility with Water:Not determined.Solubilit	Form:	Liquid	
Odor threshold:Not determined.pH-value:Not determined.Change in condition Melting point/Melting range:0°C (32°F) Boiling point/Melting range:Do °C (212°F)Flash point:Not applicable.Flash point:Not applicable.Pammability (solid, gaseous):Not determined.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:Not determined.Upper:Not determined.Vapor pressure at 20°C (68°F):23 hPa (17.3 mm Hg)Density at 20°C (68°F):1.05039 g/cm³ (8.7655 lbs/gal)Relative density Wader:Not determined.Solubility in/ Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:7.5 % 0.00 % 0.00 g/1/0.00 lb/gal	Color:	Colorless	
pH-value:Not determined.Change in condition Melting point/Melting range:0 °C (32 °F) Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.05039 g/cm³ (8.7655 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Water:Not determined.Solvent content: Water:Not determined.Solvent content: Water:Not determined.Solvent content: Water:Not determined.Solvent content: Water:Not determined.Solvent content: Water:Not determined.Solvent content: Water:97.6 % 0.00 % 0.00 g/1 / 0.00 lb/gal	Odor:		
Change in condition Melting point/Beiling range: 0 °C (32 °F) Boiling point/Boiling range: 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.05039 g/cm³ (8.7655 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not determined. Solvent content: YoC content: Water: 97.6 % VOC content: 0.00 % 0.00 % 0.0 g/l /0.00 lb/gal	Odor threshold:	Not determined.	
Meting point/Meting range:0 °C (32 °F) 100 °C (212 °F)Flash point:Not applicable.Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Vato determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.05039 g/cm³ (8.7655 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:97.6 % 0.00 % 	pH-value:	Not determined.	
Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Vot determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.05039 g/cm³ (8.7655 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Solvent content:Water:Water:97.6 %VOC content:0.00 % 0.0 g/1/0.00 lb/gal	Change in condition		
Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.05039 g/cm³ (8.7655 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Voc content: 97.6 % VOC content: 0.00 % 0.00 % 0.0 g/1/0.00 lb/gal			
Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Vot determined. Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.05039 g/cm³ (8.7655 lbs/gal) Relative density Not determined. Vapor pressure at 20 °C (68 °F): 1.05039 g/cm³ (8.7655 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Fully miscible. Partition coefficient (n-octanol/water): Not determined. Not determined. Viscosity: Not determined. Dynamic: Not determined. Solvent content: Yof 0.00 % Water: 97.6 % VOC content: 0.00 % 0.00 % 0.00 %// 0.00 lb/gal	Boiling point/Boiling range:	100 °C (212 °F)	
Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:ValueLower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.05039 g/cm³ (8.7655 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic: Kinematic:Not determined.Solvent content: Water:97.6 % 0.00 % 0.0 g/l / 0.00 lb/gal	Flash point:	Not applicable.	
Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Value of the explosion hazard.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.05039 g/cm³ (8.7655 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:97.6 % 0.00 g/l / 0.00 lb/gal	Flammability (solid, gaseous):	Not applicable.	
Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.05039 g/cm³ (8.7655 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity:Not determined.Dynamic:Not determined.Kinematic:Not determined.Solvent content:97.6 % 0.00 % 0.0 g/l / 0.00 lb/gal	Decomposition temperature:	Not determined.	
Explosion limits: Lower: Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.05039 g/cm³ (8.7655 lbs/gal)Relative density Vapor densityNot determined.Vapor density Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:97.6 % 0.0 g/l / 0.00 lb/gal	Ignition temperature:	Product is not selfigniting.	
Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.05039 g/cm³ (8.7655 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity:Not determined.Dynamic: Kinematic:Not determined.Solvent content: Water:97.6 % 0.00 % 0.00 lb/gal	Danger of explosion:	Product does not present an explosion hazard.	
Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.05039 g/cm³ (8.7655 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor density in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:97.6 % 0.00 % 0.0 g/ / 0.00 lb/gal	-		
Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.05039 g/cm³ (8.7655 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:97.6 % 0.00 % 0.0 g/l / 0.00 lb/gal			
Density at 20 °C (68 °F):1.05039 g/cm³ (8.7655 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:97.6 %VOC content:0.00 %0.00 g/l / 0.00 lb/gal	Upper:	Not determined.	
Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity:Not determined.Dynamic:Not determined.Kinematic:Not determined.Solvent content:97.6 %Water:97.6 %OU Solvent content:0.00 %	Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water: 0.00 % 0.00 g/l / 0.00 lb/gal97.6 % 0.00 g/l / 0.00 lb/gal		1.05039 g/cm³ (8.7655 lbs/gal)	
Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water: 0.00 % 0.0 g/l / 0.00 lb/gal97.6 % 0.0 g/l / 0.00 lb/gal		Not determined.	
Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water: VOC content:97.6 % 0.00 % 0.00 g/l / 0.00 lb/gal		Not determined.	
Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Dynamic:Not determined.Kinematic:Not determined.Solvent content:Water:97.6 %VOC content:0.00 %0.00 %0.0 g/l / 0.00 lb/gal	Evaporation rate	Not determined.	
Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: 97.6 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal	Solubility in / Miscibility with		
Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: 97.6 % Water: 97.6 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal	Water:	Fully miscible.	
Dynamic:Not determined.Kinematic:Not determined.Solvent content:97.6 %Water:97.6 %VOC content:0.00 %0.00 g/l / 0.00 lb/gal	Partition coefficient (n-octanol/wate	r): Not determined.	
Kinematic:Not determined.Solvent content:97.6 %Water:97.6 %VOC content:0.00 %0.0 g/l / 0.00 lb/gal			
Solvent content: 97.6 % Water: 97.6 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal		Not determined.	
Water: 97.6 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal	Kinematic:	Not determined.	
VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal	Solvent content:		
0.0 g/l / 0.00 lb/gal	Water:		
	VOC content:		
Solids content: 2.4 %		0.0 g/l / 0.00 lb/gal	
	Solids content:	2.4 %	

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Barium Chloride 0.1 M Reagent for EZ1036 Series - Sulfate

(Contd. of page 4)

• Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 4,161 mg/kg

Inhalative LC50/4h 62.4 mg/l

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 6)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Barium Chloride 0.1 M Reagent for EZ1036 Series - Sulfate

(Contd. of page 5)

- · Additional ecological information:
- General notes: Not hazardous for water.
- \cdot Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
DOT, IMDG, IATA	Not regulated	
· UN proper shipping name		
· DOT, IATA	Not regulated	
·IMDG	Not Regulated	
	Not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA		
· Class	Not regulated	
· Packing group		
· DOT, IMDG, IATA	Not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

CAS: 10326-27-9 Barium Chloride Dihydrate

(Contd. on page 7)

⁻ US

Printing date 06/10/2024

Reviewed on 06/10/2024

D, CBD(inh), NL(oral)

A4

Trade name: Barium Chloride 0.1 M Reagent for EZ1036 Series - Sulfate

• TSCA (Toxic Substances Control Act):

(Contd. of page 6)

ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

Water

 \cdot Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 10326-27-9 Barium Chloride Dihydrate

· TLV (Threshold Limit Value)

CAS: 10326-27-9 Barium Chloride Dihydrate

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements Not Applicable

· Hazard pictograms Not Applicable

- Signal word Not Applicable
- · Hazard statements Not Applicable
- · Precautionary statements

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a closed container.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

- Date of preparation / last revision Revision 1.2, 06/10/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 05-29-2024: Creation date for SDS. STN 06/10/2024 / 1.0
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

(Contd. on page 8)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Barium Chloride 0.1 M Reagent for EZ1036 Series - Sulfate

(Contd. of page 7)

US

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit \cdot * Data compared to the previous version altered.