Printing date 06/10/2024 Reviewed on 06/10/2024

1 Identification

· Product identifier

· Trade name: Phenol Standard 10.0% w/v in HPLC Grade Methanol

· Article number: ND604

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA800-256-2586

· Information department: Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Toxicity - Oral 3 H301 Toxic if swallowed.

Acute Toxicity - Dermal 3 H311 Toxic in contact with skin.

Acute Toxicity - Inhalation 3 H331 Toxic if inhaled.



GHS08 Health hazard

Germ Cell Mutagenicity 2 H341 Suspected of causing genetic defects.

Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the central nervous system and

the visual organs.

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or

repeated exposure.



Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. Eye Damage 1

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)





Printing date 06/10/2024 Reviewed on 06/10/2024

Trade name: Phenol Standard 10.0% w/v in HPLC Grade Methanol

(Contd. of page 1)

· Hazard pictograms









GHS02

GHS05

GHS06

· Signal word Danger

· Hazard-determining components of labeling:

Methanol

Phenol

· Hazard statements

Highly flammable liquid and vapor.

Toxic if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

Suspected of causing genetic defects.

Causes damage to the central nervous system and the visual organs.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Get medical advice/attention if you feel unwell.

Take off immediately all contaminated clothing and wash it before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 3

Reactivity = 0

Printing date 06/10/2024 Reviewed on 06/10/2024

Trade name: Phenol Standard 10.0% w/v in HPLC Grade Methanol

(Contd. of page 2)

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous con	ponents:	
CAS: 67-56-1	Methanol	87.755%
CAS: 108-95-2	Phenol	12.245%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

Printing date 06/10/2024 Reviewed on 06/10/2024

Trade name: Phenol Standard 10.0% w/v in HPLC Grade Methanol

(Contd. of page 3)

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 67-56-1	Methanol	530 ppm
CAS: 108-95-2	Phenol	15 ppm
· PAC-2:		
CAS: 67-56-1	Methanol	2,100 ppm
CAS: 108-95-2	Phenol	23 ppm
· PAC-3:		
CAS: 67-56-1	Methanol	7200* ppm
CAS: 108-95-2	Phenol	200 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage.
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

(Contd. on page 5)

Printing date 06/10/2024 Reviewed on 06/10/2024

Trade name: Phenol Standard 10.0% w/v in HPLC Grade Methanol

(Contd. of page 4)

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with	limit values that re	auire monitoring	at the workplace:

CAS: 67-56-1 Methanol

PEL Long-term value: 260 mg/m³, 200 ppm

REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm

ong-ierm vaiue. 200 mg/m , .

Skin

TLV Short-term value: 250 ppm

Long-term value: 200 ppm

Skin; BEIc

CAS: 108-95-2 Phenol

PEL Long-term value: 19 mg/m³, 5 ppm

Skin

REL Long-term value: 19 mg/m³, 5 ppm

Ceiling limit value: 60* mg/m³, 15.6* ppm

*15-min; Skin

TLV Long-term value: 5 ppm

Skin; BEI, A4

· Ingredients with biological limit values:

CAS: 67-56-1 Methanol

BEI 15 mg/L

LD50 Intraperitoneal: urine

Time: end of shift

LD50: Methanol (background, nonspecific)

CAS: 108-95-2 Phenol

BEI 250 mg/g creatinine

LD50 Intraperitoneal: urine

Time: end of shift

LD50: Phenol with hydrolysis (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. on page 6)

Printing date 06/10/2024 Reviewed on 06/10/2024

Trade name: Phenol Standard 10.0% w/v in HPLC Grade Methanol

(Contd. of page 5)

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

· pH-value:

Form: Liquid
Color: Clear

Odor: Distinct

Odor threshold: Not determined.

Tou determined

· Change in condition

· Flammability (solid, gaseous):

Melting point/Melting range:Undetermined.Boiling point/Boiling range:64.4 °C (147.9 °F)

Flash point: $11 \, ^{\circ}C \, (51.8 \, ^{\circ}F)$

• Auto igniting: 455 °C (851 °F)

· Decomposition temperature: Not determined.

• Ignition temperature: Product is not selfigniting.

• Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

Not determined.

Highly flammable.

(Contd. on page 7)

Printing date 06/10/2024 Reviewed on 06/10/2024

Trade name: Phenol Standard 10.0% w/v in HPLC Grade Methanol

		(Contd. of page
· Explosion limits:		
Lower:	1.3 Vol %	
Upper:	44 Vol %	
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)	
· Density at 20 °C (68 °F):	0.82408 g/cm³ (6.87695 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	e r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	100.0 %	
VOC content:	100.00 %	
	824.1 g/l / 6.88 lb/gal	
Solids content:	12.2 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

F	ATE (Acute Toxicity Estimate)			
(Oral	LD50	100 mg/kg	
1	Dermal	<i>LD50</i>	300 mg/kg	
ì	Inhalative	LC50/4h	1.86 mg/l	

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

(Contd. on page 8)

Printing date 06/10/2024 Reviewed on 06/10/2024

Trade name: Phenol Standard 10.0% w/v in HPLC Grade Methanol

(Contd. of page 7)

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 108-95-2 Phenol

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

 $Do \ not \ allow \ product \ to \ reach \ ground \ water, \ water \ course \ or \ sewage \ system.$

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

US

Printing date 06/10/2024 Reviewed on 06/10/2024

Trade name: Phenol Standard 10.0% w/v in HPLC Grade Methanol

(Contd. of page 8)

DOT, IMDG, IATA UN proper shipping name DOT IMDG, IATA Flammable liquids, toxic, n.o.s. (Methanol, Phenol) Flammable liquids Transport hazard class(es) DOT Class Label Class Label A Flammable liquids 3, 6, 1 IMDG Class Label A Flammable liquids 3, 6, 1 IMDG Class Label A Flammable liquids 3, 6, 1 IMDG Class Label A Flammable liquids 3, 6, 1 IMDG Class Label A Flammable liquids 3, 6, 1 IMDG Class Label A Flammable liquids 3, 6, 1 IMDG Class Label A Flammable liquids 3, 6, 1 IMDG Class Label A Flammable liquids 3, 6, 1 IMDG Class Label A Flammable liquids 3, 6, 1 IMDG Class Label A Flammable liquids 3, 6, 1 IMDG Class Label A Flammable liquids 3, 6, 1 IMDG Class Label A Flammable liquids 3, 6, 1 IMDG Class Label A Flammable liquids 3, 6, 1 IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA IMDG, IATA	Transport information	
UN proper shipping name DOT IMDG, IATA Flammable liquids, toxic, n.o.s. (Methanol, Phenol) FLAMMABLE LIQUID, TOXIC, N.O.S. (Methanol, Phenol) FLAMMABLE LIQUID	UN-Number	LINLING
### Flammable liquids, toxic, n.o.s. (Methanol, Phenol) IMDG, IATA **Transport hazard class(es) **DOT** **Class** Label** **Special precautions for user Hazard identification number (Kemler code): Special precautions for user Hazard identification number (Kemler code): Stowage Calegory **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of MARPOL/3/78 and the IBC Code **Transport in bulk according to Annex II of Market in the IBC Code **Transport in bulk according to Ann		UN1992
Transport hazard class(es) DOT Class Label 3, 6.1 IMDG Class Label 3, 6.1 IMDG Class Label 3, 6.1 IMDG Class Label 3, 6.1 IMTA Class Label 3, 6.1 IATA Class Label 3, 6.1 IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 33 EMSN Number: 5-E, S-D Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations Don passenger aircraft/rail: 5 L.		
Transport hazard class(es) DOT Class 3 Flammable liquids 3, 6.1 IMDG Class 3 Flammable liquids 3, 6.1 IATA Class 4 Flammable liquids 3, 6.1 I Flammable liquids 3, 6.1 I Flammable liquids 3, 6.1 I Flammable liquids 4, 8, 8, 8, 8, 8, 8, 8, 8, 8, 8, 8, 8, 8,		
Class 3 Flammable liquids 3, 6.1 IMDG Class 3 Flammable liquids 3, 6.1 IATA I Flammable liquids 3, 6.1 Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids 133 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L		FLAMMABLE LIQUID, TOAIC, N.O.S. (Methanot, Phenot)
Class Label 3, 6.1 IMDG Class Label 3, 6.1 IATA Class Label 3, 6.1 IATA Class Label 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1		
Class 3, 6.1 IMDG Class 3, 6.1 Class 3 Flammable liquids 3, 6.1 IATA Class 3 Flammable liquids 3/6.1 IATA Class 3 Flammable liquids 3/6.1 IATA Class 3 Flammable liquids 3/6.1 IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids 1/8. Environmental hazards: Not applicable. Special precautions for user F-E,S-D B EMS Number: F-E,S-D B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L	DOT	
Idabel 3, 6.1 IMDG Class 3 Flammable liquids 3/6.1 IATA Class 3/6.1 IATA Class 3 Flammable liquids 3 (6.1) Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L	RAMMABLE LOUID TOXIC	
Class 3 Flammable liquids Label 3/6.1 IATA Class 3 Flammable liquids 3 (6.1) Packing group DOT, IMDG, IATA Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L		
Class Label 3/6.1 IATA Class 3 Flammable liquids 3/6.1 Class 3 Flammable liquids 3 (6.1) Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L	· Label	3, 6.1
Label 3/6.1 LATA Class 3 Flammable liquids 3 (6.1) Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L	· IMDG	
- Label 3/6.1 - IATA - Class 3 Flammable liquids 3 (6.1) - Packing group - DOT, IMDG, IATA II - Environmental hazards: Not applicable. - Special precautions for user Warning: Flammable liquids - Hazard identification number (Kemler code): 33 - EMS Number: F-E,S-D - Stowage Category B - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. - Transport/Additional information: - DOT - Quantity limitations On passenger aircraft/rail: 5 L		
IATA Class Class Class Clabel Class Clabel	· Class	3 Flammable liquids
· Class · Class · Label · Class · Clas	·Label	3/6.1
· Label 3 (6.1) · Packing group · DOT, IMDG, IATA II · Environmental hazards: Not applicable. · Special precautions for user · Hazard identification number (Kemler code): 33 · EMS Number: F-E,S-D · Stowage Category B · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code · Transport/Additional information: DOT · Quantity limitations On passenger aircraft/rail: 5 L	·IATA	
· Label 3 (6.1) · Packing group · DOT, IMDG, IATA II · Environmental hazards: Not applicable. · Special precautions for user Warning: Flammable liquids · Hazard identification number (Kemler code): 33 · EMS Number: F-E,S-D · Stowage Category B · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT · Quantity limitations On passenger aircraft/rail: 5 L	№	
Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L		
DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations Not applicable. On passenger aircraft/rail: 5 L	· Label	3 (6.1)
• Environmental hazards: • Special precautions for user • Hazard identification number (Kemler code): 33 • EMS Number: • Stowage Category • B • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code • Transport/Additional information: • DOT • Quantity limitations Not applicable. On passenger aircraft/rail: 5 L		,,
Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations Warning: Flammable liquids Not applicable liquids F-E,S-D Not applicable. On passenger aircraft/rail: 5 L		
 Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L 		
• EMS Number: F-E,S-D • Stowage Category B • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: • DOT • Quantity limitations On passenger aircraft/rail: 5 L		
Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations B Not applicable. On passenger aircraft/rail: 5 L		2 <i>33</i> - E - E - D
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: • DOT • Quantity limitations On passenger aircraft/rail: 5 L		
MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L		υ
• DOT • Quantity limitations On passenger aircraft/rail: 5 L		Not applicable.
• Quantity limitations On passenger aircraft/rail: 5 L	Transport/Additional information:	
• Quantity limitations On passenger aircraft/rail: 5 L	· DOT	
		On passenger aircraft/rail: 5 L
On cargo aircraft only: 60 L	-	

- US

Printing date 06/10/2024 Reviewed on 06/10/2024

Trade name: Phenol Standard 10.0% w/v in HPLC Grade Methanol

(Contd. of page 9)

· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL, PHENOL), 3 (6.1), II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

CAS: 108-95-2 Phenol

· Section 313 (Specific toxic chemical listings):

All ingredients are listed.

· TSCA (Toxic Substances Control Act):

Methanol	ACTIVE
Phenol	ACTIVE

· Hazardous Air Pollutants

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

CAS: 108-95-2 Phenol

D, *I*

· TLV (Threshold Limit Value)

CAS: 108-95-2 Phenol

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 11)

Printing date 06/10/2024 Reviewed on 06/10/2024

Trade name: Phenol Standard 10.0% w/v in HPLC Grade Methanol

(Contd. of page 10)

· Hazard pictograms









GHS02

GHS06 GHS05

· Signal word Danger

· Hazard-determining components of labeling:

Methanol

Phenol

· Hazard statements

Highly flammable liquid and vapor.

Toxic if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

Suspected of causing genetic defects.

Causes damage to the central nervous system and the visual organs.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Get medical advice/attention if you feel unwell.

Take off immediately all contaminated clothing and wash it before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 06/10/2024 Reviewed on 06/10/2024

Trade name: Phenol Standard 10.0% w/v in HPLC Grade Methanol

(Contd. of page 11)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 06/10/2024: Reviewed SDS for accuracy. MH/STN

Revision 0.0, 05-29-2024: Creation date for SDS. STN

06/10/2024 / 1.0

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

 ${\it HMIS: Hazardous\ Materials\ Identification\ System\ (USA)}$

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids - Category 2

Acute Toxicity - Oral 3: Acute toxicity - Category 3

Skin Corrosion 1B: Skin corrosion/irritation – Category 1B

Eye Damage 1: Serious eye damage/eye irritation – Category 1

Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2

Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1

Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2

* Data compared to the previous version altered.

us ·