Printing date 06/10/2024

Reviewed on 06/10/2024

### **1** Identification

- · Product identifier
- Trade name: 4.0 ppm as CaCO<sub>3</sub> Ref2 Std. for EZ1016 Series - Total Hardness
- Article number: HAC150
- · Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

- · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org · Emergency telephone number:
- Chemtrec: 800-424-9300 Canutec: 613-996-6666

## 2 Hazard(s) identification



- · Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).
- · Label elements
- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · Precautionary statements
- If swallowed: Call a poison center/doctor if you feel unwell.
- If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a closed container.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 0 Health = 00 Fire = 0**REACTIVITY** O Reactivity = 0

· Other hazards

FIRE

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: 4.0 ppm as CaCO<sub>3</sub>Ref2 Std. for EZ1016 Series - Total Hardness

(Contd. of page 1)

99.999%

0.001%

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

### · Dangerous components: Not Applicable

| · Table of Nonhazardous Ingredients |                            |  |
|-------------------------------------|----------------------------|--|
| CAS: 7732-18-5                      | Water                      |  |
| CAS: 10035-04-8                     | Calcium Chloride Dihydrate |  |

### 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### **6** Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

• Environmental precautions: Dilute with plenty of water.

• *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

· Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:

CAS: 10035-04-8 Calcium Chloride Dihydrate

16 mg/m³

· PAC-2:

CAS: 10035-04-8 Calcium Chloride Dihydrate

170 mg/m<sup>3</sup> (Contd. on page 3)

- US -

Printing date 06/10/2024

Reviewed on 06/10/2024

(Contd. of page 2)

 $1,100 \text{ mg/m}^3$ 

Trade name: 4.0 ppm as CaCO<sub>3</sub>Ref2 Std. for EZ1016 Series - Total Hardness

### · PAC-3:

CAS: 10035-04-8 Calcium Chloride Dihydrate

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

(Contd. on page 4)

Printing date 06/10/2024

Reviewed on 06/10/2024

(Contd. of page 3)

Trade name: 4.0 ppm as CaCO<sub>3</sub>Ref2 Std. for EZ1016 Series - Total Hardness

· Body protection: Protective work clothing

| Information on basic physical and c   | hemical properties                            |  |
|---------------------------------------|---|--|
| General Information                   | nomen propernes                               |  |
| Appearance:                           |   |  |
| Form:                                 | Liquid  |  |
| Color:                                | Colorless                                     |  |
| Odor:                                 | Odorless                                      |  |
| Odor threshold:                       | Not determined.                               |  |
| pH-value:                             | Not determined.                               |  |
| Change in condition                   |   |  |
| Melting point/Melting range:          | 0 °C (32 °F)                                  |  |
| Boiling point/Boiling range:          | 100 °C (212 °F)                               |  |
| Flash point:                          | Not applicable.                               |  |
| Flammability (solid, gaseous):        | Not applicable.                               |  |
| Decomposition temperature:            | Not determined.                               |  |
| Ignition temperature:                 | Product is not selfigniting.                  |  |
| Danger of explosion:                  | Product does not present an explosion hazard. |  |
| Explosion limits:                     |   |  |
| Lower:                                | Not determined.                               |  |
| Upper:                                | Not determined.                               |  |
| Vapor pressure at 20 °C (68 °F):      | 23 hPa (17.3 mm Hg)                           |  |
| Density at 20 °C (68 °F):             | 1 g/cm <sup>3</sup> (8.345 lbs/gal)           |  |
| Relative density                      | Not determined.                               |  |
| Vapor density                         | Not determined.                               |  |
| Evaporation rate                      | Not determined.                               |  |
| Solubility in / Miscibility with      |   |  |
| Water:                                | Fully miscible.                               |  |
| Partition coefficient (n-octanol/wate | er): Not determined.                          |  |
| Viscosity:                            |   |  |
| Dynamic:                              | Not determined.                               |  |
| Kinematic:                            | Not determined.                               |  |
| Solvent content:                      |   |  |
| Water:                                | 100.0 %                                       |  |
| VOC content:                          | 0.00 %  |  |
|                                       | 0.0 g/l / 0.00 lb/gal                         |  |
| Solids content:                       | 0.0 %   |  |
| Other information                     | No further relevant information available.    |  |

(Contd. on page 5)

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: 4.0 ppm as CaCO<sub>3</sub>Ref2 Std. for EZ1016 Series - Total Hardness

(Contd. of page 4)

### **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11** Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 6)

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: 4.0 ppm as CaCO<sub>3</sub>Ref2 Std. for EZ1016 Series - Total Hardness

(Contd. of page 5)

# **13 Disposal considerations**

- · Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*
- Recommended cleansing agent: Water, if necessary with cleansing agents.

| 4 Transport information                   |                 |
|---|-----------------|
| · UN-Number                               |                 |
| · DOT, IMDG, IATA                         | Not regulated   |
| · UN proper shipping name                 |                 |
| $\cdot DOT, IATA$                         | Not regulated   |
| · IMDG                                    | Not Regulated   |
|   | Not regulated   |
| · Transport hazard class(es)              |                 |
| · DOT, ADN, IMDG, IATA                    |                 |
| · Class                                   | Not regulated   |
| · Packing group                           |                 |
| · DOT, IMDG, IATA                         | Not regulated   |
| · Environmental hazards:                  | Not applicable. |
| $\cdot$ Special precautions for user      | Not applicable. |
| · Transport in bulk according to Annex II | I of            |
| MARPOL73/78 and the IBC Code              | Not applicable. |
| · UN "Model Regulation":                  | Not regulated   |

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

| • Section 355 (extremely hazardous substances | · Section | 355 | (extremelv | hazardous | substances | ): |
|---|-----------|-----|------------|-----------|------------|----|
|---|-----------|-----|------------|-----------|------------|----|

None of the ingredients is listed.

 $\cdot$  Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

Water

· Hazardous Air Pollutants

None of the ingredients is listed.

(Contd. on page 7)

ACTIVE

US -

Printing date 06/10/2024

Reviewed on 06/10/2024

### Trade name: 4.0 ppm as CaCO<sub>3</sub>Ref2 Std. for EZ1016 Series - Total Hardness

(Contd. of page 6)

### · Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

 $\cdot$  Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

### · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable

· Precautionary statements

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a closed container.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

• Date of preparation / last revision Revision 1.2, 06/10/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 05-29-2024: Creation date for SDS. STN 06/10/2024 / 1.0

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

Printing date 06/10/2024

Reviewed on 06/10/2024

## Trade name: 4.0 ppm as CaCO<sub>3</sub>Ref2 Std. for EZ1016 Series - Total Hardness

(Contd. of page 7)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit • \* Data compared to the previous version altered.