Printing date 10/09/2019

Reviewed on 10/09/2019

rinting date 10/09/2019	Reviewed on 10/09/20
1 Identification	
· Product identifier	
• Trade name: Organic Chloride Standard 2.0 ppm w/w in Isooctane	
• Article number: MOT202	
<ul> <li>Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Aqua Solutions, Inc.</li> <li>6913 Highway 225 DEER PARK, TX 77536 USA</li> </ul>	AQUA
800-256-2586	
<ul> <li>Information department: Technical Coordinator</li> <li>Sherman Nelson sherman@aquasolutions.org</li> <li>Emergency telephone number: Chemtrec: 800-424-9300</li> <li>Canutec: 613-996-6666</li> </ul>	
2 Hazard(s) identification	
· Classification of the substance or mixture	
GHS02 Flame	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
GHS08 Health hazard	
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.	
GHS07	
Skin Irrit. 2 H315 Causes skin irritation.	
STOT SE 3 H336 May cause drowsiness or dizziness.	
· Label elements	to the Globally Harmonized System (GHS
<ul> <li>GHS label elements The product is classified and labeled according t</li> <li>Hazard pictograms</li> </ul>	
Hazard pictograms	
Hazard pictograms GHS02 GHS07 GHS08	

Printing date 10/09/2019

Reviewed on 10/09/2019

## Trade name: Organic Chloride Standard 2.0 ppm w/w in Isooctane

	(Contd. of page 1)
Causes skin irritation.	
May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.	
• Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/she	ower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
Call a poison center/doctor if you feel unwell.	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regula	ations.
· Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 1	
Fire = $3$	
$\mathbf{V}$ Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
$\begin{array}{c c} \text{HEALTH} & 1 \\ \end{array} Health = 1 \end{array}$	
FIRE 3 $Fire = 3$	
<b>REACTIVITY</b> $0$ Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
· <b>PBT:</b> Not applicable.	
· <b>vPvB</b> : Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Mixtures	
• <b>Description:</b> Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
Dungerous componentis.	

· Dangerous components:

CAS: 540-84-1 2,2,4-Trimethylpentane (Iso-Octane)

99.999% (Contd. on page 3)

US

Printing date 10/09/2019

Reviewed on 10/09/2019

#### Trade name: Organic Chloride Standard 2.0 ppm w/w in Isooctane

(Contd. of page 2)

0.00115%

#### · Table of Nonhazardous Ingredients

CAS: 112-52-7 Lauryl Chloride (Chlorododecane)

## 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

	equipment. Keep unprotected persons away.	
	precautions: Do not allow to enter sewers/ surface or ground water.	
	aterial for containment and cleaning up:	
	uid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
*	inated material as waste according to item 13.	
Ensure adequat		
Reference to ot		
v	r information on safe handling.	
See Section 8 fo	r information on personal protection equipment.	
See Section 13	for disposal information.	
Protective Actio	on Criteria for Chemicals	
PAC-1:		
PAC-1:	2,2,4-Trimethylpentane (Iso-Octane)	230 ppr
PAC-1:	2,2,4-Trimethylpentane (Iso-Octane)	230 ppr
PAC-1: CAS: 540-84-1 PAC-2:	2,2,4-Trimethylpentane (Iso-Octane) 2,2,4-Trimethylpentane (Iso-Octane)	230 ppr 830 ppr
PAC-1: CAS: 540-84-1 PAC-2:		

(Contd. on page 4)

Printing date 10/09/2019

Reviewed on 10/09/2019

#### Trade name: Organic Chloride Standard 2.0 ppm w/w in Isooctane

(Contd. of page 3)

#### 7 Handling and storage

#### · Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

CAS: 540-84-1 2,2,4-Trimethylpentane (Iso-Octane)

TLV Long-term value: 1401 mg/m<sup>3</sup>, 300 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Printing date 10/09/2019

Reviewed on 10/09/2019

#### Trade name: Organic Chloride Standard 2.0 ppm w/w in Isooctane

(Contd. of page 4)

## • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Appearance:LiquidForm:LiquidColor:Clear water whiteOdor:SweetishOdor threshold:Not determined.pH-value:Not determined.pH-value:Not determined.Change in condition Melting point/Melting range:-107 °C (-160.6 °F) Boiling point/Melting range:98-99 °C (208.4-210.2 °F)Flash point:-12 °C (10.4 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:410 °C (770 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product is not selfigniting.Explosion limits: Lower:1.1 Vol % 6 Vol %Vapor pressure at 20 °C (68 °F):0.5 hPa (11.3 mm Hg)Density at 20 °C (68 °F):0.69198 g/cm³ (5.77457 lbs/gal) Not determined.Vapor density Vapor densityNot determined.Vapor density Ketarie:Not determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Not miscible or difficult to mix.	Information on basic physical and c	hemical properties
Color:Clear water whiteOdor:SweetishOdor threshold:Not determined.PH-value:Not determined.°Change in conditionMelting point/Melting range:PH-value:Not determined.°Change point/Melting range:98-99 °C (208.4-210.2 °F)*Flash point:-12 °C (10.4 °F)*Flash point:-12 °C (770 °F)*Flash point:-12 °C (770 °F)*Decomposition temperature:Not applicable.*Ignition temperature:Not determined.*Auto igniting:Product is not selfigniting.*Danger of explosion:Product is not selfigniting.*Danger of explosion:1.1 Vol %Upper:6 Vol %*Vapor pressure at 20 °C (68 °F):1.5 hPa (11.3 mm Hg)*Density at 20 °C (68 °F):0.69198 g/cm³ (5.77457 lbs/gal)*Relative densityNot determined.*Vapor densityNot determined.*Vapor densityNot determined.*Solubility in / Miscibility with Water:Not determined.*Viscosity:.	General Information	
Color:Clear water whiteOdor:SweetishOdor threshold:Not determined.•pH-value:Not determined.•pH-value:Not determined.•Change in condition Melting point/Boiling range:-107 °C (-160.6 °F) Boiling point/Boiling range:98-99 °C (208.4-210.2 °F)•Flash point:-12 °C (10.4 °F)•Flammability (solid, gaseous):Not applicable.•Ignition temperature:410 °C (770 °F)•Decomposition temperature:Not determined.•Auto igniting:Product is not selfigniting.•Dager of explosion:Product is not selfigniting.•Dager of explosion:1.1 Vol % Upper:•Cower:1.1 Vol % Vapor pressure at 20 °C (68 °F):1.5 bPa (11.3 mm Hg)•Density at 20 °C (68 °F):0.69198 g/cm³ (5.77457 lbs/gal)•Relative densityNot determined.•Vapor densityNot determined.•Vapor densityNot determined.•Vapor densityNot determined.•Vapor density in / Miscibility with Water:Not determined.•Viscosity:Viscosity:	Appearance:	
Odor:Sweetish Not determined.• Odor threshold:Not determined.• pH-value:Not determined.• Change in condition Melting point/Melting range:-107 °C (-160.6 °F) Boiling point/Boiling range:98-99 °C (208.4-210.2 °F)• Flash point:-12 °C (10.4 °F)• Flammability (solid, gaseous):Not applicable.• Ignition temperature:410 °C (770 °F)• Decomposition temperature:Not determined.• Auto igniting:Product is not selfigniting.• Danger of explosion:Product is not explosive. However, formation of explosive air/vapo mixtures are possible.• Explosion limits: Lower:1.1 Vol % 6 Vol %• Vapor pressure at 20 °C (68 °F):0.69198 g/cm³ (5.77457 lbs/gal)• Relative densityNot determined.• Vapor densityNot determined.• Solubility in / Miscibility with Water:Not determined.• Viscosity:Not determined.		*
• Odor threshold:       Not determined.         • PH-value:       Not determined.         • Change in condition Melting point/Boiling range:       -107 °C (-160.6 °F) Boiling point/Boiling range:         • J07 °C (-160.6 °F) Boiling point/Boiling range:       98-99 °C (208.4-210.2 °F)         • Flash point:       -12 °C (10.4 °F)         • Flash point:       -12 °C (770 °F)         • Decomposition temperature:       Not determined.         • Auto igniting:       Product is not selfigniting.         • Danger of explosion:       Product is not selfigniting.         • Danger of explosion:       Product is not selfigniting.         • Lower:       1.1 Vol %         Upper:       6 Vol %         • Vapor pressure at 20 °C (68 °F):       15 hPa (11.3 mm Hg)         • Density at 20 °C (68 °F):       0.69198 g/cm³ (5.77457 lbs/gal)         • Relative density       Not determined.         • Vapor density       Not determined.         • Solubility in / Miscibility with Water:       Not miscible or difficult to mix.         • Partition coefficient (n-octanol/water): Not determined.       ·         • Viscosity:       .		
• pH-value:       Not determined.         • Change in condition Melting point/Melting range:       -107 °C (-160.6 °F) Boiling point/Boiling range:         • P8-99 °C (208.4-210.2 °F)         • Flash point:       -12 °C (10.4 °F)         • Flammability (solid, gaseous):       Not applicable.         • Ignition temperature:       410 °C (770 °F)         • Decomposition temperature:       Not determined.         • Auto igniting:       Product is not selfigniting.         • Danger of explosion:       Product is not explosive. However, formation of explosive air/vapor mixtures are possible.         • Explosion limits:       1.1 Vol %         Lower:       1.1 Vol %         • Upper:       6 Vol %         • Vapor pressure at 20 °C (68 °F):       15 hPa (11.3 mm Hg)         • Density at 20 °C (68 °F):       0.69198 g/cm³ (5.77457 lbs/gal)         • Relative density       Not determined.         • Vapor ansity       Not determined.         • Vapor ansity       Not determined.         • Solubility in / Miscibility with       Not miscible or difficult to mix.         • Partition coefficient (n-octanol/water): Not determined.       .         • Viscosity:       .		
- Change in condition       -107 °C (-160.6 °F)         Boiling point/Melting range:       98-99 °C (208.4-210.2 °F)         - Flash point:       -12 °C (10.4 °F)         - Flammability (solid, gaseous):       Not applicable.         - Ignition temperature:       410 °C (770 °F)         - Decomposition temperature:       Not determined.         - Auto igniting:       Product is not selfigniting.         - Danger of explosion:       Product is not explosive. However, formation of explosive air/vapor mixtures are possible.         - Explosion limits:       1.1 Vol %         Lower:       1.1 Vol %         Upper:       6 Vol %         - Vapor pressure at 20 °C (68 °F):       15 hPa (11.3 mm Hg)         - Density at 20 °C (68 °F):       0.69198 g/cm³ (5.77457 lbs/gal)         - Relative density       Not determined.         - Vapor density       Not determined.         - Solubility in / Miscibility with       Not determined.         - Solubility in / Miscibility with       Not miscible or difficult to mix.         - Partition coefficient (n-octanol/water): Not determined.       .         - Viscosity:       .	• Odor threshold:	Not determined.
Meliting point/Melting range: Boiling point/Boiling range:-107 °C (-160.6 °F) 98-99 °C (208.4-210.2 °F)• Flash point:-12 °C (10.4 °F)• Flammability (solid, gaseous):Not applicable.• Ignition temperature:410 °C (770 °F)• Decomposition temperature:Not determined.• Auto igniting:Product is not selfigniting.• Danger of explosion:Product is not explosive. However, formation of explosive air/vapor mixtures are possible.• Explosion limits: Lower: Upper:1.1 Vol % 6 Vol %• Vapor pressure at 20 °C (68 °F):15 hPa (11.3 mm Hg)• Density at 20 °C (68 °F):0.69198 g/cm³ (5.77457 lbs/gal)• Relative density Vapor densityNot determined.• Vapor density Vapor densityNot determined.• Solubility in / Miscibility with Water:Not miscible or difficult to mix.• Partition coefficient (n-octanol/water): Not determined.Not determined.• Viscosity:Viscosity:	pH-value:	Not determined.
Boiling point/Boiling range:       98-99 °C (208.4-210.2 °F)         • Flash point:       -12 °C (10.4 °F)         • Flammability (solid, gaseous):       Not applicable.         • Ignition temperature:       410 °C (770 °F)         • Decomposition temperature:       Not determined.         • Auto igniting:       Product is not selfigniting.         • Danger of explosion:       Product is not explosive. However, formation of explosive air/vapor mixtures are possible.         • Explosion limits:       1.1 Vol %         Lower:       1.1 Vol %         • Upper:       6 Vol %         • Vapor pressure at 20 °C (68 °F):       15 hPa (11.3 mm Hg)         • Density at 20 °C (68 °F):       0.69198 g/cm³ (5.77457 lbs/gal)         • Relative density       Not determined.         • Vapor density       Not determined.         • Solubility in / Miscibility with       Not determined.         • Vator:       Not determined.         • Vator:       Not miscible or difficult to mix.         • Partition coefficient (n-octanol/water): Not determined.       .         • Viscosity:       .		
• Flash point:       -12 °C (10.4 °F)         • Flammability (solid, gaseous):       Not applicable.         • Ignition temperature:       410 °C (770 °F)         • Decomposition temperature:       Not determined.         • Auto igniting:       Product is not selfigniting.         • Danger of explosion:       Product is not explosive. However, formation of explosive air/vapor mixtures are possible.         • Explosion limits:       1.1 Vol %         Lower:       1.1 Vol %         Upper:       6 Vol %         • Vapor pressure at 20 °C (68 °F):       15 hPa (11.3 mm Hg)         • Density at 20 °C (68 °F):       0.69198 g/cm³ (5.77457 lbs/gal)         • Relative density       Not determined.         • Vapor density       Not determined.         • Vapor density       Not determined.         • Solubility in / Miscibility with       Not miscible or difficult to mix.         • Partition coefficient (n-octanol/water): Not determined.       .         • Viscosity:       .		
• Flammability (solid, gaseous):       Not applicable.         • Ignition temperature:       410 °C (770 °F)         • Decomposition temperature:       Not determined.         • Auto igniting:       Product is not selfigniting.         • Danger of explosion:       Product is not explosive. However, formation of explosive air/vapor mixtures are possible.         • Explosion limits:       1.1 Vol %         Lower:       1.1 Vol %         Upper:       6 Vol %         • Vapor pressure at 20 °C (68 °F):       15 hPa (11.3 mm Hg)         • Density at 20 °C (68 °F):       0.69198 g/cm³ (5.77457 lbs/gal)         • Relative density       Not determined.         • Vapor density       Not determined.         • Solubility in / Miscibility with       Not determined.         • Solubility in / Miscibility with       Not miscible or difficult to mix.         • Partition coefficient (n-octanol/water): Not determined.       Viscosity:	<b>Boiling point/Boiling range:</b>	98-99 °C (208.4-210.2 °F)
Ignition temperature:       410 °C (770 °F)         Decomposition temperature:       Not determined.         Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vapor mixtures are possible.         • Explosion limits:       1.1 Vol %         Lower:       1.1 Vol %         Upper:       6 Vol %         • Vapor pressure at 20 °C (68 °F):       15 hPa (11.3 mm Hg)         • Density at 20 °C (68 °F):       0.69198 g/cm³ (5.77457 lbs/gal)         • Relative density       Not determined.         • Vapor density       Not determined.         • Solubility in / Miscibility with       Not determined.         • Solubility in / Miscibility with       Not miscible or difficult to mix.         • Partition coefficient (n-octanol/water): Not determined.       .         • Viscosity:       .	Flash point:	-12 °C (10.4 °F)
• Decomposition temperature:       Not determined.         • Auto igniting:       Product is not selfigniting.         • Danger of explosion:       Product is not explosive. However, formation of explosive air/vapor mixtures are possible.         • Explosion limits:       I.1 Vol %         Lower:       I.1 Vol %         Upper:       6 Vol %         • Vapor pressure at 20 °C (68 °F):       15 hPa (11.3 mm Hg)         • Density at 20 °C (68 °F):       0.69198 g/cm³ (5.77457 lbs/gal)         • Relative density       Not determined.         • Vapor density       Not determined.         • Solubility in / Miscibility with       Not determined.         • Solubility in / Miscibility with       Not miscible or difficult to mix.         • Partition coefficient (n-octanol/water): Not determined.       Viscosity:	Flammability (solid, gaseous):	Not applicable.
• Auto igniting:       Product is not selfigniting.         • Danger of explosion:       Product is not explosive. However, formation of explosive air/vapor mixtures are possible.         • Explosion limits:       I.1 Vol %         Lower:       1.1 Vol %         Upper:       6 Vol %         • Vapor pressure at 20 °C (68 °F):       15 hPa (11.3 mm Hg)         • Density at 20 °C (68 °F):       0.69198 g/cm³ (5.77457 lbs/gal)         • Relative density       Not determined.         • Vapor density       Not determined.         • Solubility in / Miscibility with       Not miscible or difficult to mix.         • Partition coefficient (n-octanol/water): Not determined.       · Viscosity:	Ignition temperature:	410 °C (770 °F)
• Danger of explosion:       Product is not explosive. However, formation of explosive air/vapor mixtures are possible.         • Explosion limits:	Decomposition temperature:	Not determined.
mixtures are possible.         Explosion limits:         Lower:       1.1 Vol %         Upper:       6 Vol %         · Vapor pressure at 20 °C (68 °F):       15 hPa (11.3 mm Hg)         · Density at 20 °C (68 °F):       0.69198 g/cm³ (5.77457 lbs/gal)         · Relative density       Not determined.         · Vapor density       Not determined.         · Vapor density       Not determined.         · Vapor density       Not determined.         · Evaporation rate       Not determined.         · Solubility in / Miscibility with       Not miscible or difficult to mix.         · Partition coefficient (n-octanol/water): Not determined.       .         · Viscosity:       .	Auto igniting:	Product is not selfigniting.
Lower:1.1 Vol % 6 Vol %Upper:6 Vol %• Vapor pressure at 20 °C (68 °F):15 hPa (11.3 mm Hg)• Density at 20 °C (68 °F):0.69198 g/cm³ (5.77457 lbs/gal)• Relative densityNot determined.• Vapor densityNot determined.• Vapor densityNot determined.• Solubility in / Miscibility with Water:Not miscible or difficult to mix.• Partition coefficient (n-octanol/water): Not determined.• Viscosity:	Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Upper:6 Vol %Vapor pressure at 20 °C (68 °F):15 hPa (11.3 mm Hg)Density at 20 °C (68 °F):0.69198 g/cm³ (5.77457 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Viscosity:	Explosion limits:	
• Vapor pressure at 20 °C (68 °F):       15 hPa (11.3 mm Hg)         • Density at 20 °C (68 °F):       0.69198 g/cm³ (5.77457 lbs/gal)         • Relative density       Not determined.         • Vapor density       Not determined.         • Vapor density       Not determined.         • Vapor ation rate       Not determined.         • Solubility in / Miscibility with       Not miscible or difficult to mix.         • Partition coefficient (n-octanol/water): Not determined.       Not determined.	Lower:	1.1 Vol %
<ul> <li>Density at 20 °C (68 °F): 0.69198 g/cm<sup>3</sup> (5.77457 lbs/gal)</li> <li>Relative density Not determined.</li> <li>Vapor density Not determined.</li> <li>Evaporation rate Not determined.</li> <li>Solubility in / Miscibility with Water: Not miscible or difficult to mix.</li> <li>Partition coefficient (n-octanol/water): Not determined.</li> <li>Viscosity:</li> </ul>	Upper:	6 Vol %
• Relative density       Not determined.         • Vapor density       Not determined.         • Evaporation rate       Not determined.         • Solubility in / Miscibility with       Not miscible or difficult to mix.         • Partition coefficient (n-octanol/water): Not determined.         • Viscosity:	· Vapor pressure at 20 °C (68 °F):	15 hPa (11.3 mm Hg)
• Relative density       Not determined.         • Vapor density       Not determined.         • Evaporation rate       Not determined.         • Solubility in / Miscibility with       Not miscible or difficult to mix.         • Partition coefficient (n-octanol/water): Not determined.         • Viscosity:	Density at 20 °C (68 °F):	0.69198 g/cm <sup>3</sup> (5.77457 lbs/gal)
• Evaporation rate       Not determined.         • Solubility in / Miscibility with       Not miscible or difficult to mix.         • Partition coefficient (n-octanol/water): Not determined.         • Viscosity:	Relative density	Not determined.
Solubility in / Miscibility with Water: Not miscible or difficult to mix.     Partition coefficient (n-octanol/water): Not determined.     Viscosity:	Vapor density	Not determined.
Water:       Not miscible or difficult to mix.         • Partition coefficient (n-octanol/water): Not determined.         • Viscosity:	Evaporation rate	Not determined.
Water:       Not miscible or difficult to mix.         • Partition coefficient (n-octanol/water): Not determined.         • Viscosity:	Solubility in / Miscibility with	
· Viscosity:	• •	Not miscible or difficult to mix.
	Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.
<b>Dynamic at 20 °C (68 °F):</b> $0.51 \text{ mPas}$	· Viscosity: Dynamic at 20 °C (68 °F):	

Printing date 10/09/2019

Reviewed on 10/09/2019

#### Trade name: Organic Chloride Standard 2.0 ppm w/w in Isooctane

		(Contd. of page 5
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	100.0 %	
VOC content:	100.00 %	
	692.0 g/l / 5.77 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

## **10** Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

 $\cdot$  Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11** Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Dermal LD50 >2,500 mg/kg (rat) Inhalative LC50/4h 37.5 mg/l (rat)

· Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

· Toxicity

· Aquatic toxicity: No further relevant information available.

(Contd. on page 7)

<sup>-</sup> US

(Contd. of page 6)

## Safety Data Sheet acc. to OSHA HCS

Printing date 10/09/2019

Reviewed on 10/09/2019

#### Trade name: Organic Chloride Standard 2.0 ppm w/w in Isooctane

- *Persistence and degradability* No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, IMDG, IATA	UN1993
	011775
· UN proper shipping name · DOT	Flammable liquids, n.o.s. (Octanes)
IMDG	FLAMMABLE LIQUID, N.O.S. (OCTANES), MARIN POLLUTANT
·IATA	FLAMMABLE LIQUID, N.O.S. (OCTANES)
• Transport hazard class(es)	
RAMMARE LOOD	
· Class · Label	3 Flammable liquids 3
	5

Printing date 10/09/2019

Reviewed on 10/09/2019

# Trade name: Organic Chloride Standard 2.0 ppm w/w in Isooctane

	(Contd. of page
· Label	3
· IATA	
3	
· Class	3 Flammable liquids
· Label	3
Packing group	
· DOT, IMDG, IATA	II
• Environmental hazards:	Product contains environmentally hazardous substances: 2,2,4 Trimethylpentane (Iso-Octane)
• Marine pollutant:	Symbol (fish and tree)
•	
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	<i>33</i>
EMS Number:	F-E,S-D
Stowage Category	В
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
~ ·	On cargo aircraft only: 60 L
IMDG	
· Limited quantities (LQ)	5L
$\cdot$ Excepted quantities ( $\widetilde{EQ}$ )	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
• UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUID, N.O.S. (OCTANES), 3, II

# **15 Regulatory information**

.1.1

1

*a* ...

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara 1

1 /

· Section 355 (extremely nazaraous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
2,2,4-Trimethylpentane (Iso-Octane)	ACTIVE
Lauryl Chloride (Chlorododecane)	ACTIVE
· Hazardous Air Pollutants	
CAS: 540-84-1 2,2,4-Trimethylpentane (Iso-Octane)	
(Co	ntd. on page 9)

Printing date 10/09/2019

Reviewed on 10/09/2019

## Trade name: Organic Chloride Standard

2.0 ppm w/w in Isooctane

(Contd. of page 8)

Π

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 540-84-1 2,2,4-Trimethylpentane (Iso-Octane)

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: 2,2,4-Trimethylpentane (Iso-Octane) · Hazard statements Highly flammable liquid and vapor. Causes skin irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.

(Contd. on page 10)

Printing date 10/09/2019

Reviewed on 10/09/2019

#### Trade name: Organic Chloride Standard 2.0 ppm w/w in Isooctane

(Contd. of page 9)

Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
In case of fire: Use for extinction: CO2, powder or water spray.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision Revsion 0.0, 10-04-2019, Creation date for SDS. STN 10/09/2019 / -

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Asp. Tox. 1: Aspiration hazard – Category 1