Printing date 08/12/2024

Reviewed on 08/12/2024

1 Identification

- · Product identifier
- Trade name: <u>SuperOxi A Solution For</u> EZ7801/EZ7802/EZ7850/EZ7851- Total Phosphorus Analyzer
- · Article number: HAC301
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225
- DEER PARK, TX 77536 USA 800-256-2586
- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number:
- *Chemtrec: 800-424-9300 Canutec: 613-996-6666*

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Sensitization - Respiratory 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



H317 May cause an allergic skin reaction.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Sodium Persulfate
Hazard statements
May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Precautionary statements
Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves.

[In case of inadequate ventilation] wear respiratory protection. If swallowed: Call a poison center/doctor if you feel unwell.

(Contd. on page 2)

US

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: SuperOxi A Solution For EZ7801/EZ7802/EZ7850/EZ7851- Total Phosphorus Analyzer

(Contd. of page 1)

If on skin: Wash with plenty of water. If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label). If experiencing respiratory symptoms: Call a poison center/doctor. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 0Fire = 0*Reactivity* = 0· HMIS-ratings (scale 0 - 4) HEALTH *0 Health = *0Fire = 0FIRE 0 **REACTIVITY** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients

• Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7775-27-1 Sodium Persulfate

Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

1.5%

98.5%

US

Printing date 08/12/2024

Reviewed on 08/12/2024

(Contd. of page 2)

Trade name: SuperOxi A Solution For EZ7801/EZ7802/EZ7850/EZ7851- Total Phosphorus Analyzer

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

• PAC-1:

CAS: 7775-27-1 Sodium Persulfate

· PAC-2:

CAS: 7775-27-1 Sodium Persulfate
PAC-3:

CAS: 7775-27-1 Sodium Persulfate

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

(Contd. on page 4)

0.3 mg/m³

 8.2 mg/m^3

 49 mg/m^3

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: SuperOxi A Solution For

EZ7801/EZ7802/EZ7850/EZ7851- Total Phosphorus Analyzer

(Contd. of page 3)

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

CAS: 7775-27-1 Sodium Persulfate

TLV Long-term value: 0.1 mg/m³ as persulfate

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Goggles recommended during refilling.
- · Body protection: Protective work clothing

9 Physical and chemical properties

| General Information | | |
|---------------------|-------------------|--|
| Appearance: | | |
| Form: | Liquid | |
| Color: | Clear water white | |
| Odor: | Odorless | |
| Odor threshold: | Not determined. | |
| pH-value: | Not determined. | |

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: SuperOxi A Solution For EZ7801/EZ7802/EZ7850/EZ7851- Total Phosphorus Analyzer

| | (0 | Contd. of page 4 |
|---|--|------------------|
| Change in condition Melting point/Melting range: Boiling point/Boiling range: | 0 °C (32 °F) 100 °C (212 °F) | |
| · Flash point: | Not applicable. | |
| · Flammability (solid, gaseous): | Not applicable. | |
| • Decomposition temperature: | Not determined. | |
| · Ignition temperature: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: Lower: Upper: | Not determined. Not determined. | |
| · Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) | |
| · Density at 20 °C (68 °F): · Relative density · Vapor density · Evaporation rate | 1.021 g/cm³ (8.52024 lbs/gal) Not determined. Not determined. Not determined. | |
| · Solubility in / Miscibility with Water: | Fully miscible. | |
| · Partition coefficient (n-octanol/wate | e r): Not determined. | |
| · Viscosity: Dynamic: Kinematic: | Not determined. Not determined. | |
| Solvent content: Water: VOC content: | 98.5 % 0.00 % 0.0 g/l / 0.00 lb/gal | |
| Solids content: | 1.5 % | |
| • Other information | No further relevant information available. | |

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· *Incompatible materials:* No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: SuperOxi A Solution For

EZ7801/EZ7802/EZ7850/EZ7851- Total Phosphorus Analyzer

(Contd. of page 5)

| Informa Acute to | ttion on toxicological effects xicity: |
|--|---|
| LD/LC5 | 0 values that are relevant for classification: |
| ATE (A | cute Toxicity Estimate) |
| Oral LI | 050 61,333 mg/kg (rat) |
| on the s. on the e. Sensitiza Sensitiza Sensitiza Addition The prod Harmful Irritant | ation possible through inhalation. ation possible through skin contact. aal toxicological information: duct shows the following dangers according to internally approved calculation methods for preparations |
| | genic categories |
| | International Agency for Research on Cancer) |
| | the ingredients is listed. |
| | ational Toxicology Program) |
| None of | the ingredients is listed. |
| OSHA- | Ca (Occupational Safety & Health Administration) |
| None of | the ingredients is listed. |

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- *Persistence and degradability* No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

[·] Toxicity

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: SuperOxi A Solution For

EZ7801/EZ7802/EZ7850/EZ7851- Total Phosphorus Analyzer

(Contd. of page 6)

· Uncleaned packagings:

• *Recommendation:* Disposal must be made according to official regulations.

• *Recommended cleansing agent: Water, if necessary with cleansing agents.*

| UN-Number | | |
|--|-----------------|--|
| DOT, IMDG, IATA | Not regulated | |
| UN proper shipping name DOT, IMDG, IATA | Not regulated | |
| Transport hazard class(es) | | |
| DOT, ADN, IMDG, IATA Class | Not regulated | |
| | Noi reguiateu | |
| Packing group DOT, IMDG, IATA | Not regulated | |
| Environmental hazards: | Not applicable. | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex I | II of | |
| MARPOL73/78 and the IBC Code | Not applicable. | |

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

• Section 355 (extremely hazardous substances): None of the ingredients is listed. • Section 313 (Specific toxic chemical listings): None of the ingredients is listed. • TSCA (Toxic Substances Control Act): Water ACTIVE ACTIVE Sodium Persulfate · Hazardous Air Pollutants None of the ingredients is listed. · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. (Contd. on page 8) US

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: SuperOxi A Solution For

EZ7801/EZ7802/EZ7850/EZ7851- Total Phosphorus Analyzer

(Contd. of page 7)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling:

Sodium Persulfate

· Hazard statements

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves.

[In case of inadequate ventilation] wear respiratory protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

If experiencing respiratory symptoms: Call a poison center/doctor.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: SuperOxi A Solution For EZ7801/EZ7802/EZ7850/EZ7851- Total Phosphorus Analyzer

| | (Contd. of page 8) |
|--|--------------------|
| Contact: | |
| Date of Preparation / Last Revision: | |
| Date of preparation / last revision | |
| Revision 1.2, 08-12-2024: Reviewed SDS for accuracy. STN/GW | |
| 08/12/2024 / 1.1 | |
| | |
| Abbreviations and acronyms: | |
| IMDG: International Maritime Code for Dangerous Goods | |
| DOT: US Department of Transportation | |
| IATA: International Air Transport Association | |
| EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances | |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) | |
| NFPA: National Fire Protection Association (USA) | |
| HMIS: Hazardous Materials Identification System (USA) | |
| VOC: Volatile Organic Compounds (USA, EU) | |
| LC50: Lethal concentration, 50 percent | |
| LD50: Lethal dose, 50 percent | |
| PBT: Persistent, Bioaccumulative and Toxic | |
| vPvB: very Persistent and very Bioaccumulative | |
| NIOSH: National Institute for Occupational Safety | |
| OSHA: Occupational Safety & Health | |
| TLV: Threshold Limit Value | |
| PEL: Permissible Exposure Limit | |
| REL: Recommended Exposure Limit | |
| Sensitization - Respiratory 1: Respiratory sensitisation – Category 1 | |
| Sensitization - Skin 1: Skin sensitisation – Category 1 | |
| * Data compared to the previous version altered. | |
| - • | US |